



# **Kalum Sustainable Resource Management Plan**

April 2006



**Integrated Land  
Management  
Bureau**

## Foreword

The Kalum Sustainable Resource Management Plan (SRMP) will guide land use and resource management within the plan area to help provide long-term sustainability of natural resources, jobs, and communities in the Kalum plan area. This plan implements objectives and strategies of the Kalum Land and Resource Management Plan (LRMP) that relate to forestry development and the *Forest and Range Practices Act (FRPA)*.

In keeping with the *Governance Principles for Sustainability*<sup>1</sup>, the plan provides the following:

- *Certainty*, by providing clear management direction to resource users;
- *Efficiency* in the allocation, development and use of natural resources, by clarifying the timing and nature of activities that can occur in the area;
- *Flexibility*, by presenting results-based standards that will allow resource users to use their innovation and professional skills in developing implementation strategies;
- *Transparency*, by creating the plan in a spirit of openness of information and in consultation with First Nations, stakeholders, and the general public; and
- *Accountability*, by setting measurable objectives that can be tracked over time.

The Kalum SRMP is consistent with the *Sustainable Resource Management Planning, Standards for Creating, Implementing and Administering Sustainable Resource Management Plans*, March 2004. The plan was developed in collaboration with the Ministry of Forests and Range (MOFR) and the Ministry of Environment (MOE), and in consultation with plan area stakeholders, First Nations, and the public.

The plan is intended to maintain a balance of social, cultural, economic and environmental values consistent with the Kalum LRMP.

---

<sup>1</sup> *Governance Principles for Sustainability – Application Guideline*. March 2004, Ministry of Sustainable Resource Management (now called Integrated Land Management Bureau).

# Table of Contents

|   |           |
|---|-----------|
| <b>FOREWORD</b> .....   | <b>I</b>  |
| <b>TABLE OF CONTENTS</b> .....  | <b>II</b> |
| LIST OF TABLES .....  | III       |
| LIST OF MAPS .....  | III       |
| LIST OF APPENDICES .....  | III       |
| LIST OF ACRONYMS .....  | IV        |
| GLOSSARY .....  | V         |
| <b>1.0 PLANNING CONTEXT</b> .....   | <b>1</b>  |
| 1.1 INTRODUCTION .....  | 1         |
| 1.1.1 <i>Plan Goals</i> .....   | 2         |
| 1.1.2 <i>SRMP Process Overview</i> .....                                      | 2         |
| 1.2 PLAN AREA .....   | 3         |
| 1.3 PLAN SCOPE .....  | 3         |
| 1.3.1 <i>Direction from Other Plans</i> .....                                 | 3         |
| 1.3.2 <i>Scope of the Plan</i> .....  | 3         |
| <b>2.0 BIODIVERSITY</b> .....   | <b>5</b>  |
| 2.1 MANAGEMENT DIRECTION FOR BIODIVERSITY .....                               | 5         |
| 2.1.1 <i>Seral Stage Distribution</i> .....                                   | 5         |
| 2.1.2 <i>Old Forest Retention in Undeveloped Watersheds</i> .....             | 9         |
| 2.1.3 <i>Retention of Old Forest Through Establishment of OGMAs</i> .....     | 13        |
| 2.1.4 <i>Stand Structure through Wildlife Tree Retention</i> .....            | 15        |
| 2.1.5 <i>Species Composition</i> .....  | 18        |
| 2.1.6 <i>Temporal and Spatial Distribution of Cutblocks</i> .....             | 18        |
| 2.1.7 <i>Landscape Connectivity</i> .....                                     | 19        |
| 2.1.8 <i>Rare Ecosystems</i> .....  | 19        |
| <b>3.0 WILDLIFE</b> .....   | <b>20</b> |
| 3.1 MANAGEMENT DIRECTION FOR WILDLIFE .....                                   | 20        |
| 3.1.1 <i>Grizzly Bear</i> .....   | 21        |
| <b>4.0 AREA SPECIFIC MANAGEMENT DIRECTION</b> .....                           | <b>22</b> |
| <b>5.0 VISUAL RESOURCES</b> .....   | <b>24</b> |
| 5.1 MANAGEMENT DIRECTION FOR VISUAL RESOURCES .....                           | 24        |
| <b>6.0 COMMUNITY WATERSHEDS</b> .....   | <b>25</b> |
| 6.1 MANAGEMENT DIRECTION FOR COMMUNITY WATERSHEDS .....                       | 25        |
| 6.1.1 <i>Grandparented Community Watersheds</i> .....                         | 25        |
| 6.1.2 <i>Community Watersheds Established Through This Plan Process</i> ..... | 25        |
| <b>7.0 PLAN IMPLEMENTATION, MONITORING AND AMENDMENT</b> .....                | <b>26</b> |
| 7.1 IMPLEMENTATION .....  | 26        |
| 7.2 MONITORING .....  | 26        |
| 7.3 ADAPTIVE MANAGEMENT .....   | 26        |
| 7.4 PLAN AMENDMENT .....  | 26        |

## List of Tables

- Table 1: Seral stage definition (ages in years) by biogeoclimatic unit
- Table 2: Target seral stage distribution (% of forested land base in each BEC unit)
- Table 3: Allowable deviations from the early seral stage targets set in Table 2
- Table 4: Undeveloped watersheds
- Table 5: Target old seral stage distribution within undeveloped watersheds (% forested land base in each BEC unit/site series)
- Table 6: Wildlife tree patch retention targets
- Table 7: Target distribution of patch sizes (harvest units and leave areas)
- Table 8: Grizzly bear stocking standards

## List of Maps

- Map 1: Plan Area
- Map 2: Biogeoclimatic Zones
- Map 3: Landscape Units and Undeveloped Watersheds
- Map 4: Proposed Old Growth Management Areas
- Map 5: Wildlife Connectivity Corridors
- Map 6: Skeena Islands Rare Ecosystems
- Map 7: Grizzly Bear Identified Watersheds
- Map 8: Area Specific Management
- Map 9: Community Watersheds
- Map 10: Coastal Tailed Frog WHA and Mountain Goat UWR

## List of Appendices

- Appendix A: Wildlife Objectives Established by MOE
- Appendix B: Visual Quality Objectives Established by MoFR
- Appendix C: Seral Stage Assessment
- Appendix D: OGMAs Area Analysis
- Appendix E: Patch Size Distribution Assessment
- Appendix F: Best Management Practices for Rare and Endangered Ecosystems

## List of Acronyms

|      |  |
|------|--|
| AAC  | Allowable annual cut   |
| AST  | Approval Support Team  |
| BEC  | Biogeoclimatic ecosystem classification                              |
| CDC  | Conservation Data Centre   |
| CWH  | Coastal Western Hemlock zone   |
| DFO  | Department of Fisheries and Oceans (now Fisheries and Oceans Canada) |
| ECA  | Equivalent clearcut area   |
| ESSF | Engelmann Spruce Sub-alpine Fir zone                                 |
| FDP  | Forest Development Plan  |
| FRPA | Forest and Range Practices Act                                       |
| FPPR | Forest Planning and Practices Regulation                             |
| FSP  | Forest Stewardship Plan  |
| GBPU | Grizzly bear population unit   |
| GIS  | Geographic information system  |
| ICH  | Interior Cedar Hemlock zone  |
| ILMB | Integrated Land Management Bureau <sup>2</sup>                       |
| IPT  | Interagency Planning Team  |
| IWMS | Identified wildlife management strategy                              |
| LU   | Landscape unit   |
| LRMP | Land and resource management plan                                    |
| MAL  | Ministry of Agriculture and Lands <sup>3</sup>                       |
| MELP | Ministry of Environment, Lands and Parks <sup>4</sup>                |
| MH   | Mountain Hemlock zone  |
| MOE  | Ministry of Environment <sup>4</sup>                                 |
| MOF  | Ministry of Forests <sup>5</sup>                                     |
| MOFR | Ministry of Forests and Range  |
| MSRM | Ministry of Sustainable Resource Management <sup>6</sup>             |
| ND   | Natural disturbance  |
| NDT  | Natural disturbance type   |
| OGMA | Old Growth Management Area   |
| PEM  | Predictive ecosystem mapping   |
| PIC  | Plan Implementation Committee  |
| SRMZ | Special resource management zone                                     |
| SRMP | Sustainable Resource Management Plan                                 |
| TFL  | Tree Farm Licence  |
| THLB | Timber harvesting land base  |
| TSA  | Timber supply area   |

---

<sup>2</sup> Prior to 2005 it was called the Ministry of Sustainable Resource Management (MSRM).

<sup>3</sup> In 2005 the Ministry of Agriculture, Food, and Fisheries was renamed the Ministry of Agriculture and Lands.

<sup>4</sup> In June of 2001 the Ministry of Environment, Lands and Parks was replaced by the Ministry of Water, Land and Air Protection and the Ministry of Sustainable Resource Management. In 2005 it was renamed the Ministry of Environment.

<sup>5</sup> In 2005 the ministry name has changed to the Ministry of Forests and Range.

<sup>6</sup> In 2005 the Ministry was eliminated and the planning function has moved to the Ministry of Agriculture and Lands, Integrated Land Management Bureau.

|      |  |
|------|--|
| TSR  | Timber supply review                                     |
| UWR  | Ungulate Winter Range                                    |
| VL I | Visual Landscape Inventory                               |
| VQO  | Visual Quality Objective                                 |
| WHA  | Wildlife Habitat Area                                    |
| WLAP | Ministry of Water, Land, and Air Protection <sup>7</sup> |
| WTP  | Wildlife tree patch                                      |
| WTR  | Wildlife tree retention                                  |

## Glossary

|                                   |  |
|-----------------------------------|--|
| <b>Adaptive management</b>        | An approach to managing uncertainty that emphasizes learning by trial. Management policies, practices, and plans are adopted based on best available information, and monitored to assess effects. Adoptions of policies, practices, and plans are made periodically, on the basis of research and monitoring information to incorporate “lessons learned”.                                    |
| <b>Allowable annual cut (AAC)</b> | The rate of timber harvest permitted each year from a specified area of land, usually expressed as cubic metres of wood per year. The chief forester sets AACs for timber supply areas (TSA) and tree farm licences (TFLs) in accordance with Section 7 and/or Section 170 of the <i>Forest Act</i> . The district manager sets AACs for woodlot licences.                                     |
| <b>Biodiversity</b>               | The diversity of plants, animals and other living organisms in all their forms and levels of organization, including the diversity of genes, species, and ecosystems, as well as the functional processes that link them.  |
| <b>Biogeoclimatic (BEC) zones</b> | A system of ecological classification based primarily on climate, soils, and vegetation that divide the province into large geographic areas with broadly homogeneous climate and similar dominant tree species. Zones are further broken down into subzones (based on characteristic plant communities occurring on zonal sites) and variants (based on climatic variation within a subzone). |

---

<sup>7</sup> In 2005 it was renamed to the Ministry of Environment.

|                                       |   |
|---------------------------------------|---|
| <b>Blue-listed species</b>            | Sensitive or vulnerable species as identified by the Ministry of Environment. Blue-listed species are considered to be vulnerable and “at risk” but not yet endangered or threatened. Populations of these species may not be declining but their habitat or other requirements are such that they are sensitive to disturbance. The blue list also includes species that are generally suspected of being vulnerable, but for which information is too limited to allow designation in another category. |
| <b>Community watershed</b>            | A drainage basin that is managed to provide a domestic water supply to a particular community of users.   |
| <b>Connectivity</b>                   | A qualitative term describing the degree to which late-successional ecosystems are linked to one another to form an interconnected network. The degree of interconnectedness and the characteristics of the linkages vary in natural landscapes based on topography and natural disturbance regime. Breaking of these linkages may result in fragmentation. Connectivity also refers to degree to which the condition of a landscape facilitates or impedes wildlife movement.                            |
| <b>Conserve</b>                       | Keep in a safe or sound state; to avoid wasteful or destructive use.  |
| <b>Consistency</b>                    | Where resource objectives do not materially conflict with other objectives that have been established (either in policy-based land use plans, or legally by Order).   |
| <b>Equivalent Clearcut Area (ECA)</b> | The area of a cut block weighted as the area of a clear-cut, unregenerated block to estimate the equivalent effect on snow hydrology. For example, a 10 ha clear-cut, unregenerated block has an ECA of 10 ha; if a fully stocked stand has regenerated to a height of 6 metres, the block now has an ECA of 5 ha. If, instead of being clear-cut, the block was selection logged with 30 per cent volume removal, the ECA is estimated to be 3 ha.   |
| <b>Forest Stewardship Plan (FSP)</b>  | An operational plan that details the logistics for development. Methods, schedules, and responsibilities for accessing, harvesting, renewing and protecting the resource are set out to enable site-specific operations to proceed.   |

|   |   |
|---|---|
| <b>Forested land base</b>                   | For the purpose of biodiversity analysis, the total forested land base was determined by using the direction in Chapter 2 of the Landscape Unit Planning Guide (1999). It includes crown owned forested land (excluding woodlots). This includes TFL land and any private land associated with TFL. The forested portions of provincial parks, protected areas, and ecological reserves were also included.             |
| <b>Goal</b>                                 | Broad statement that describes a general, desirable future end-state with respect to a particular subject (environmental, social or economic).  |
| <b>Legal objective</b>                      | A land or resource management objective that has been established by Cabinet or an authorized minister (or minister's delegate) for the purpose of guiding subsequent resource management planning and decision making. Making land use plan objectives "legal" (by Cabinet or ministerial Order) is the primary means in British Columbia of ensuring that the plan objectives are implemented consistently over time. |
| <b>Maintain</b>                             | Preserve from failure or decline; to cause to continue.   |
| <b>Mitigation</b>                           | Resource management practices targeted at improving the compatibility between resource uses. Mitigation strategies include efforts to avoid, minimize, rectify, reduce or compensate for the impacts of one resource use on another.  |
| <b>Monitoring</b>                           | Ongoing assessment of how well the management objectives of the SRMP are being implemented. Effectiveness monitoring will assess how well the management objectives are meeting the goals or intent of the SRMP.  |
| <b>Natural Disturbance Type (NDT1/NDT2)</b> | Forest cover types resulting from a particular natural disturbance regime. Natural disturbance type 1 includes ecosystems with rare stand-initiating events. Natural disturbance type 2 includes ecosystems with infrequent stand-initiating events.  |
| <b>Objective</b>                            | A concise, measurable statement of a desired future condition for a resource or resource use that is attainable through management action.  |
| <b>Old Growth Management Areas (OGMAs)</b>  | Areas that contain or are managed to replace specific structural old-growth attributes and that are mapped out and treated as special management areas (no harvest areas).  |



|  |   |
|--|---|
| <b>Operational plans</b>                   | Plans that specify the detailed method, schedules, and responsibilities for developing and managing resources. Operational plans are typically developed by resource tenure holders and are approved by the agency with regulatory responsibility for the resource sector. Operational plans for forest management in British Columbia include, but are not limited to, “forest stewardship plans” and “range stewardship plans”. |
| <b>Planning hierarchy</b>                  | A continuum of interdependent planning levels ranging from broad land and resource management principals and policies, to strategic level land and resource use plans, to sustainable resource management plans, to operational-level planning.   |
| <b>Policy based plans</b>                  | Land use plans that are formally approved by government, but are not implemented by legal means.  |
| <b>Preserve</b>                            | Keep safe from injury, harm or distraction; to keep alive, intact or free from decay; synonym for protect.  |
| <b>Protect</b>                             | Keep safe, defend or guard.   |
| <b>Range of natural variability (RONV)</b> | In the absence of human development activities, the range within which fluctuations in the environment occur, for example, water temperature or flow cycles as influenced by time of year or rainfall.  |
| <b>Red-listed species</b>                  | Taxa being considered for or already designated Extirpated, Endangered or Threatened. Extirpated taxa no longer exist in the wild in British Columbia, but occur elsewhere. Endangered taxa are facing imminent extirpation or extinction. Threatened taxa are likely to become endangered if limiting factors are not reversed.  |
| <b>Results-based</b>                       | A management strategy that focuses on on-the-ground results (vs. specific methods or strategies), providing flexibility in meeting the clear environmental standards set by the <i>Forest and Range Practices Act</i> .   |
| <b>Scenic area</b>                         | Any visually sensitive area of scenic landscape identified through a visual landscape inventory or planning process carried out or approved by a district manager.  |

|  |  |
|--|--|
| <b>Seral (forest or stage)</b>                     | Sequential stages in the development of plant communities (e.g. from young stage (early seral) to old stage (old seral)) that successively occupy a site and replace each other over time.   |
| <b>Strategy</b>                                    | A means of achieving resource objective.   |
| <b>Sustainable</b>                                 | A state or process that can be maintained indefinitely. The principles of sustainability integrate three closely interlinked elements – the environment, the economy and the social system – into a system that can be maintained in a healthy state indefinitely.   |
| <b>Sustainable Resource Management Plan (SRMP)</b> | A landscape-level plan that identifies spatially specific and measurable land/resource objectives for the planning area, and strategies for achieving the objectives. SRMP Planning integrates and replaces the province’s former array of landscape and local planning processes under one umbrella (including local resource planning, coastal planning, pre-tenure planning, and recreation management planning).   |
| <b>Timber supply area (TSA)</b>                    | An integrated resource management unit established in accordance with Section 6 of the <i>Forest Act</i> . TSAs were originally defined by an established pattern of wood flow from management units to the primary timber-using industries. They are the primary unit for allowable annual cut determinations.  |
| <b>Visual Landscape Inventory (VLI)</b>            | An inventory that identifies visible areas that have known or potential scenic value as seen from selected viewpoints, such as towns, parks, recreation sites and highway and river corridors. This province-wide inventory undertaken by the Ministry of Forests and Range is designed to provide information on visual quality for planning including strategic planning (e.g. LRMPs) and operational planning (forest development plans). One of the components of a VLI is Recommended Visual Quality Objectives (VQOs). |
| <b>Visual Quality Objectives (VQO)</b>             | A resource management objective established by the district manager or contained in a higher level plan that reflects the desired level of visual quality based on the physical characteristics and social concern for the area. Five categories of VQO are commonly used: preservation; retention; partial retention; modification and, maximum modification.   |
| <b>Watershed</b>                                   | An area of land that collects and discharges water into a single main stream through a series of smaller tributaries.  |

## 1.0 Planning Context

### 1.1 Introduction

The Kalum Land and Resource Management Plan (LRMP) recommendations were finalized and approved by Cabinet in March of 2001. In June of 2001 a new government was appointed and the Ministry of Sustainable Resource Management (MSRM) was formed as the primary agency responsible for land-use planning. In May of 2002, the Minister of MSRM gave the final approval for the LRMP and conveyed it to all participating ministries for implementation.

Upon the completion of the Kalum LRMP recommendations, the Kalum LRMP Approval Support Team (AST) and Interagency Planning Team (IPT) identified objectives and strategies for inclusion in a higher level plan; however, due to changes in government, the higher level plan was never finalized or approved. For the most part, the LRMP is not legally binding and it remains as government policy.

Since the completion of the Kalum LRMP, the *Forest and Range Practices Act* (FRPA, 2003) has been enacted to govern forestry activities. Under the Forest Practices Code (FPC), the District Manager has discretionary power to identify LRMP zones, and objectives and strategies as ‘known information’. Licensees are required to consider this ‘known information’ in their operational plans even though the information itself had not been designated as legal objectives. Under FRPA, licensees are required to only consider objectives that are legally established. The FPC still applies to any activity carried out under a forest development plan (FDP), while FRPA will apply to those activities carried out under a forest stewardship plan (FSP).

The Skeena Region Inter-agency Management Committee identified the Kalum LRMP area as a high priority for the establishing legal objectives. The Kalum SRMP is a landscape level plan that allows government to implement some of the Kalum LRMP objectives and strategies by making them legally binding. The Kalum SRMP maintains the balance of social, cultural, economic and environmental values as determined by the LRMP. The objectives in the SRMP are established, through an Order, as legally binding land use objectives. Any footnote that is referenced in the objective is considered to be a part of the objective and will be legally binding as well.

Mineral exploration and mining will be addressed through use of the “two-zone model”. This model ensures that mining applications are considered, subject to all applicable laws, anywhere but in parks, ecological reserves, protected heritage property, or an area under the *Environment and Land Use Act*. This plan is consistent with the Kalum LRMP objectives regarding development of mineral and energy resources.

The Kalum SRMP recognizes that the Nisga’a Final Agreement establishes a number of joint Nisga’a/Provincial/Federal committees to facilitate the planning of certain activities in areas including that part of the Kalum SRMP that is within the southern boundary of the Nass Area and Nass Wildlife Area. Such committees include:

- *Joint Fisheries Management Committee, mandated to facilitate cooperative planning and conduct of Nisga'a fisheries and enhancement initiatives in the Nass Area, and*
- *Nass Wildlife Committee, mandated to facilitate wildlife management within the Nass Area.*

### 1.1.1 Plan Goals

The goal of the Kalum SRMP is to provide a landscape level plan that allows the government to implement the Kalum LRMP objectives and strategies as they pertain to forestry activities. This plan provides clear direction, using the best available knowledge, data, and analysis, to ensure the long-term sustainability of natural resources and the environment. The plan will create accountability by setting measurable standards for the management of resources. Additional goals are to:

- establish legal land use objectives to support the implementation of the FRPA;
- provide certainty to forest licensees in the development of FSP as required under FRPA;
- spatially locate the direction or values given in the Kalum LRMP, and to identify measurable targets related to the geographic area.

### 1.1.2 SRMP Process Overview

The interagency team responsible for the completion of the SRMP included representatives from ILMB, MOFR and MOE. The following key phases in the planning process guided development of the SRMP:

**Phase 1: Process Initiation:** Assembly of planning team, development and approval of project Terms of Reference and completion of a detailed work plan.

**Phase 2: Information Gathering:** Complete review of relevant information and compile all existing inventories.

**Phase 3: Plan Development:** Draft resource objectives for biodiversity, wildlife, visual quality, and water quality and develop implementation, monitoring and reporting methodology.

**Phase 4: First Nations and Licensees Consultation:** Present or provide the draft plan to the licensees and affected First Nations.

**Phase 5: Public Review:** Present the revised draft plan to the Kalum LRMP Plan Implementation Committee (PIC) and incorporate comments as appropriate. Enter into a 60 day public review period and incorporate comments as appropriate.

**Phase 6: Plan Approval:** Review and approval of the final draft plan by the Regional Director, and filing the Order.

**Phase 7: Data Warehousing:** Data sets used for plan development and analysis will be warehoused.

## **1.2 Plan Area**

The Kalum SRMP area (Map 1) encompasses Crown land within the Kalum LRMP area with the exclusion of the Kowesas Landscape Unit (LU), which is covered by the Kowesas SRMP, and all parks/protected areas.

## **1.3 Plan Scope**

### **1.3.1 Direction from Other Plans**

Plan direction is complimentary to, and consistent with, the Kalum LRMP direction. The Kalum LRMP was developed through a public process involving people with a range of interests in the Kalum area: First Nations, foresters, miners, recreationists, tourism operators, environmentalists, and interested members of the local communities. LRMP objectives and strategies, which have not been given the weight of government legislation, still reflect social choices that have been approved by government for consideration in plans – these continue as government policy. Accountability for implementation of these “non-legal” components rests with resource professionals and their professional accounting bodies.

The LRMP directed that an ecosystem-based land management approach be piloted in key undeveloped watersheds (Jesse, Emsley, Wathlsto, Hugh, Brim, Wahoo, and Owyacumish). Old growth retention targets for these undeveloped watersheds are consistent with the approach that is applied in the Kowesas SRMP<sup>8</sup>.

### **1.3.2 Scope of the Plan**

The Kalum SRMP was created to safeguard the public interests in the conservation and management of values and resources in the plan area, and to direct management of forestry activities occurring in the plan area. The values and issues addressed in the Kalum SRMP are identified by the Kalum LRMP.

The Kalum SRMP and associated legal Orders:

- establish Rosswood (Clear Creek), Usk (Skovens Brook), Kleanza (Singlehurst Creek), Gossen Creek and Hatchery Creek as Community Watersheds;
- establish land use objectives for maintaining water quality in the newly established Community Watersheds;
- establish land use objectives for biodiversity values including but not limited to: seral stage distribution, retention of old growth forest (through spatial Old Growth Management Areas (OGMAs)), stand structure (through wildlife tree retention), species composition, connectivity, and patch size distribution; and

---

<sup>8</sup> The Kowesas SRMP was in draft form and not yet approved by government at the time this SRMP was completed.

## Kalum SRMP

- establish land use objectives for grizzly bear to address the LRMP recommendations that will not be addressed by grizzly bear WHAs (forage supply).
- Establish land use objectives for important areas through area specific management

Management of wildlife values through the *Forest and Range Practices Act* and the *Government Actions Regulation* are the responsibility of MOE. General Wildlife Measures (GWMs) and associated Ungulate Winter Range (UWR) (mountain goat) or Wildlife Habitat Area (WHA) (tailed frog) designations are included for reference purposes in this plan (Appendix A). Future designations and GWMs will be added as they become available.

Scenic areas and visual quality objectives are established by the District Manager of the Ministry of Forests and Range either under the FPC or brought into force under the FRPA *Government Actions Regulation* (GAR) and *Forest Planning and Practices Regulation* (FPPR). These are included for reference purposes in this plan (Appendix B).

The plan may be amended from time to time to either address additional resource values or amend the existing objectives as appropriate. The amendment process is defined in a provincial policy “Keeping Land Use Plans Current, Policy on Reviewing & Amending Strategic Land Use Plans”.

## 2.0 Biodiversity

### 2.1 Management Direction for Biodiversity

#### Plan Goal for Biodiversity

- To maintain the natural biodiversity of the Kalum SRMP area, including the full range of functional and healthy ecosystems, over time and at all scales.

Biodiversity is addressed using two types of management: coarse filter and fine filter. “Coarse filter management” occurs throughout the land base and assumes that the habitat needs of most species will be addressed by managing forest in a way that reflects the natural disturbance patterns for the area. “Fine filter management” addresses the specialized habitat requirements of species whose needs are not met by the “broad-brush” of coarse filter management. The management direction for biodiversity is consistent with the principals of an ecosystem management approach.

The Kalum SRMP addresses the following elements of coarse filter biodiversity:

- Seral stage distribution;
- Retention of old growth forest through establishment of Old Growth Management Areas (OGMAs);
- Stand structure through wildlife tree retention;
- Species composition;
- Temporal and spatial distribution of cut blocks; and
- Connectivity.

Fine filter management for tailed frog and mountain goat is addressed by the Ministry of Environment through establishment of ungulate winter ranges (UWRs) and wildlife habitat areas (WHAs). For reference purposes these are included as Appendix A.

In addition the SRMP addresses rare ecosystems on Skeena River islands and area specific LRMP direction.

#### 2.1.1 Seral Stage Distribution

The goal of the seral stage distribution objectives is to maintain the range of forest stand ages that were historically found within the various biogeoclimatic subzones and variants (Map 2) within each landscape unit (Map 3) in the Kalum SRMP area.

**Objective 1: Maintain a range of forest seral stages by biogeoclimatic variant, within each landscape unit, consistent with Tables 1, 2, and 3.**

Table 1. Seral stage definition by biogeoclimatic unit (based on the *Biodiversity Guidebook* 1995).

| BEC Unit             | NDT | Forest Stand Age (years) |        |      |
|----------------------|-----|--------------------------|--------|------|
|                      |     | Early                    | Mature | Old  |
| CWHvh2, vm, vm1, vm2 | 1   | <40                      | >80    | >250 |
| ESSFwv, MH mm1, mm2  | 1   | <40                      | >120   | >250 |
| CWHws1, ws2          | 2   | <40                      | >80    | >250 |
| ESSFmk               | 2   | <40                      | >120   | >250 |
| ICHmc1, mc2          | 2   | <40                      | >100   | >250 |

Table 2. Target seral stage distribution (% of forested land base in each BEC unit).

| Landscape Unit                            | BEO | BEC Variant                                | Seral Stage Distribution<br>(% of forested land base) |                          |                          |
|---|-----|--|---|--------------------------|--------------------------|
|   |     |  | Early   | Mature<br>+ old          | Old                      |
| Nass River (K'alii Aksim Lisims)<br>Kalum | H   | ICHmc1/mc2                                 | <27   | >46                      | >13                      |
| Skeena River<br>Kalum                     | H   | CWHvm<br>CWHws1/ws2<br>ICHmc2<br>MHmm1/mm2 | <23<br><27<br><27<br><17                              | >54<br>>51<br>>46<br>>54 | >19<br>>13<br>>13<br>>28 |
| Beaver                                    | I   | CWHws1/ws2<br>MHmm2                        | <36<br><22  | >34<br>>36               | >9<br>>19                |
| Clore                                     | I   | CWHws1/ws2<br>ESSFmk<br>ESSFwv, MHmm2      | <36<br><36<br><22                                     | >34<br>>28<br>>36        | >9<br>>9<br>>19          |
| Exstew                                    | I   | CWHws1/ws2<br>MHmm2                        | <36<br><22  | >34<br>>36               | >9<br>>19                |
| Hawkesbury<br>Island West                 | I   | CWHvh2<br>MHwh1                            | <30<br><22  | >36<br>>36               | >13<br>>19               |
| Hirsch <sup>9</sup>                       | I   | CWHvm<br>CWHws1/ws2,<br>MHmm1              | <30<br><36<br><22                                     | >36<br>>34<br>>36        | >13<br>>9<br>>19         |
| Ishkheenickh (Ksi Hlginx)                 | I   | CWHvm,<br>CWHws1/ws2<br>MHmm1              | <30<br><36<br><22                                     | >36<br>>34<br>>36        | >13<br>>9<br>>19         |
| Kalum                                     | I   | CWHws1/ws2<br>MHmm2                        | <36<br><22  | >34<br>>36               | >9<br>>19                |
| Kasiks                                    | I   | CWHvm<br>MHmm1                             | <30<br><22  | >36<br>>36               | >13<br>>19               |
| Kemano <sup>10</sup>                      | I   | CWHvm/vm1/vm2                              | <30   | >36                      | >13                      |

<sup>9</sup> The old seral targets do not apply to the Wathlsto watershed of this landscape unit (see Map 3). Old seral targets for this watershed are specified in Table 5.



Kalum SRMP

| Landscape Unit                 | BEO      | BEC Variant       | Seral Stage Distribution<br>(% of forested land base) |                 |     |
|--------------------------------|----------|-------------------|---|-----------------|-----|
|                                |          |                   | Early   | Mature<br>+ old | Old |
|                                |          | <b>CWHws2</b>     | <36   | >34             | >9  |
|                                |          | <b>ESSFmk</b>     | <36   | >28             | >9  |
|                                |          | <b>MHmm1/mm2</b>  | <22   | >36             | >19 |
| <b>Lakelse<sup>11</sup></b>    | <b>I</b> | <b>CWHws1/ws2</b> | <36   | >34             | >9  |
|                                |          | <b>MHmm2</b>      | <22   | >36             | >19 |
| <b>Tseax (Ksi Sii Aks)</b>     | <b>I</b> | <b>CWHws1/ws2</b> | <36   | >34             | >9  |
|                                |          | <b>ICHmc1/mc2</b> | <36   | >31             | >9  |
|                                |          | <b>MHmm2</b>      | <22   | >36             | >19 |
| <b>Wedene</b>                  | <b>I</b> | <b>CWHvh2/vm</b>  | <30   | >36             | >13 |
|                                |          | <b>CWHws1/ws2</b> | <36   | >34             | >9  |
|                                |          | <b>MHmm1/mm2</b>  | <22   | >36             | >19 |
| <b>Dala</b>                    | <b>L</b> | <b>CWHvm</b>      | n/a   | >18             | >13 |
|                                |          | <b>CWHws2</b>     | n/a   | >17             | >9  |
|                                |          | <b>MHmm1</b>      | n/a   | >19             | >19 |
| <b>Dasque</b>                  | <b>L</b> | <b>CWHws1/ws2</b> | n/a   | >17             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |
| <b>Exchamsiks</b>              | <b>L</b> | <b>CWHvm</b>      | n/a   | >18             | >13 |
|                                |          | <b>MHmm1</b>      | n/a   | >19             | >19 |
| <b>Falls<sup>12</sup></b>      | <b>L</b> | <b>CWHvm/vm1</b>  | n/a   | >18             | >13 |
|                                |          | <b>MHmm1</b>      | n/a   | >19             | >19 |
| <b>Hawkesbury Island East</b>  | <b>L</b> | <b>CWHvh2</b>     | n/a   | >18             | >13 |
|                                |          | <b>MHwh1</b>      | n/a   | >19             | >19 |
| <b>Horetzky</b>                | <b>L</b> | <b>CWHws2</b>     | n/a   | >17             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |
| <b>Hot Springs</b>             | <b>L</b> | <b>CWHws1/ws2</b> | n/a   | >17             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |
| <b>Jesse Bish<sup>13</sup></b> | <b>L</b> | <b>CWHvm</b>      | n/a   | >18             | >13 |
|                                |          | <b>MHmm1</b>      | n/a   | >19             | >19 |
| <b>Kiteen (Ksi Gahlt'in)</b>   | <b>L</b> | <b>CWHws2</b>     | n/a   | >17             | >9  |
|                                |          | <b>ICHmc1/mc2</b> | n/a   | >15             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |
| <b>Kitimat</b>                 | <b>L</b> | <b>CWHvm</b>      | n/a   | >18             | >13 |
|                                |          | <b>CWHws1/ws2</b> | n/a   | >17             | >9  |

<sup>10</sup> The old seral targets do not apply to the Owyacumish, Brim, and Wahoo watersheds of this landscape unit (see Map 3). Old seral targets for these watersheds are specified in Table 5.

<sup>11</sup> The early seral targets do not apply to Lakelse River Special Resource Management Zone (SRMZ), Subzone 2 (Map 8). Targets for this area are specified in objective 12.

<sup>12</sup> The old seral targets do not apply to the Hugh watershed of this landscape unit (see Map 3). Old seral targets for this watershed are specified in Table 5.

<sup>13</sup> The old seral targets do not apply to the Jesse and Emsley watersheds of this landscape unit (see Map 3). Old seral targets for these watersheds are specified in Table 5.

Kalum SRMP

| Landscape Unit                 | BEO      | BEC Variant       | Seral Stage Distribution<br>(% of forested land base) |                 |     |
|--------------------------------|----------|-------------------|---|-----------------|-----|
|                                |          |                   | Early   | Mature<br>+ old | Old |
|                                |          | <b>MHmm1/mm2</b>  | n/a   | >19             | >19 |
| <b>Kleanza Treasure</b>        | <b>L</b> | <b>CWHws1/ws2</b> | n/a   | >17             | >9  |
|                                |          | <b>ICHmc2</b>     | n/a   | >15             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |
| <b>Ksedin (Ksi<br/>Mat'in)</b> | <b>L</b> | <b>CWHws1/ws2</b> | n/a   | >19             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |
| <b>Nelson Fiddler</b>          | <b>L</b> | <b>CWHws1/ws2</b> | n/a   | >17             | >9  |
|                                |          | <b>ICHmc2</b>     | n/a   | >15             | >9  |
|                                |          | <b>MHmm2</b>      | n/a   | >19             | >19 |

The Kalum LRMP included transitions measures for implementation of seral stage targets which are intended to minimize the impacts on timber supply as follows:

- Early, and mature + old seral stage targets will be achieved in the shortest time possible;
- In (BEC) variants within landscape units where current early seral stage forests are at or below the early seral stage target (Table 2) the early seral stage percent will not exceed the target by more than an additional 10% ;
- Where current early seral stage forests are above the targets the early seral stage percent will not exceed the target by more than an additional 15%.

For the purposes of applying specific landscape unit transition measures, assessment results (initiated in 2003) are included in the Appendix C. Table 3 identifies adjusted early seral stage targets that are consistent with the transition strategy.

Table 3. Allowable deviations from the early seral stage targets set in Table 2

| Landscape Unit                                    | BEC variant           | Maximum Early Seral Forest (% of forested land base) |
|---|-----------------------|--|
| <b>Nass River (K'alii Aksim<br/>Lisims) Kalum</b> | <b>ICHmc1</b>         | <42  |
|   | <b>ICHmc2</b>         | <37  |
| <b>Skeena River Kalum</b>                         | <b>CWHvm</b>          | <33  |
|   | <b>CWHws1</b>         | <42  |
|   | <b>CWHws2, ICHmc2</b> | <37  |
|   | <b>MHmm1, MHmm2</b>   | <27  |
| <b>Beaver</b>                                     | <b>CWHws1</b>         | <51  |
|   | <b>CWHws2</b>         | <46  |
|   | <b>MHmm2</b>          | <32  |
| <b>Clore</b>                                      | <b>CWHws1</b>         | <51  |
|   | <b>CWHws2, ESSFmk</b> | <46  |
|   | <b>ESSFwv, MHmm2</b>  | <32  |
| <b>Exstew</b>                                     | <b>CWHws1</b>         | <51  |

| Landscape Unit            | BEC variant        | Maximum Early Seral Forest (% of forested land base) |
|---------------------------|--------------------|--|
|                           | CWHws2             | <46  |
|                           | MHmm2              | <32  |
| Hawkesbury Island West    | CWHvh2             | <40  |
|                           | MHwh1              | <32  |
| Hirsch                    | CWHvm              | <40  |
|                           | CWHws1             | <51  |
|                           | CWHws2             | <46  |
|                           | MHmm1              | <32  |
| Ishkheenickh (Ksi Hlginx) | CWHvm              | <40  |
|                           | CWHws1, CWHws2     | <46  |
|                           | MHmm1              | <32  |
| Kalum                     | CWHws1             | <51  |
|                           | CWHws2             | <46  |
|                           | MHmm2              | <32  |
| Kasiks                    | CWHvm              | <30  |
|                           | MHmm1              | <32  |
| Kemano                    | CWHvm, CWHvm1, vm2 | <40  |
|                           | CWHws2, ESSFmk     | <46  |
|                           | MHmm1, MHmm2       | <32  |
| Lakelse <sup>14</sup>     | CWHws1             | <51  |
|                           | CWHws2             | <46  |
|                           | MHmm2              | <32  |
| Tseax (Ksi Sii Aks)       | CWHws1             | <51  |
|                           | CWHws2, ICHmc1     | <46  |
|                           | ICHmc2             | <51  |
|                           | MHmm2              | <32  |
| Wedene                    | CWHvh2, CWHvm      | <40  |
|                           | CWHws1             | <51  |
|                           | CWHws2             | <46  |
|                           | MHmm1, MHmm2       | <32  |

### 2.1.2 Old Forest Retention in Undeveloped Watersheds

The Kalum LRMP recommends to pilot an ecosystem-based management approach in undeveloped watersheds within TFL 41<sup>15</sup>. Ecosystem-based management aims to conserve biodiversity and ecological integrity while addressing social and economic objectives. The Kalum SRMP addresses management of old seral stage forest in the Jesse, Emsley, Wathlsto, Hugh, Brim, Wahoo and Owyacumish watersheds (Table 4). The established retention targets are consistent with the direction developed in the

<sup>14</sup> The targets specified in this table do not apply to the Lakelse River SRMZ, Subzone 2 (Map 8). Targets for this area are set in objective 12.

<sup>15</sup> TFL area prior to the timber re-allocation

Kowesas SRMP<sup>16</sup>. Old forest retention in undeveloped watersheds contributes to the landscape unit targets. The location of undeveloped watersheds are shown on Map 3.

Table 4. Undeveloped watersheds

| <b>Landscape Unit</b> | <b>Undeveloped Watersheds</b> |
|-----------------------|-------------------------------|
| Jesse Bish            | Jesse<br>Emsley               |
| Hirsch                | Wathlsto                      |
| Falls                 | Hugh                          |
| Kemano                | Brim<br>Wahoo<br>Owyacumish   |

The old seral retention targets are set at 30 % of the old forest amount predicted by Natural Disturbance (ND) in Table 5. The representation of old forest will be at the site series level. Predictive Ecosystem Mapping (PEM) is considered to be the best available information for identifying the site series present and, subsequently, the amount of hectares to be retained.

Old seral forest within undeveloped watersheds will be managed through non-spatial targets over the short term; spatial OGMAs will be designated in the future. The decision to manage old seral forest through aspatial targets consider the following factors:

- New biogeoclimatic ecosystem classification mapping (often referred to as BIG BEC) has not been verified and approved; and
- PEM is based on the BIG BEC and has not been field verified.
- The risk to biodiversity of not establishing spatial OGMAs in these watersheds at this time is considered to be low. This assumption is based on the results of the analysis completed for these watersheds which indicates that the entire target can be met from the non-contributing land base (i.e., outside of the THLB).

**Objective 2:**  
**Maintain old seral stage forest within each undeveloped watershed listed in Table 4 and shown on Map 3 consistent with Table 5.**

<sup>16</sup> Draft at the time this plan was approved.

Kalum SRMP

Table 5. Target old seral stage forest within undeveloped watersheds (% forested land base in each BEC unit/site series)

| Undeveloped Watershed | BEC Variant | Site Series | % of old forest predicted by natural disturbance | Old Seral Forest Target (% of forested land base) |
|-----------------------|-------------|-------------|--|---|
| Jesse Emsley          | CWHvm1      | 01          | 89   | 27  |
|                       |             | 03          | 93   | 28  |
|                       |             | 05          | 73   | 22  |
|                       |             | 06          | 88   | 26  |
|                       |             | 08          | 73   | 22  |
|                       |             | 09          | 70   | 21  |
|                       |             | 12          | 93   | 28  |
|                       |             | 13          | 93   | 28  |
|                       | 14          | 78          | 23   |   |
|                       | CWHvm2      | 01          | 89   | 27  |
|                       |             | 03          | 93   | 28  |
|                       |             | 05          | 73   | 22  |
|                       |             | 06          | 88   | 26  |
|                       |             | 08          | 73   | 22  |
|                       |             | 09          | 70   | 21  |
|                       |             | 10          | 70   | 21  |
|                       | MHmm1       | 01          | 86   | 26  |
|                       |             | 02          | 93   | 28  |
|                       |             | 03          | 86   | 26  |
| 04                    |             | 93          | 28   |   |
| 06                    |             | 93          | 28   |   |
| Wathlsto              | CWHvm1      | 01          | 89   | 27  |
|                       |             | 03          | 93   | 28  |
|                       |             | 05          | 73   | 22  |
|                       |             | 06          | 88   | 26  |
|                       |             | 08          | 73   | 22  |
|                       |             | 12          | 93   | 28  |
|                       |             | 13          | 93   | 28  |
| Wathlsto              | CWHws2      | 01          | 89   | 27  |
|                       |             | 03          | 93   | 28  |
|                       |             | 06          | 88   | 26  |
|                       |             | 10          | 70   | 21  |
|                       |             | 11          | 70   | 21  |
|                       | MHmm1       | 01          | 86   | 26  |
|                       |             | 02          | 93   | 28  |
|                       |             | 03          | 86   | 26  |
|                       |             | 04          | 93   | 28  |
|                       |             | 06          | 93   | 28  |

Kalum SRMP

| Undeveloped Watershed | BEC Variant | Site Series | % of old forest predicted by natural disturbance | Old Seral Forest Target (% of forested land base) |    |
|-----------------------|-------------|-------------|--|---|----|
| Hugh                  | CWHvm1      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 05          | 73   | 22  |    |
|                       |             | 06          | 88   | 26  |    |
|                       |             | 08          | 73   | 22  |    |
|                       |             | 09          | 70   | 21  |    |
|                       |             | 12          | 93   | 28  |    |
|                       |             | 13          | 93   | 28  |    |
|                       | CWHvm2      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 05          | 73   | 22  |    |
|                       |             | 06          | 88   | 26  |    |
|                       |             | 08          | 73   | 22  |    |
|                       |             | 10          | 70   | 21  |    |
|                       | CWHws2      | 01          | 86   | 26  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 06          | 70   | 21  |    |
|                       |             | 10          | 93   | 28  |    |
|                       | MHmm1       | 01          | 86   | 26  |    |
|                       |             | 02          | 93   | 28  |    |
| 03                    |             | 86          | 26   |   |    |
| 04                    |             | 93          | 28   |   |    |
| 06                    |             | 93          | 28   |   |    |
| Wahoo                 | CWHvm1      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 05          | 73   | 22  |    |
|                       |             | 06          | 88   | 26  |    |
|                       |             | 08          | 73   | 22  |    |
|                       |             | 13          | 98   | 29  |    |
|                       | CWHws2      | 01          | 86   | 26  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | CWHws2      | 06   | 70  | 21 |
|                       |             |             | 07   | 70  | 21 |
|                       |             |             | 10   | 93  | 28 |
|                       | ESSFmk      | 11          | 78   | 23  |    |
|                       |             | 01          | 70   | 21  |    |
|                       |             | 02          | 70   | 21  |    |
|                       |             | 03          | 70   | 21  |    |
|                       |             | 04          | 70   | 21  |    |
|                       | MHmm1       | 08          | 70   | 21  |    |
|                       |             | 01          | 86   | 26  |    |
|                       |             | 02          | 93   | 28  |    |
|                       |             |             |  |   |    |

Kalum SRMP

| Undeveloped Watershed | BEC Variant | Site Series | % of old forest predicted by natural disturbance | Old Seral Forest Target (% of forested land base) |    |
|-----------------------|-------------|-------------|--|---|----|
| Brim                  | CWHvm1      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 05          | 73   | 22  |    |
|                       |             | 06          | 88   | 26  |    |
|                       |             | 08          | 73   | 22  |    |
|                       |             | 09          | 70   | 21  |    |
|                       |             | 12          | 93   | 28  |    |
|                       |             | 14          | 78   | 23  |    |
|                       | CWHvm2      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 06          | 88   | 26  |    |
|                       |             | 10          | 70   | 21  |    |
|                       |             | 11          | 70   | 21  |    |
|                       | MHmm1       | 01          | 86   | 26  |    |
|                       |             | 02          | 93   | 28  |    |
| 03                    |             | 86          | 26   |   |    |
| 04                    |             | 93          | 28   |   |    |
| 06                    |             | 93          | 28   |   |    |
| Owyacumish            | CWHvm1      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 05          | 73   | 22  |    |
|                       |             | 06          | 88   | 26  |    |
|                       |             | 08          | 73   | 22  |    |
|                       |             | 09          | 70   | 21  |    |
|                       |             | 12          | 93   | 28  |    |
|                       |             | 14          | 78   | 23  |    |
|                       | CWHws2      | 01          | 89   | 27  |    |
|                       |             | 03          | 93   | 28  |    |
|                       |             | 06          | 70   | 21  |    |
|                       |             | CWHws2      | 10   | 93  | 28 |
|                       |             |             | 11   | 78  | 23 |
|                       |             | MHmm1       | 01   | 86  | 26 |
|                       |             |             | 02   | 93  | 28 |
| 03                    | 86          |             | 26   |   |    |
| 04                    | 93          |             | 28   |   |    |
| 06                    | 93          |             | 28   |   |    |

**2.1.3 Retention of Old Forest Through Establishment of OGMA**

The goal of the old growth management area (OGMA) objective is to manage the retention or recruitment of old growth forest. The definition of old forest is defined in Table 1. See Appendix C for OGMA's area analysis.

OGMAs will have no legal effect on subsurface resource users (mineral exploration and mining). The subsurface resource users are encouraged to proceed with exploration and development in a way that is sensitive to the old growth values and to minimize disturbance to OGMAs where practicable. Replacement of OGMAs will be considered if they are impacted to the extent that they are not functional.

Continuance of traditional uses within OGMAs by First Nations is allowed.

The establishment of legal objectives for an OGMA will not affect any of the following that are in effect at the beginning of the day the Order takes effect: cutting permit, a road permit, a timber sale licence that does not provide for cutting permits, an area described in section 7 (1) (b) or 196 (1) of the FRPA, and areas described in section 22 of the FPC.

**Objective 3:**

**Maintain or recruit old seral stage forest, reflective of the full range of ecosystems, including some with interior forest conditions, throughout each rotation within the Old Growth Management Areas shown on Map 4. Forest harvesting activities in the OGMAs are limited to insect or disease control measures that are necessary to mitigate severe damage to the habitat attributes in the OGMAs, or other forest values in the landscape.**

**Operational flexibility within OGMAs:**

Activities that are permissible in OGMAs are limited to the following:

- control of wildfire;
- tree topping and seed cone collection, provided trees are not felled;
- insect or disease control that is necessary to mitigate severe damage to the habitat attributes in the OGMAs, or other forest values in the landscape;
- hunting, fishing, trapping;
- recreation;
- collection of botanical forest products;
- First Nation cultural activities, provided trees are not felled for commercial purposes;
- range use; and,
- mining and exploration.

This objective provides direction for undertaking minor modification to OGMAs for operational flexibility, and the criteria for replacement of these impacted areas.



**Objective 4:**

**Provide operational flexibility in managing OGMA's by allowing up to 10 hectares or 10% of the individual OGMA area, whichever is less, to be disturbed for one or more of the following purposes:**

- allowing road development where no practicable alternative exist;
- to better reflect physical features that were intended to form the actual boundaries of the OGMA;
- to improve harvest boundary alignment in a way that will contribute to the maintenance of the OGMA;
- to address a compelling forest health issue; or,
- to shift the location of the contiguous area of the OGMA to improve the retention of old forest attributes as identified through field assessment.

**The allowable disturbance described above is conditional upon a forest agreement holder identifying and reserving from harvesting an alternative area(s) within the same BEC variant within a landscape unit, provided the alternative area:**

- is of equal or greater extent in total than the area to be disturbed; and,
- will result in equal or greater retention of key old forest attributes that are understood to be important for biodiversity conservation.

Replacement and modification to OGMA's beyond the scope addressed in Objective 4 will be guided by current government policy.

**2.1.4 Stand Structure through Wildlife Tree Retention**

The goal of retaining wildlife trees is to promote healthy functioning ecosystems that provide wildlife habitat elements at the forest stand level. This will be promoted by maintaining forest stand structural attributes<sup>17</sup> of natural forests - within managed stands - through the retention of wildlife tree patches<sup>18</sup> (WTP).

**Objective 5:**

**Maintain structural diversity in managed stands by retaining wildlife tree patches in each cut block<sup>19</sup>, over the rotation, consistent with the targets in Table 6. Shift or vary targets shown in Table 6 among cut blocks within a cut block aggregate<sup>20</sup> based on risks to biodiversity.**

**Strategies:**

<sup>17</sup> Forest stand structural attributes include, but are not limited to; living and dead standing trees, coarse woody debris, large living trees, tree species diversity, a variety of layers and opening sizes in the forest canopy, and full range of above and belowground flora and fauna.

<sup>18</sup> Wildlife Tree Patch: an area specifically identified for the retention and recruitment of suitable wildlife trees. It can contain a single tree or a group reserve.

<sup>19</sup> The wildlife tree patches may be external or internal to the cut block.

<sup>20</sup> Cut block aggregate: A group of cut blocks which are within 10 kilometers radius of each other and where the site plan or cutting permit for these blocks refers to the fact that they are a cut block aggregate.

## Kalum SRMP

- Wildlife tree retention should, as a first priority, protect trees with valuable wildlife tree attributes<sup>21</sup>;
- Distribute windfirm patches throughout the block with distances between patches (or to other suitable leave areas outside the block) not normally exceeding 500 meters. It is recognized that windfirmness can not be guaranteed; however, reasonable steps can be taken to minimize blowdown;
- Allow natural processes (insect, diseases, blowdown) to occur within wildlife tree patches unless infestation or infection in the WTP threaten to spread to the adjacent forested areas. Where intervention is required, treatment will retain a diversity of structural attributes consistent with Objective 5 or a suitable replacement WTP will be located;
- Where possible, place WTPs to include rare plant species and ecosystems (listed in the most updated version with the BC Conservation Data Center or otherwise determined as rare/uncommon)<sup>22</sup>.

Table 6. Wildlife tree patch retention targets

| Landscape Unit                        | BEC Subzone | Target WTP retention <sup>23</sup> (%) |
|---------------------------------------|-------------|--|
| Nass River (K'ali Aksim Lisims) Kalum | ICHmc       | 7                                      |
| Skeena River Kalum                    | CWHvm       | 5                                      |
|                                       | CWHws       | 5                                      |
|                                       | ICHmc       | 4                                      |
|                                       | MHmm        | 0                                      |
| Beaver                                | CWHws       | 8                                      |
|                                       | MHmm        | 0.5                                    |
| Clore                                 | CWHws       | 6                                      |
|                                       | ESSFmk      | 3                                      |
|                                       | ESSFwv      | 1                                      |
|                                       | MHmm        | 3                                      |
| Exstew                                | CWHws       | 6                                      |
|                                       | MHmm        | 3                                      |
| Hawkesbury Island West                | CWHvh       | 0                                      |
|                                       | MHwh        | 0                                      |
| Hirsch                                | CWHvm       | 5                                      |
|                                       | CWHws       | 11                                     |

<sup>21</sup> High value wildlife tree attributes can include: internal decay, crevices (loose bark or cracks), large brooms, active or recent wildlife use, current insect infestation, tree structure suitable for wildlife use (e.g., large nest, hunting perch, bear den, etc.), largest trees on site (height and/or diameter) and/or veterans. Where there are a few trees suitable for wildlife trees, priority should be given to retaining large, stable trees that will likely develop two or more of the above characteristics.

<sup>22</sup> Rarity analysis (based on draft PEM) has been completed for Hirsh, Jesse Bish, Kemano and Falls Landscape Units. The following site series have been identified as rare/uncommon: Hirsh LU: CWHvm1/13/14, CWHvm2/11, CWHws2/3/7/11; Jesse-Bish LU: CWHvm1/9/14, CWHvm2/10/11, MHmm1/4; Kemano LU: CWHvm1/12/13/14, CWHws2/2/7/11, MHmm1/4; Falls LU: CWHvm1/14, CWHvm2/8/9/11, CWHws2/7/11, MHmm1/4.

<sup>23</sup> % of cut block area

Kalum SRMP

| Landscape Unit            | BEC Subzone | Target WTP retention <sup>23</sup> (%) |
|---------------------------|-------------|--|
|                           | MHmm        | 0                                      |
| Ishkheenickh (Ksi Hlginx) | CWHvm       | 2                                      |
|                           | CWHws       | 2                                      |
|                           | MHmm        | 0                                      |
| Kalum                     | CWHws       | 10                                     |
|                           | MHmm        | 5                                      |
| Kasiks                    | CWHvm       | 0                                      |
|                           | MHmm        | 0                                      |
| Kemano                    | CWHvm       | 0                                      |
|                           | CWHws       | 1                                      |
|                           | ESSFmk      | 0                                      |
|                           | MHmm        | 0                                      |
| Lakelse                   | CWHws       | 7                                      |
|                           | MHmm        | 0                                      |
| Tseax (Ksi Sii Aks)       | CWHws       | 4                                      |
|                           | ICHmc       | 8                                      |
|                           | MHmm        | 0                                      |
| Wedeene                   | CWHvm       | 3                                      |
|                           | CWHvh       | 2                                      |
|                           | CWHws       | 10                                     |
|                           | MHmm        | 3                                      |
| Dala                      | CWHvm       | 3                                      |
|                           | CWHws       | 0.5                                    |
|                           | MHmm        | 0                                      |
| Dasque                    | CWHws       | 7                                      |
|                           | MHmm        | 0                                      |
| Exchamsiks                | CWHvm       | 0                                      |
|                           | MHmm        | 0                                      |
| Falls                     | CWHvm       | 1                                      |
|                           | MHmm        | 0                                      |
| Hawkesbury Island East    | CWHvh       | 1                                      |
|                           | MHwh        | 0                                      |
| Horetzky                  | CWHws       | 2                                      |
|                           | MHmm        | 0                                      |
| Hot Springs               | CWHws       | 7                                      |
|                           | MHmm        | 0.5                                    |
| Jesse Bish                | CWHvm       | 1                                      |
|                           | MHmm        | 0                                      |
| Kiteen (Ksi Gahl't'in)    | CWHws       | 3                                      |
|                           | ESSFwv      | 1                                      |
|                           | ICHmc       | 7                                      |
|                           | MHmm        | 1                                      |
| Kitimat                   | CWHvm       | 5                                      |
|                           | CWHws       | 7                                      |

| Landscape Unit      | BEC Subzone | Target WTP retention <sup>23</sup> (%) |
|---------------------|-------------|--|
|                     | MHmm        | 0                                      |
| Kleanza Treasure    | CWHws       | 7                                      |
|                     | ICHmc       | 6                                      |
|                     | MHmm        | 2                                      |
| Ksedin (Ksi Mat'in) | CWHws       | 6                                      |
|                     | MHmm        | 0                                      |
| Nelson Fiddler      | CWHws       | 8                                      |
|                     | ICHmc       | 5                                      |
|                     | MHmm        | 2                                      |

### 2.1.5 Species Composition

The goal of the species composition objective is to conserve the natural species abundance and diversity.

#### **Objective 6:**

**Maintain the natural composition of dominant tree species across each landscape unit and throughout the rotation.**

### 2.1.6 Temporal and Spatial Distribution of Cutblocks

This element of biodiversity is often referred to as “patch size distribution”. The goal of this objective is to create and maintain a pattern of forest seral stages distributed across the landscape that reflect the natural disturbance regime. The shape and pattern of cut blocks following timber harvesting should resemble an opening that would result from a natural disturbance.

The targets in Table 7 represent a vision of desired future conditions. They will not be immediately achieved in landscape units (it may take one rotation or more). In addition, due to high amount of non-contributing land base in the plan area, the targets may not be fully achievable in all LUs. The implementation of Objective 7 will be monitored through approval of FSPs and the FRPA Forest Resources Stewardship Monitoring Program. As a result of monitoring, the objective may be amended in the future.

Analysis of the current patch size distribution has been conducted for the plan area (2003); results are included in Appendix E.

#### **Objective 7:**

**Attain a landscape pattern of patchiness that, over a long term, reflects the natural disturbance patterns as per Table 7.**

Table 7. Patch size distribution targets (harvest units and leave areas)<sup>24</sup>

| Natural Disturbance Type | Patch Size (ha) | Patch Size Distribution Target (% forested area within landscape unit) |
|--------------------------|-----------------|--|
| NDT1, NDT2               | <40             | 30-40  |
|                          | 40-80           | 30-40  |
|                          | 80-250          | 20-40  |

**2.1.7 Landscape Connectivity**

Connectivity (in the context of Objectives 8 and 9) refers to the degree to which the condition of a landscape facilitates or impedes movement of wildlife and ecosystem process. One of the most useful approaches to maintain connectivity across the landscape, for as many organisms as possible, is to follow a coarse filter approach to forest management that reflects the natural pattern of change in forest cover over time. This plan sets legal objectives for coarse filter biodiversity as defined in Section 2.1, which collectively facilitate the maintenance of connectivity.

The Kalum LRMP recommends strategies to minimize potential problems of fragmentation of habitats and population. One such strategy is the establishment of connectivity corridors. Two corridors are legally established at this time.

**Objective 8:**

**Maintain forest stand structure and function for continued wildlife movement through the level pass between the Kiteen (Ksi Gahl't'in) and Cedar drainages identified on Map 5.**

- Within polygon “A”, retain 100 % of forested area.
- Within polygon “B”, timber harvesting will be limited to partial cutting systems.

**Objective 9:**

**Maintain forest stand structure and function to facilitate wildlife movement, in the level pass between the Williams and Thomas/Clore watersheds identified on Map 5.**

**2.1.8 Rare Ecosystems**

The Kalum LRMP recommends measures to conserve rare and endangered ecosystems and plant species. The LRMP anticipated that over time this will include refinement of the list of species and plant communities for the planning area to stay current with Conservation Data Center (CSD). The LRMP recommends that in the absence of an

<sup>24</sup> Patch size refers to a single cut block or an aggregation of cut blocks.

*Identified Wildlife Management Strategy (IWMS)* for species that are specific to the plan area, conservation measures may be implemented to provide for their perpetuation. Implementation of these conservation measures needs to consider impacts to other resource use industries and conservation priorities.

In a letter to the District Manger (2002), the Ministry of Environment, Lands and Parks (presently MOE) recommended that the Skeena Islands be made “*known*” as rare ecosystems under the Forest Practices Code, and that an ecosystem-wide inventory and management plan be completed to give context and direction prior to further development.

In 2004 the Kalum Forest District provided funding to map and describe the red and blue-listed plant communities on the Skeena Islands, and to gain better understanding of the natural processes that maintain them. During this project high bench Sitka Spruce-Salmonberry (CWHws1/07, CWHvm1/09) and middle bench Black Cottonwood-Red-osier Dogwood (CWHws1/08, CWHvm1/10) plant communities were identified as red-listed and blue-listed respectively, and MOE anticipates including them in the updated version of the IWMS.

The MOE has developed best management practices for the Skeena Islands rare ecosystems. Best management practices are included in Appendix F.

**Objective 10:**  
**Conserve rare plant communities<sup>25</sup> on the Skeena Islands identified on Map 6.**

## 3.0 Wildlife

### 3.1 Management Direction for Wildlife

#### Plan Goals for Wildlife

- **To maintain the quantity and quality of wildlife populations and habitats, including plant communities, within the planning area.**

The responsibility for management of wildlife habitat through designation of Ungulate Winter Ranges (UWRs) and Wildlife Habitat Areas (WHAs) and establishment of General Wildlife Measures (GWMs) lies with the MoE. For reference purposes maps indicating the general location of UWR and WHA designations and GWMs are included in Appendix A..

LRMP recommendations that pertain to grizzly bear that cannot be addressed by MOE through WHAs are addressed in the following section.

---

<sup>25</sup> Rare plant communities include: high bench Sitka Spruce-Salmonberry (CWHws1/07, CWHvm1/09) and middle bench Black Cottonwood-Red-osier Dogwood (CWHws1/08, CWHvm1/10)

### 3.1.1 Grizzly Bear

The Kalum LRMP provides recommendations for the management of grizzly bear in the plan area by way of management intent/objectives, and strategies. Two strategies (mitigation measures) have been incorporated directly within Objective 11. Further to this, to meet the intent of the objective - to provide the natural levels of forage supply - forest tenure holders that operate in the area are committed to implementing all LRMP strategies (2.1 through 2.4) through their FSPs to ensure that this objective is met. In addition to the strategies/mitigation measures identified in the LRMP, forest tenure holders will have an opportunity to propose new strategies/ mitigation measures that may be appropriate to meet the objective.

#### **Objective 11:**

**Maintain natural level of forage supply for grizzly bears in the watersheds identified on Map 7 by:**

- a. providing an adequate supply of berry feeding;**
- b. maintaining natural levels of forage supply as present in old growth forests;**
- c. on the rich and wetter sites<sup>26</sup> implement regeneration and free to grow standards consistent with Table 8. Vary from these standards based on site-specific factor, provided parts a) and b) in this objective will be achieved; and,**
- d. within McKay-Davies and Copper watersheds, no more than 30% of the forested land base, excluding hardwood, will be between 25 and 100 years old.**

---

<sup>26</sup> The rich and wetter sites are defined in CWHws1&2 as site series 06, 07, 08, 09, and 11; in CWHvm1 as site series 07, 08, 09, 10, and 14; and in CWHvm2 as site series 08, and 11.

Table 8. Grizzly bear stocking standards

| Site Association <sup>27</sup>                 | Subzone Variants           | Free growing stocking standards (stems/ha) <sup>28</sup> |         |                       |
|--|----------------------------|--|---------|-----------------------|
|  |                            | Target   | Minimum | Maximum <sup>29</sup> |
| BaSs-Devil's club                              | vm1 and vm2                | 600  | 400     | 660                   |
| BaCw-Devil's club                              | ws1 and ws2                | 600  | 400     | 660                   |
| Cwss-Skunk cabbage                             | vm1 and vm2<br>ws1 and ws2 | 400  | 200     | 440                   |
| Ss-salmonberry<br>and<br>Act-Red-osier dogwood | vm1 and vm2<br>ws1 and ws2 | 500  | 200     | 550                   |

## 4.0 Area Specific

### 4.1 Management Direction for Area Specific

The Kalum LRMP identifies the following for area specific management direction:

- Critical wildlife, fish habitat and biodiversity values in the Lakelse River, Upper Kitsumkalum and Miligit Valley special resource management zones;
- Class I angling waters in the upper Copper River and Limonite Creek area; and,
- Sensitive landscape visible from the Sue Channel/Hawkesberry protected area.

LRMP recommendations pertaining to these areas are addressed in the following objectives.

#### **Objective 12:**

**Maintain wildlife habitat and biodiversity within the Lakelse River Special Resource Management Zone (Map 8).**

- **In Subzone 1 - no harvesting of timber or blowdown salvage will occur.**
- **In Subzone 2 - early seral stage target is a maximum of 27%; the maximum opening size is 15 hectares; a minimum 15 % retention within the cut blocks is required to add structural diversity; and in any five year planning cycle<sup>30</sup> at least 50% of the volume harvested is to be harvested by using a selection silviculture system.**

<sup>27</sup> Stocking levels for low bench floodplain site associations are not listed; site-specific prescriptions for these associations should be developed that account for the naturally low density of microsites appropriate for crop tree growth and high shrub cover.

<sup>28</sup> The “well spaced” clause does not apply to forage gaps when stems are clustered as part of the site plan/ forest stewardship plan (FSP). Crop tree size vs. competing brush standards is unchanged from existing regional guidelines. When determining the number of crop trees, minimum inter-tree distances, as stated in the site plan/FSP, still apply to trees within the cluster.

<sup>29</sup> If stand exceeds maximum density set in the site plan/FSP at free-growing, these guidelines recommend spacing back to this stocking level.

<sup>30</sup> A five year planning cycle will start on the effective date of the “order establishing land use objectives”.



**Objective 13:**

**Maintain biological diversity and ecosystem representation within the Upper Kitsumkalum Valley by not harvesting timber within the Upper Kitsumkalum SRMZ (Map 8). Road construction is acceptable to access the timber outside of SRMZ where there is no other practicable route alternative.**

**Objective 14:**

**Conserve uncommon reticulated fens (Map 8) within the Miligit Valley area.**

**Objective 15:**

**Maintain a feeling of remoteness and pristine viewscape on the Upper Copper River (Zymoetz River) above the Limonite Creek (within the Kalum SRMP area). The following are practice requirements:**

- a) permit only one bridge crossing at any time; and,**
- b) retain a minimum of 100 meters no harvest reserve on both sides of the river. Less than 100 meters reserve is acceptable where this makes “best” operational/environmental practice, or for other site specific-reasons, provided the objective is met.**

For management of the Upper Copper River and implementation of Objective 15 the following rationale are provided:

- the intention of the LRMP is to limit crossing of the river to a single location, and preferably to have no bridges.
- the intent of the LRMP is to have a minimum of 100 m reserve; however, the table recognized that there may be areas, along the river, where less or more than 100 m reserve would be more appropriate (e.g., the boundary could be at the slope brake, or at the end of a flat).

**Objective 16:**

**Maintain the visual quality of the area visible from the Sue Channel/Hawkesbury Island protected area (Map 8) by:**

- **applying single tree or group selection silviculture system; and,**
- **limiting the maximum opening size to 1-2 tree lengths.**

## 5.0 Visual Resources

### 5.1 Management Direction for Visual Resources

---

#### Plan Goals for Visual Resources:

- **Maintain the aesthetic values of the forest landscape to provide a secure environment for tourism operators and ensure a quality natural environment experience for Tourism, local residents and First Nation communities; and,**
  - **Minimize visual impacts through appropriate landscape design of harvest openings and industrial development.**
- 

Under the *Forest and Range Practices Act*, Section 180 and 181, scenic areas and objectives established or continued under the FPC are continued as visual quality objectives under FRPA. In addition, under the *Government Actions Regulation*, Section 17, existing scenic areas with recommended visual quality classes are continued under FRPA as visual quality objectives.

The following guidelines are currently being used in the Kalum Forest District for the management of visual resources:

- **Preservation (P):** Allows activities such as maintenance of minimal facilities (recreation sites and trails) that enhance natural visual unit, and do not exceed a 0-1 % denudation.
- **Retention (R):** The goal is to repeat the line, form, colour and texture of the visual unit and to not exceed a 1-5% denudation
- **Partial Retention (PR):** Repetition of the line, form, colours and texture is important to ensure a blending with the dominant elements, while not exceeding a 6-15% denudation of the visual unit.
- **Modification (M):** The alteration must borrow from natural line and form to such an extent and on such a scale that are comparable to natural occurrences or events while not exceeding a 16-25% denudation of the visual unit.
- **Maximum Modification (MM):** Alterations may be out of scale or show detail quite different from natural occurrences or events resulting in a 26-40% denudation of the visual unit.
- While the intent of forest management is to maintain the integrity of Scenic Areas, catastrophic events (e.g. fire, blowdown, and infestation) may compromise visual quality from time to time.

The Visual Quality Objectives and established scenic areas are included in Appendix B for reference purposes.

## 6.0 Community Watersheds

### 6.1 Management Direction for Community Watersheds

#### Plan goals for Community Watersheds:

- To maintain water quantity and quality that meets Canadian Drinking Water Standards for purposes of human consumption and safety in areas of intensive community water use.

#### 6.1.1 Grandparented Community Watersheds

The plan area includes six existing community watersheds (Map 9): Deep Creek, Drake Creek, Gitzyon Creek, Wathl Creek, Eneeksagilaguaw Creek, and Ksa Miintl Am Hawak Creek. The legal objectives for these watersheds have been set in the Section 8.2 of the FRPA *Forest Planning and Practices Regulation*.

#### 6.1.2 Community Watersheds Established Through This Plan Process

The following areas are established as Community Watersheds:

- Rosswood (Clear Creek): 1294 ha,
- Usk (Skovens Brook): 211 ha,
- Kleanza (Singlehurst Creek): 1483 ha,
- Gossen (Gossen Creek): 90 ha, and
- Hatchery Creek: 3289 ha.

#### Objective 17:

**Maintain the quality, quantity, and natural flow regimes of water in watersheds identified on Map 9 as newly established Community Watersheds. Ensure a clear-cut equivalency of less than 20% of the watershed area in sub-basins larger than 250 hectares, unless a different threshold is determined as being more appropriate as a measure of maintenance of natural flow regimes.**

## **7.0 Plan Implementation, Monitoring and Amendment**

Following Government approval of the plan, the management objectives will be applied through a dual process of implementation and monitoring. Implementation and monitoring of the plan is a shared responsibility between government agencies and stakeholders.

### **7.1 Implementation**

Implementation of the Kalum SRMP will occur through on the ground activities that are guided by approved Forest Stewardship Plans. Forest Stewardship plans are required to provide results and strategies for the legal objectives in this plan.

### **7.2 Monitoring**

The monitoring phase of the plan involves ongoing assessment of (a) compliance with the plan during implementation; and (b) the effectiveness of plan direction in meeting SRMP goals and objectives. Individual government ministries and agencies will assume responsibility for monitoring those aspects of the plan relevant to their mandate. To the greatest extent possible, SRMP monitoring will take advantage of existing agency environmental and natural resource management monitoring and research programs.

Monitoring of this plan will be embedded in the procedures and monitoring reports used for the Kalum LRMP. Monitoring is hierarchical such that SRMP monitoring is directly linked to LRMP monitoring.

### **7.3 Adaptive Management**

The Kalum SRMP was developed using the best available information and knowledge. We recognize that there is some amount of uncertainty to the ultimate effectiveness of management recommendations. To address this uncertainty an adaptive management approach is recommended that will provide continual improvement of management policies and practices. By monitoring key response indicators over time and incorporating new information and knowledge (such as BIG BEC), ILMB will be able to analyze the outcome of management practices in light of the original SRMP objectives and incorporate those results into the plan.

### **7.4 Plan Amendment**

The SRMP may be subject to review at regular time periods in order to address issues that may arise. Final decisions on plan amendment are the responsibility of ILMB.

Any amendment to the SRMP will be consistent with the provincial policy “Keeping Land Use Plans Current, Policy on Reviewing & Amending Strategic Land Use Plans”.

# Appendix A: Wildlife Objectives Established by MOE

## Maps

Map 10 shows the general location of UWR for mountain goat and WHAs for tailed frog. Detailed maps can be obtained from the MoE.

## Tailed Frogs

### **Wildlife Habitat Areas # 6-058 and 6-059**

---

The Wildlife Habitat Areas indicated on Map 10 are established by order under the authority of sections 9(2) and 10(1) of the *Government Actions Regulation* (B.C. Reg. 582/04).

#### General Wildlife Measures

##### *Access*

- No road construction or stream crossings will be established within the core area. Where other options are not practicable, and roads or stream crossings are determined to be necessary for access, an exemption is required from the Minister of Environment or delegate.
- When roads are determined to be necessary, minimize their length and width to alleviate as much as practicable, site disturbance. Reduce groundwater interception in the cut-slope; use sediment-control measures in cut-and-fill slopes (e.g., grass-seeding, armouring ditch lines, and culvert outfalls); deactivate roads but minimize digging and disturbance to adjacent roadside habitat; and minimize site disturbance during road right-of-way clearing, especially in terrain polygons with high sediment transfer potential to natal streams.
- Where stream crossings are required, fall and yard away from, or bridging, all other stream channels (ephemeral or perennial) within the WHA, to reduce channel disturbance and slash loading; and ensure the type of crossing structure and any associated roads are designed and installed in a way that minimizes impacts to tailed frog in-stream and riparian habitats. Use temporary clear span bridges where practicable.

##### *Harvesting and silviculture*

- Do not harvest or salvage timber within the core area or special management zone.

##### *Pesticides*

- Do not use pesticides unless an exemption is approved by the Minister of Environment or delegate.

# Appendix A: Wildlife Objectives Established by MOE

## Wildlife Habitat Areas # 6-060 to 6-067

---

The Wildlife Habitat Areas indicated on Map 10 are established by order under the authority of sections 9(2) and 10(1) of the *Government Actions Regulation* (B.C. Reg. 582/04).

### General Wildlife Measures

#### *Access*

- No road construction or stream crossings will be established within the core area. Where other options are not practicable, and roads or stream crossings are determined to be necessary for access, an exemption is required from the Minister of Environment or delegate.
- When roads are determined to be necessary, minimize their length and width to alleviate as much as practicable, site disturbance. Reduce groundwater interception in the cut-slope; use sediment-control measures in cut-and-fill slopes (e.g., grass-seeding, armouring ditch lines, and culvert outfalls); deactivate roads but minimize digging and disturbance to adjacent roadside habitat; and minimize site disturbance during road right-of-way clearing, especially in terrain polygons with high sediment transfer potential to natal streams.
- Where stream crossings are required, fall and yard away from, or bridging, all other stream channels (ephemeral or perennial) within the WHA, to reduce channel disturbance and slash loading; and ensure the type of crossing structure and any associated roads are designed and installed in a way that minimizes impacts to tailed frog in-stream and riparian habitats. Use temporary clear span bridges where practicable.

#### *Harvesting and silviculture*

- Do not harvest in the core area or within the gully where the gully extends beyond the core area.
- For the special management zone, develop a spatially explicit management plan for approval by the Minister of Environment or delegate, prior to development, which is consistent with the goals of the general wildlife measures. Use a silviculture system that maintains 70% residual stand volume and attributes of the natural stand structure profile, evenly dispersed, including:
  - 70% of all original diameter classes represented in proportion to the average stand profile for the site series.
  - Rare site series will be retained in greater proportion than they occur in the landscape unit.
  - At least 50% of area will have interior-forest conditions (2 tree lengths defines edge habitat along topographic features such as gullies and bluffs, or 4 tree lengths for clear-cut edges).
  - Connectivity of natural forest along and between streams, and over low heights of land.

**Comment [AEH1]:** More detail on 70% retention was requested, so this is excerpt from Biodiversity Guidelines and IFPA Morice FD CWD Guideline on web.

## Appendix A: Wildlife Objectives Established by MOE

- 70% snags, large green trees, understory plant community, vertical and horizontal structure.
- coarse woody debris including large-diameter, long logs with horizontal and vertical structure.
- No timber salvage should be carried out.
- Avoid cross-stream yarding.
- Do not use chemical applications (e.g., dust palliative polymer stabilizers and soil binders that can be sprayed within ditch lines).

### *Pesticides*

- Do not use pesticides unless an exemption is approved by the Minister of Environment or delegate.

# Appendix A: Wildlife Objectives Established by MOE

## Mountain Goat

The Ungulate Winter Ranges indicated on Map 10 are established by order under the authority of sections 9(2) and 12(1) of the *Government Actions Regulation* (B.C. Reg. 582/2004).

### General Wildlife Measures

In this schedule:

- a) “primary forest activity” is defined as in the *Forest Planning and Practices Regulation*,
  - b) “mountain goat winter range” are those winter ranges established by way of this Order, and
  - c) “deactivate” or “deactivation” refers to either partial or complete treatment of roads and trails with the intent to prevent, as much as possible, motor vehicle access while taking into account site specific operating constraints; where practicable this activity will include right-of-way revegetation activities to manage long term access.
1. Primary forest activities, except where exempted, will result in retention of all forest and vegetative cover within a mountain goat winter range.
  2. Wherever feasible, operators should refrain from felling trees within mountain goat winter range. Felling of single trees, such as a danger, guy line anchor, or tail hold tree is permitted within a mountain goat winter range when it is required to address worker safety. Trees felled for the purposes of this Measure (2) will be left on site to provide course woody debris.
  3. Primary forest activities that occur within 500 meters horizontal distance of a mountain goat winter range will not result in material or adverse disturbance to goats. Operational activities that have not been exempted will take place during the period starting June 15 and ending October 31.
  4. Access roads and structures required for primary forest activities within 500 meters of mountain goat winter range will be constructed in a manner that will facilitate effective deactivation. All roads or structures that have not been exempted will be deactivated within one year following forest harvesting activities.
  5. All helicopter logging activities conducted within 2000 meters line of sight of a mountain goat winter range that have not been exempted will take place during the period starting June 15 and ending October 31.
  6. Sections 2(2)(c) and (d) of the *Government Actions Regulation* apply to this order and for the purposes of clarity, this order does not apply to any cutblock that is:



## Appendix A: Wildlife Objectives Established by MOE

- a) wholly or partially within the boundaries of a ungulate winter range polygon established by this order, and
- b) is confirmed by the Ministry of Forests and Range to be a Category A cutblock within an approved Forest Development Plan that is:
  - i) pertinent to the area of land within which the ungulate winter range polygon is located, and
  - ii) held by the British Columbia Timber Sales program, or an existing *Forest Act* agreement holder with current timber harvesting rights in the area of land, and
  - iii) that was in effect prior to the effective date of this order.

## Appendix B: Visual Quality Objectives Established by MOFR

In progress

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis)            | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |
|--|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|
| <b>Nass River (K'alii Aksim Lisims) Kalum (High)</b> | ICHmc1                           | 1615.4                            | 552.4                      | 34.2                         | <27                                    | 150.6                    | 9.3                        | 838.0                       | 51.9                          | 74.4                      | 4.6                         | >13                                   | 912.4                             | 56.5                                   | >46  |
|  | ICHmc2                           | 75.1                              |                            | 0.0                          | <27                                    | 0.1                      | 0.2                        | 75.0                        | 99.8                          |                           | 0.0                         | >13                                   | 75.0                              | 99.8                                   | >46  |
|  | <b>High Total</b>                | 1690.6                            | 552.4                      | 32.7                         |  | 150.7                    | 8.9                        | 913.0                       | 54.0                          | 74.4                      | 4.4                         |                                       | 987.4                             | 58.4                                   |  |
|  | ICHmc2                           | 49.5                              | 4.0                        | 8.1                          |  | 20.5                     | 41.4                       | 25.0                        | 50.5                          |                           | 0.0                         |                                       | 25.0                              | 50.5                                   |  |
|  | <b>Protected Total</b>           | 49.5                              | 4.0                        | 8.1                          |  | 20.5                     | 41.4                       | 25.0                        | 50.5                          |                           | 0.0                         |                                       | 25.0                              | 50.5                                   |  |
| <b>Nass River (K'alii Aksim Lisims) Kalum Total</b>  |                                  | <b>1740.1</b>                     | <b>556.4</b>               | <b>32.0</b>                  |  | <b>171.2</b>             | <b>9.8</b>                 | <b>938.0</b>                | <b>53.9</b>                   | <b>74.4</b>               | <b>4.3</b>                  |                                       | <b>1012.4</b>                     | <b>58.2</b>                            |  |
| <b>Skeena River Kalum (High)</b>                     | ATp                              | 4.6                               |                            | 0.0                          | <15                                    |                          | 0.0                        | 4.6                         | 100.0                         |                           | 0.0                         | n/a                                   | 4.6                               | 100.0                                  | >85  |
|  | CWHvm                            | 2709.5                            | 585.8                      | 21.6                         | <23                                    | 706.6                    | 26.1                       | 754.8                       | 27.9                          | 662.4                     | 24.4                        | >19                                   | 1417.1                            | 52.3                                   | >54  |
|  | CWHws1                           | 19530.8                           | 5417.8                     | 27.7                         | <27                                    | 4103.3                   | 21.0                       | 4790.6                      | 24.5                          | 5219.1                    | 26.7                        | >13                                   | 10009.8                           | 51.3                                   | >51  |
|  | CWHws2                           | 5019.9                            | 1013.8                     | 20.2                         | <27                                    | 206.2                    | 4.1                        | 311.4                       | 6.2                           | 3488.5                    | 69.5                        | >13                                   | 3799.9                            | 75.7                                   | >51  |
|  | ICHmc2                           | 3462.9                            | 811.6                      | 23.4                         | <27                                    | 778.2                    | 22.5                       | 771.3                       | 22.3                          | 1101.9                    | 31.8                        | >13                                   | 1873.1                            | 54.1                                   | >46  |
|  | MHmm1                            | 24.5                              |                            | 0.0                          | <17                                    |                          | 0.0                        | 23.3                        | 95.2                          | 1.2                       | 4.8                         | >28                                   | 24.5                              | 100.0                                  | >54  |
|  | MHmm2                            | 1692.2                            | 147.4                      | 8.7                          | <17                                    | 87.1                     | 5.1                        | 152.3                       | 9.0                           | 1305.4                    | 77.1                        | >28                                   | 1457.7                            | 86.1                                   | >54  |
|  | <b>High Total</b>                | 32444.4                           | 7976.3                     | 24.6                         |  | 5881.4                   | 18.1                       | 6808.3                      | 21.0                          | 11778.4                   | 36.3                        |                                       | 18586.7                           | 57.3                                   |  |
|  | CWHvm                            | 155.7                             | 9.3                        | 5.9                          |  | 13.1                     | 8.4                        | 74.7                        | 48.0                          | 58.6                      | 37.7                        |                                       | 133.3                             | 85.6                                   |  |
| CWHws1   | 139.7                            | 0.2                               | 0.1                        |                              | 105.7                                  | 75.7                     | 32.0                       | 22.9                        | 1.8                           | 1.3                       |                             | 33.8                                  | 24.2                              |  |  |
| <b>Protected Total</b>                               | 295.4                            | 9.4                               | 3.2                        |                              | 118.8                                  | 40.2                     | 106.7                      | 36.1                        | 60.4                          | 20.5                      |                             | 167.1                                 | 56.6                              |  |  |
| <b>Skeena River Kalum Total</b>                      |                                  | <b>32739.8</b>                    | <b>7985.7</b>              | <b>24.4</b>                  |  | <b>6000.3</b>            | <b>18.3</b>                | <b>6914.9</b>               | <b>21.1</b>                   | <b>11838.9</b>            | <b>36.2</b>                 |                                       | <b>18753.8</b>                    | <b>57.3</b>                            |  |
| <b>Beaver (Intermediate)</b>                         | ATp                              | 51.1                              |                            | 0.0                          | <15                                    | 6.6                      | 13.0                       | 0.9                         | 1.7                           | 43.6                      | 85.3                        | n/a                                   | 44.5                              | 87.0                                   | >85  |
|  | CWHws1                           | 16557.3                           | 8611.5                     | 52.0                         | <36                                    | 675.4                    | 4.1                        | 1400.9                      | 8.5                           | 5869.5                    | 35.4                        | >9                                    | 7270.4                            | 43.9                                   | >34  |
|  | CWHws2                           | 13775.8                           | 2602.6                     | 18.9                         | <36                                    | 531.7                    | 3.9                        | 1060.1                      | 7.7                           | 9581.4                    | 69.6                        | >9                                    | 10641.5                           | 77.2                                   | >34  |
|  | MHmm2                            | 11986.1                           | 639.8                      | 5.3                          | <22                                    | 699.3                    | 5.8                        | 578.6                       | 4.8                           | 10068.5                   | 84.0                        | >19                                   | 10647.1                           | 88.8                                   | >36  |
|  | <b>Intermediate Total</b>        | 42370.3                           | 11853.8                    | 28.0                         |  | 1913.0                   | 4.5                        | 3040.4                      | 7.2                           | 25563.0                   | 60.3                        |                                       | 28603.4                           | 67.5                                   |  |
|  | MHmm2                            | 0.1                               |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 0.1                       | 100.0                       |                                       | 0.1                               | 100.0                                  |  |
| <b>Protected Total</b>                               | 0.1                              |                                   | 0.0                        |                              |  | 0.0                      |                            | 0.0                         | 0.1                           | 100.0                     |                             | 0.1                                   | 100.0                             |  |  |
| <b>Beaver Total</b>                                  |                                  | <b>42370.3</b>                    | <b>11853.8</b>             | <b>28.0</b>                  |  | <b>1913.0</b>            | <b>4.5</b>                 | <b>3040.4</b>               | <b>7.2</b>                    | <b>25563.1</b>            | <b>60.3</b>                 |                                       | <b>28603.5</b>                    | <b>67.5</b>                            |  |
| <b>Clore (Intermediate)</b>                          | ATp                              | 2882.4                            |                            | 0.0                          | <15                                    | 2.6                      | 0.1                        | 1394.9                      | 48.4                          | 1484.9                    | 51.5                        | n/a                                   | 2879.8                            | 99.9                                   | >85  |
|  | CWHws1                           | 7420.8                            | 3043.4                     | 41.0                         | <36                                    | 112.0                    | 1.5                        | 595.9                       | 8.0                           | 3669.6                    | 49.4                        | >9                                    | 4265.4                            | 57.5                                   | >34  |
|  | CWHws2                           | 15199.4                           | 2165.3                     | 14.2                         | <36                                    | 1020.3                   | 6.7                        | 1066.8                      | 7.0                           | 10947.1                   | 72.0                        | >9                                    | 12013.9                           | 79.0                                   | >34  |
|  | ESSFmk                           | 707.1                             |                            | 0.0                          | <36                                    |                          | 0.0                        | 459.2                       | 64.9                          | 247.9                     | 35.1                        | >9                                    | 707.1                             | 100.0                                  | >28  |
|  | ESSFvw                           | 78.4                              |                            | 0.0                          | <22                                    |                          | 0.0                        |                             | 0.0                           | 78.4                      | 100.0                       | >19                                   | 78.4                              | 100.0                                  | >36  |
|  | MHmm2                            | 14192.9                           | 540.5                      | 3.8                          | <22                                    | 456.8                    | 3.2                        | 3789.6                      | 26.7                          | 9405.9                    | 66.3                        | >19                                   | 13195.6                           | 93.0                                   | >36  |
| <b>Clore Total</b>                                   |                                  | <b>40481.1</b>                    | <b>5749.1</b>              | <b>14.2</b>                  |  | <b>1591.7</b>            | <b>3.9</b>                 | <b>7306.3</b>               | <b>18.0</b>                   | <b>25833.9</b>            | <b>63.8</b>                 |                                       | <b>33140.3</b>                    | <b>81.9</b>                            |  |

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis)    | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |
|--|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|
| Exstew (Intermediate)                        | CWHws1                           | 3684.7                            | 1541.4                     | 41.8                         | <36                                    | 213.1                    | 5.8                        | 547.0                       | 14.8                          | 1383.2                    | 37.5                        | >9                                    | 1930.2                            | 52.4                                   | >34  |
|  | CWHws2                           | 3854.4                            | 1127.6                     | 29.3                         | <36                                    | 23.0                     | 0.6                        | 505.8                       | 13.1                          | 2198.1                    | 57.0                        | >9                                    | 2703.8                            | 70.1                                   | >34  |
|  | MHm2                             | 1279.1                            | 85.9                       | 6.7                          | <22                                    | 14.1                     | 1.1                        | 53.2                        | 4.2                           | 1125.9                    | 88.0                        | >19                                   | 1179.1                            | 92.2                                   | >36  |
| <b>Exstew Total</b>                          |                                  | <b>8818.2</b>                     | <b>2754.9</b>              | <b>31.2</b>                  |  | <b>250.2</b>             | <b>2.8</b>                 | <b>1105.9</b>               | <b>12.5</b>                   | <b>4707.2</b>             | <b>53.4</b>                 |                                       | <b>5813.1</b>                     | <b>65.9</b>                            |  |
| Hawkesbury Island West<br>(Intermediate)     | CWHvh2                           | 8506.3                            | 214.2                      | 2.5                          | <30                                    | 90.9                     | 1.1                        | 420.8                       | 4.9                           | 7780.4                    | 91.5                        | >13                                   | 8201.3                            | 96.4                                   | >36  |
|  | MHwh1                            | 624.9                             | 2.8                        | 0.4                          | <22                                    | 45.3                     | 7.3                        | 62.0                        | 9.9                           | 514.9                     | 82.4                        | >19                                   | 576.9                             | 92.3                                   | >36  |
|  | <b>Intermediate Total</b>        |                                   | <b>9131.3</b>              | <b>216.9</b>                 | <b>2.4</b>                             |                          | <b>136.2</b>               | <b>1.5</b>                  | <b>482.8</b>                  | <b>5.3</b>                | <b>8295.3</b>               | <b>90.8</b>                           |                                   | <b>8778.1</b>                          | <b>96.1</b>                                      |
| <b>Protected Total</b>                       |                                  | <b>80.1</b>                       | <b>10.6</b>                | <b>13.3</b>                  |  | <b>0.0</b>               | <b>11.8</b>                | <b>14.7</b>                 | <b>57.7</b>                   | <b>72.0</b>               |                             |                                       | <b>69.5</b>                       | <b>86.7</b>                            |  |
| <b>Hawkesbury Island West Total</b>          |                                  | <b>9211.4</b>                     | <b>227.6</b>               | <b>2.5</b>                   |  | <b>136.2</b>             | <b>1.5</b>                 | <b>494.6</b>                | <b>5.4</b>                    | <b>8353.0</b>             | <b>90.7</b>                 |                                       | <b>8847.6</b>                     | <b>96.1</b>                            |  |
| Hirsch (Intermediate)                        | ATp                              | 550.4                             |                            | 0.0                          | <15                                    | 150.3                    | 27.3                       | 42.8                        | 7.8                           | 357.3                     | 64.9                        | n/a                                   | 400.1                             | 72.7                                   | >85  |
|  | CWHvm                            | 26723.8                           | 5236.4                     | 19.6                         | <30                                    | 467.6                    | 1.7                        | 2151.8                      | 8.1                           | 18867.9                   | 70.6                        | >13                                   | 21019.7                           | 78.7                                   | >36  |
|  | CWHws1                           | 417.1                             | 342.6                      | 82.1                         | <36                                    |                          | 0.0                        | 3.1                         | 0.7                           | 71.4                      | 17.1                        | >9                                    | 74.5                              | 17.9                                   | >34  |
|  | CWHws2                           | 273.4                             | 18.1                       | 6.6                          | <36                                    |                          | 0.0                        | 41.7                        | 15.2                          | 213.6                     | 78.1                        | >9                                    | 255.3                             | 93.4                                   | >34  |
|  | MHm1                             | 9629.1                            | 136.4                      | 1.4                          | <22                                    | 495.9                    | 5.1                        | 652.8                       | 6.8                           | 8344.1                    | 86.7                        | >19                                   | 8996.9                            | 93.4                                   | >36  |
|  | <b>Intermediate Total</b>        |                                   | <b>37593.8</b>             | <b>5733.5</b>                | <b>15.3</b>                            |                          | <b>1113.8</b>              | <b>3.0</b>                  | <b>2892.1</b>                 | <b>7.7</b>                | <b>27854.4</b>              | <b>74.1</b>                           |                                   | <b>30746.5</b>                         | <b>81.8</b>                                      |
| <b>Protected Total</b>                       |                                  | <b>7.3</b>                        | <b>0.0</b>                 | <b>0.0</b>                   |  | <b>1.3</b>               | <b>17.1</b>                | <b>0.0</b>                  | <b>6.1</b>                    | <b>82.9</b>               |                             |                                       | <b>6.1</b>                        | <b>82.9</b>                            |  |
| <b>Hirsch Total</b>                          |                                  | <b>37601.1</b>                    | <b>5733.5</b>              | <b>15.2</b>                  |  | <b>1115.0</b>            | <b>3.0</b>                 | <b>2892.1</b>               | <b>7.7</b>                    | <b>27860.4</b>            | <b>74.1</b>                 |                                       | <b>30752.6</b>                    | <b>81.8</b>                            |  |
| Ishkheennickh (Ksi Hlginx)<br>(Intermediate) | ATp                              | 65.1                              |                            | 0.0                          | <15                                    |                          | 0.0                        |                             | 0.0                           | 65.1                      | 100.0                       | n/a                                   | 65.1                              | 100.0                                  | >85  |
|  | CWHvm                            | 113.2                             |                            | 0.0                          | <30                                    |                          | 0.0                        |                             | 0.0                           | 113.2                     | 100.0                       | >13                                   | 113.2                             | 100.0                                  | >36  |
|  | CWHws1                           | 866.3                             | 149.2                      | 17.2                         | <36                                    |                          | 0.0                        | 343.1                       | 39.6                          | 374.0                     | 43.2                        | >9                                    | 717.1                             | 82.8                                   | >34  |
|  | CWHws2                           | 3887.2                            | 126.4                      | 3.3                          | <36                                    | 1.8                      | 0.0                        | 2057.6                      | 52.9                          | 1701.4                    | 43.8                        | >9                                    | 3759.0                            | 96.7                                   | >34  |
|  | MHm1                             | 2539.2                            |                            | 0.0                          | <22                                    | 53.2                     | 2.1                        | 1240.8                      | 48.9                          | 1245.2                    | 49.0                        | >19                                   | 2486.0                            | 97.9                                   | >36  |
| <b>Ishkheennickh (Ksi Hlginx) Total</b>      |                                  | <b>7470.9</b>                     | <b>275.6</b>               | <b>3.7</b>                   |  | <b>55.0</b>              | <b>0.7</b>                 | <b>3641.5</b>               | <b>48.7</b>                   | <b>3498.8</b>             | <b>46.8</b>                 |                                       | <b>7140.3</b>                     | <b>95.6</b>                            |  |
| Kalum (Intermediate)                         | ATp                              | 13.6                              |                            | 0.0                          | <15                                    |                          | 0.0                        |                             | 0.0                           | 13.6                      | 100.0                       | n/a                                   | 13.6                              | 100.0                                  | >85  |
|  | CWHws1                           | 10613.1                           | 4175.7                     | 39.3                         | <36                                    | 3497.4                   | 33.0                       | 1171.6                      | 11.0                          | 1768.3                    | 16.7                        | >9                                    | 2939.9                            | 27.7                                   | >34  |
|  | CWHws2                           | 3468.3                            | 1178.1                     | 34.0                         | <36                                    | 6.8                      | 0.2                        | 63.9                        | 1.8                           | 2219.4                    | 64.0                        | >9                                    | 2283.3                            | 65.8                                   | >34  |
|  | MHm2                             | 1339.4                            | 111.3                      | 8.3                          | <22                                    | 23.6                     | 1.8                        | 27.0                        | 2.0                           | 1177.5                    | 87.9                        | >19                                   | 1204.5                            | 89.9                                   | >36  |
|  | <b>Intermediate Total</b>        |                                   | <b>15434.3</b>             | <b>5465.1</b>                | <b>35.4</b>                            |                          | <b>3527.9</b>              | <b>22.9</b>                 | <b>1262.5</b>                 | <b>8.2</b>                | <b>5178.8</b>               | <b>33.6</b>                           |                                   | <b>6441.3</b>                          | <b>41.7</b>                                      |
| <b>Protected Total</b>                       |                                  | <b>59.8</b>                       | <b>0.1</b>                 | <b>0.2</b>                   |  | <b>3.8</b>               | <b>6.3</b>                 | <b>53.4</b>                 | <b>89.3</b>                   | <b>2.5</b>                | <b>4.2</b>                  |                                       | <b>55.9</b>                       | <b>93.5</b>                            |  |
| <b>Kalum Total</b>                           |                                  | <b>15494.1</b>                    | <b>5465.2</b>              | <b>35.3</b>                  |  | <b>3531.6</b>            | <b>22.8</b>                | <b>1315.9</b>               | <b>8.5</b>                    | <b>5181.3</b>             | <b>33.4</b>                 |                                       | <b>6497.3</b>                     | <b>41.9</b>                            |  |

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis) | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |
|---|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|
| Kasiks (Intermediate)                     | CWHvm                            | 1092.0                            |                            | 0.0                          | <30                                    | 35.9                     | 3.3                        | 728.1                       | 66.7                          | 328.0                     | 30.0                        | >13                                   | 1056.1                            | 96.7                                   | >36  |
|   | MHm1                             | 167.6                             |                            | 0.0                          | <22                                    |                          | 0.0                        | 127.0                       | 75.8                          | 40.6                      | 24.2                        | >19                                   | 167.6                             | 100.0                                  | >36  |
| <b>Kasiks Total</b>                       |                                  | <b>1259.6</b>                     |                            | <b>0.0</b>                   |  | <b>35.9</b>              | <b>2.8</b>                 | <b>855.1</b>                | <b>67.9</b>                   | <b>368.6</b>              | <b>29.3</b>                 |                                       | <b>1223.7</b>                     | <b>97.2</b>                            |  |
| Kemano (Intermediate)                     | ATp                              | 140.1                             |                            | 0.0                          | <15                                    | 59.0                     | 42.1                       | 23.1                        | 16.5                          | 58.0                      | 41.4                        | n/a                                   | 81.1                              | 57.9                                   | >85  |
|   | CWHvm                            | 3660.9                            | 404.8                      | 11.1                         | <30                                    | 78.5                     | 2.1                        | 1806.6                      | 49.3                          | 1371.0                    | 37.5                        | >13                                   | 3177.6                            | 86.8                                   | >36  |
|   | CWHvm1                           | 2403.0                            | 14.8                       | 0.6                          | <30                                    | 86.6                     | 3.6                        | 920.7                       | 38.3                          | 1380.9                    | 57.5                        | >13                                   | 2301.6                            | 95.8                                   | >36  |
|   | CWHvm2                           | 1420.9                            |                            | 0.0                          | <30                                    | 55.1                     | 3.9                        | 653.8                       | 46.0                          | 712.1                     | 50.1                        | >13                                   | 1365.8                            | 96.1                                   | >36  |
|   | CWHws2                           | 10578.4                           | 2075.4                     | 19.6                         | <36                                    | 128.2                    | 1.2                        | 2290.4                      | 21.7                          | 6084.4                    | 57.5                        | >9                                    | 8374.9                            | 79.2                                   | >34  |
|   | ESSFmk                           | 187.3                             |                            | 0.0                          | <36                                    | 6.3                      | 3.4                        | 7.6                         | 4.1                           | 173.4                     | 92.6                        | >9                                    | 181.0                             | 96.6                                   | >28  |
|   | MHm1                             | 3123.9                            | 10.4                       | 0.3                          | <22                                    | 403.0                    | 12.9                       | 917.9                       | 29.4                          | 1792.6                    | 57.4                        | >19                                   | 2710.5                            | 86.8                                   | >36  |
|   | MHm2                             | 10261.3                           | 88.3                       | 0.9                          | <22                                    | 1102.9                   | 10.7                       | 2713.2                      | 26.4                          | 6356.9                    | 62.0                        | >19                                   | 9070.1                            | 88.4                                   | >36  |
| <b>Intermediate Total</b>                 |                                  | <b>31775.9</b>                    | <b>2593.7</b>              | <b>8.2</b>                   |  | <b>1919.6</b>            | <b>6.0</b>                 | <b>9333.3</b>               | <b>29.4</b>                   | <b>17929.3</b>            | <b>56.4</b>                 |                                       | <b>27262.6</b>                    | <b>85.8</b>                            |  |
| <b>Protected Total</b>                    |                                  | <b>532.6</b>                      | <b>6.2</b>                 | <b>1.2</b>                   |  | <b>55.4</b>              | <b>10.4</b>                | <b>86.7</b>                 | <b>16.3</b>                   | <b>384.3</b>              | <b>72.2</b>                 |                                       | <b>471.0</b>                      | <b>88.4</b>                            |  |
| <b>Kemano Total</b>                       |                                  | <b>32308.5</b>                    | <b>2599.9</b>              | <b>8.0</b>                   |  | <b>1975.1</b>            | <b>6.1</b>                 | <b>9420.0</b>               | <b>29.2</b>                   | <b>18313.6</b>            | <b>56.7</b>                 |                                       | <b>27733.6</b>                    | <b>85.8</b>                            |  |
| Lakelse (Intermediate)                    | ATp                              | 132.6                             |                            | 0.0                          | <15                                    | 27.6                     | 20.8                       | 10.9                        | 8.3                           | 94.0                      | 70.9                        | n/a                                   | 104.9                             | 79.2                                   | >85  |
|   | CWHws1                           | 11868.5                           | 6834.8                     | 57.6                         | <36                                    | 631.2                    | 5.3                        | 1497.7                      | 12.6                          | 2904.9                    | 24.5                        | >9                                    | 4402.6                            | 37.1                                   | >34  |
|   | CWHws2                           | 7354.4                            | 2086.4                     | 28.4                         | <36                                    | 14.4                     | 0.2                        | 393.4                       | 5.3                           | 4860.1                    | 66.1                        | >9                                    | 5253.6                            | 71.4                                   | >34  |
|   | MHm2                             | 3198.1                            | 166.2                      | 5.2                          | <22                                    | 77.5                     | 2.4                        | 145.4                       | 4.5                           | 2808.9                    | 87.8                        | >19                                   | 2954.4                            | 92.4                                   | >36  |
| <b>Intermediate Total</b>                 |                                  | <b>22553.5</b>                    | <b>9087.4</b>              | <b>40.3</b>                  |  | <b>750.7</b>             | <b>3.3</b>                 | <b>2047.5</b>               | <b>9.1</b>                    | <b>10667.9</b>            | <b>47.3</b>                 |                                       | <b>12715.4</b>                    | <b>56.4</b>                            |  |
| <b>Protected Total</b>                    |                                  | <b>680.8</b>                      | <b>23.7</b>                | <b>3.5</b>                   |  |                          | <b>0.0</b>                 | <b>71.7</b>                 | <b>17.9</b>                   | <b>304.8</b>              | <b>76.2</b>                 |                                       | <b>376.5</b>                      | <b>94.1</b>                            |  |
| <b>Lakelse Total</b>                      |                                  | <b>23234.3</b>                    | <b>9111.1</b>              | <b>39.2</b>                  |  | <b>750.7</b>             | <b>3.2</b>                 | <b>2119.2</b>               | <b>9.1</b>                    | <b>11253.4</b>            | <b>48.4</b>                 |                                       | <b>13372.6</b>                    | <b>57.6</b>                            |  |

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis)    | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |  |
|--|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|--|
| <b>Tseax (Ksi Sii Aks)</b><br>(Intermediate) | ATp                              | 0.1                               |                            | 0.0                          | <15                                    |                          | 0.0                        |                             | 0.0                           | 0.1                       | 100.0                       | n/a                                   | 0.1                               | 100.0                                  | >85  |  |
|  | CWHws1                           | 1952.6                            | 828.1                      | 42.4                         | <36                                    | 60.6                     | 3.1                        | 354.0                       | 18.1                          | 709.9                     | 36.4                        | >9                                    | 1063.9                            | 54.5                                   | >34  |  |
|  | CWHws2                           | 9252.0                            | 913.9                      | 9.9                          | <36                                    | 8.8                      | 0.1                        | 750.9                       | 8.1                           | 7578.3                    | 81.9                        | >9                                    | 8329.3                            | 90.0                                   | >34  |  |
|  | ICHmc1                           | 1244.0                            | 273.9                      | 22.0                         | <36                                    | 68.4                     | 5.5                        | 696.9                       | 56.0                          | 204.8                     | 16.5                        | >9                                    | 901.7                             | 72.5                                   | >31  |  |
|  | ICHmc2                           | 11617.1                           | 5230.8                     | 45.0                         | <36                                    | 621.5                    | 5.3                        | 1962.9                      | 16.9                          | 3801.9                    | 32.7                        | >9                                    | 5764.8                            | 49.6                                   | >31  |  |
|  | MHmm2                            | 3666.3                            | 71.8                       | 2.0                          | <22                                    |                          | 0.0                        | 240.9                       | 6.6                           | 3353.7                    | 91.5                        | >19                                   | 3594.6                            | 98.0                                   | >36  |  |
|  | <b>Intermediate Total</b>        |                                   | 27732.1                    | 7318.5                       | 26.4                                   |                          | 759.3                      | 2.7                         | 4005.6                        | 14.4                      | 15648.6                     | 56.4                                  |                                   | 19654.3                                | 70.9   |  |
|  |                                  | CWHws2                            | 1513.1                     |                              | 0.0                                    |                          |                            | 0.0                         | 777.9                         | 51.4                      | 735.2                       | 48.6                                  |                                   | 1513.1                                 | 100.0  |  |
|  |                                  | ICHmc2                            | 1977.0                     | 186.0                        | 9.4                                    |                          | 332.6                      | 16.8                        | 823.1                         | 41.6                      | 635.3                       | 32.1                                  |                                   | 1458.4                                 | 73.8   |  |
|  |                                  | MHmm2                             | 747.1                      |                              | 0.0                                    |                          | 9.4                        | 1.3                         | 305.4                         | 40.9                      | 432.2                       | 57.9                                  |                                   | 737.6                                  | 98.7   |  |
| <b>Protected Total</b>                       |                                  | 4237.1                            | 186.0                      | 4.4                          |  | 342.0                    | 8.1                        | 1906.4                      | 45.0                          | 1802.7                    | 42.5                        |                                       | 3709.1                            | 87.5                                   |  |  |
| <b>Tseax (Ksi Sii Aks) Total</b>             |                                  | <b>31969.2</b>                    | <b>7504.5</b>              | <b>23.5</b>                  |  | <b>1101.3</b>            | <b>3.4</b>                 | <b>5912.1</b>               | <b>18.5</b>                   | <b>17451.3</b>            | <b>54.6</b>                 |                                       | <b>23363.4</b>                    | <b>73.1</b>                            |  |  |
| <b>Wedeeene</b><br>(Intermediate)            | ATp                              | 134.9                             |                            | 0.0                          | <15                                    | 21.6                     | 16.0                       | 2.5                         | 1.9                           | 110.9                     | 82.2                        | n/a                                   | 113.4                             | 84.0                                   | >85  |  |
|  | CWHvh2                           | 310.9                             | 20.6                       | 6.6                          | <30                                    | 39.8                     | 12.8                       | 29.8                        | 9.6                           | 220.8                     | 71.0                        | >13                                   | 250.6                             | 80.6                                   | >36  |  |
|  | CWHvm                            | 12916.6                           | 3240.1                     | 25.1                         | <30                                    | 540.3                    | 4.2                        | 919.8                       | 7.1                           | 8216.5                    | 63.6                        | >13                                   | 9136.3                            | 70.7                                   | >36  |  |
|  | CWHvm1                           | 5.3                               |                            | 0.0                          | <30                                    | 3.6                      | 69.0                       | 1.4                         | 27.4                          | 0.2                       | 3.6                         | >13                                   | 1.6                               | 31.0                                   | >36  |  |
|  | CWHws1                           | 6410.1                            | 4633.8                     | 72.3                         | <36                                    | 129.8                    | 2.0                        | 264.4                       | 4.1                           | 1382.2                    | 21.6                        | >9                                    | 1646.6                            | 25.7                                   | >34  |  |
|  | CWHws2                           | 5532.6                            | 1744.4                     | 31.5                         | <36                                    | 43.8                     | 0.8                        | 566.6                       | 10.2                          | 3177.8                    | 57.4                        | >9                                    | 3744.4                            | 67.7                                   | >34  |  |
|  | MHmm1                            | 4001.4                            | 33.2                       | 0.8                          | <22                                    | 549.6                    | 13.7                       | 341.5                       | 8.5                           | 3077.1                    | 76.9                        | >19                                   | 3418.6                            | 85.4                                   | >36  |  |
|  | MHmm2                            | 3990.6                            | 185.3                      | 4.6                          | <22                                    | 322.9                    | 8.1                        | 520.5                       | 13.0                          | 2961.9                    | 74.2                        | >19                                   | 3482.4                            | 87.3                                   | >36  |  |
|  | <b>Intermediate Total</b>        |                                   | 33302.4                    | 9857.3                       | 29.6                                   |                          | 1651.3                     | 5.0                         | 2646.4                        | 7.9                       | 19147.3                     | 57.5                                  |                                   | 21793.8                                | 65.4   |  |
|  |                                  | CWHvm                             | 12.3                       |                              | 0.0                                    |                          |                            | 0.0                         | 9.4                           | 77.0                      | 2.8                         | 23.0                                  |                                   | 12.3                                   | 100.0  |  |
|  | MHmm1                            | 10.8                              |                            | 0.0                          |  |                          | 0.0                        | 10.8                        | 100.0                         |                           | 0.0                         |                                       | 10.8                              | 100.0                                  |  |  |
| <b>Protected Total</b>                       |                                  | 23.1                              |                            | 0.0                          |  |                          | 0.0                        | 20.3                        | 87.8                          | 2.8                       | 12.2                        |                                       | 23.1                              | 100.0                                  |  |  |
| <b>Wedeeene Total</b>                        |                                  | <b>33325.4</b>                    | <b>9857.3</b>              | <b>29.6</b>                  |  | <b>1651.3</b>            | <b>5.0</b>                 | <b>2666.7</b>               | <b>8.0</b>                    | <b>19150.1</b>            | <b>57.5</b>                 |                                       | <b>21816.8</b>                    | <b>65.5</b>                            |  |  |
| <b>Dala (Low)</b>                            | ATp                              | 349.0                             |                            | 0.0                          | <15                                    | 217.1                    | 62.2                       | 28.7                        | 8.2                           | 103.2                     | 29.6                        | n/a                                   | 131.9                             | 37.8                                   | >85  |  |
|  | CWHvm                            | 9944.6                            | 2323.4                     | 23.4                         | n/a                                    | 492.5                    | 5.0                        | 1113.8                      | 11.2                          | 6014.8                    | 60.5                        | >13                                   | 7128.6                            | 71.7                                   | >18  |  |
|  | CWHws2                           | 8566.9                            | 799.6                      | 9.3                          | n/a                                    | 108.8                    | 1.3                        | 1831.3                      | 21.4                          | 5827.2                    | 68.0                        | >9                                    | 7658.5                            | 89.4                                   | >17  |  |
|  | MHmm1                            | 11238.7                           | 259.9                      | 2.3                          | n/a                                    | 1549.3                   | 13.8                       | 2452.5                      | 21.8                          | 6977.0                    | 62.1                        | >19                                   | 9429.5                            | 83.9                                   | >19  |  |
|  | <b>Low Total</b>                 |                                   | 30099.2                    | 3382.9                       | 11.2                                   |                          | 2367.8                     | 7.9                         | 5426.3                        | 18.0                      | 18922.2                     | 62.9                                  |                                   | 24348.5                                | 80.9   |  |
|  | CWHvm                            | 35.4                              |                            | 0.0                          |  | 1.5                      | 4.2                        | 29.7                        | 83.8                          | 4.3                       | 12.0                        |                                       | 33.9                              | 95.8                                   |  |  |
| <b>Protected Total</b>                       |                                  | 35.4                              |                            | 0.0                          |  | 1.5                      | 4.2                        | 29.7                        | 83.8                          | 4.3                       | 12.0                        |                                       | 33.9                              | 95.8                                   |  |  |
| <b>Dala Total</b>                            |                                  | <b>30134.6</b>                    | <b>3382.9</b>              | <b>11.2</b>                  |  | <b>2369.3</b>            | <b>7.9</b>                 | <b>5456.0</b>               | <b>18.1</b>                   | <b>18926.4</b>            | <b>62.8</b>                 |                                       | <b>24382.4</b>                    | <b>80.9</b>                            |  |  |

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis) | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |
|---|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|
| <b>Dasque (Low)</b>                       | ATp                              | 0.9                               |                            | 0.0                          | <15                                    |                          | 0.0                        |                             | 0.0                           | 0.9                       | 100.0                       | n/a                                   | 0.9                               | 100.0                                  | >85  |
|   | CWHws1                           | 1568.3                            | 654.3                      | 41.7                         | n/a                                    | 236.4                    | 15.1                       | 26.3                        | 1.7                           | 651.3                     | 41.5                        | >9                                    | 677.6                             | 43.2                                   | >17  |
|   | CWHws2                           | 1611.9                            | 335.2                      | 20.8                         | n/a                                    |                          | 0.0                        | 16.6                        | 1.0                           | 1260.1                    | 78.2                        | >9                                    | 1276.8                            | 79.2                                   | >17  |
|   | MHm2                             | 684.4                             | 29.9                       | 4.4                          | n/a                                    |                          | 0.0                        | 4.9                         | 0.7                           | 649.6                     | 94.9                        | >19                                   | 654.5                             | 95.6                                   | >19  |
| <b>Dasque Total</b>                       |                                  | <b>3865.4</b>                     | <b>1019.4</b>              | <b>26.4</b>                  |  | <b>236.4</b>             | <b>6.1</b>                 | <b>47.9</b>                 | <b>1.2</b>                    | <b>2561.8</b>             | <b>66.3</b>                 |                                       | <b>2609.7</b>                     | <b>67.5</b>                            |  |
| <b>Exchamsiks (Low)</b>                   | CWHvm                            | 3637.5                            |                            | 0.0                          | n/a                                    | 101.3                    | 2.8                        | 1190.2                      | 32.7                          | 2346.1                    | 64.5                        | >13                                   | 3536.3                            | 97.2                                   | >18  |
|   | MHm1                             | 417.3                             |                            | 0.0                          | n/a                                    | 8.8                      | 2.1                        | 80.6                        | 19.3                          | 327.8                     | 78.6                        | >19                                   | 408.4                             | 97.9                                   | >19  |
|   | <b>Low Total</b>                 |                                   | 4054.8                     | 0.0                          |  | 110.1                    | 2.7                        | 1270.8                      | 31.3                          | 2673.9                    | 65.9                        |                                       | 3944.7                            | 97.3                                   |  |
|   | CWHvm                            | 777.6                             |                            | 0.0                          |  | 64.3                     | 8.3                        | 393.6                       | 50.6                          | 319.8                     | 41.1                        |                                       | 713.4                             | 91.7                                   |  |
| <b>Protected Total</b>                    | MHm1                             | 2.4                               |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 2.4                       | 100.0                       |                                       | 2.4                               | 100.0                                  |  |
|   |                                  | 780.0                             |                            | 0.0                          |  | 64.3                     | 8.2                        | 393.6                       | 50.5                          | 322.2                     | 41.3                        |                                       | 715.8                             | 91.8                                   |  |
| <b>Exchamsiks Total</b>                   |                                  | <b>4834.8</b>                     | <b>0.0</b>                 | <b>0.0</b>                   |  | <b>174.3</b>             | <b>3.6</b>                 | <b>1664.4</b>               | <b>34.4</b>                   | <b>2996.1</b>             | <b>62.0</b>                 |                                       | <b>4660.4</b>                     | <b>96.4</b>                            |  |
| <b>Falls (Low)</b>                        | ATp                              | 134.1                             | 1.6                        | 1.2                          | <15                                    | 42.9                     | 32.0                       | 2.6                         | 2.0                           | 86.9                      | 64.8                        | n/a                                   | 89.5                              | 66.8                                   | >85  |
|   | CWHvm                            | 24557.6                           | 2517.1                     | 10.2                         | n/a                                    | 833.7                    | 3.4                        | 3218.5                      | 13.1                          | 17988.3                   | 73.2                        | >13                                   | 21206.8                           | 86.4                                   | >18  |
|   | CWHvm1                           | 204.9                             | 92.1                       | 45.0                         | n/a                                    | 24.0                     | 11.7                       | 0.8                         | 0.4                           | 88.0                      | 43.0                        | >13                                   | 88.8                              | 43.3                                   | >18  |
|   | CWHvm2                           | 14.3                              |                            | 0.0                          | n/a                                    |                          | 0.0                        |                             | 0.0                           | 14.3                      | 100.0                       | >13                                   | 14.3                              | 100.0                                  | >18  |
|   | MHm1                             | 7546.9                            | 87.7                       | 1.2                          | n/a                                    | 948.1                    | 12.6                       | 932.8                       | 12.4                          | 5578.4                    | 73.9                        | >19                                   | 6511.2                            | 86.3                                   | >19  |
|   | <b>Low Total</b>                 |                                   | 32457.8                    | 2698.6                       | 8.3                                    |                          | 1848.7                     | 5.7                         | 4154.7                        | 12.8                      | 23755.9                     | 73.2                                  |                                   | 27910.6                                | 86.0   |
| <b>Protected Total</b>                    | CWHvm                            | 205.5                             | 0.4                        | 0.2                          |  | 17.4                     | 8.5                        | 6.6                         | 3.2                           | 181.0                     | 88.1                        |                                       | 187.6                             | 91.3                                   |  |
|   |                                  | 205.5                             | 0.4                        | 0.2                          |  | 17.4                     | 8.5                        | 6.6                         | 3.2                           | 181.0                     | 88.1                        |                                       | 187.6                             | 91.3                                   |  |
| <b>Falls Total</b>                        |                                  | <b>32663.3</b>                    | <b>2699.0</b>              | <b>8.3</b>                   |  | <b>1866.1</b>            | <b>5.7</b>                 | <b>4161.3</b>               | <b>12.7</b>                   | <b>23936.9</b>            | <b>73.3</b>                 |                                       | <b>28098.2</b>                    | <b>86.0</b>                            |  |
| <b>Hawkesbury Island East (Low)</b>       | CWHvh2                           | 4178.9                            | 185.9                      | 4.4                          | n/a                                    | 294.8                    | 7.1                        | 207.9                       | 5.0                           | 3490.3                    | 83.5                        | >13                                   | 3698.2                            | 88.5                                   | >18  |
|   | CWHvm                            | 0.5                               |                            | 0.0                          | n/a                                    |                          | 0.0                        |                             | 0.0                           | 0.5                       | 100.0                       | >13                                   | 0.5                               | 100.0                                  | >18  |
|   | MHwh1                            | 253.3                             |                            | 0.0                          | n/a                                    |                          | 0.0                        | 0.4                         | 0.2                           | 252.9                     | 99.8                        | >19                                   | 253.3                             | 100.0                                  | >19  |
| <b>Hawkesbury Island East Total</b>       |                                  | <b>4432.7</b>                     | <b>185.9</b>               | <b>4.2</b>                   |  | <b>294.8</b>             | <b>6.7</b>                 | <b>208.3</b>                | <b>4.7</b>                    | <b>3743.7</b>             | <b>84.5</b>                 |                                       | <b>3952.0</b>                     | <b>89.2</b>                            |  |
| <b>Horetzky (Low)</b>                     | ATp                              | 74.8                              |                            | 0.0                          | <15                                    | 59.5                     | 79.5                       | 0.2                         | 0.3                           | 15.1                      | 20.2                        | n/a                                   | 15.3                              | 20.5                                   | >85  |
|   | CWHvm                            | 11.1                              |                            | 0.0                          | n/a                                    |                          | 0.0                        | 5.7                         | 51.1                          | 5.4                       | 48.9                        | >13                                   | 11.1                              | 100.0                                  | >18  |
|   | CWHws2                           | 1972.2                            | 506.6                      | 25.7                         | n/a                                    | 82.6                     | 4.2                        | 243.3                       | 12.3                          | 1139.7                    | 57.8                        | >9                                    | 1383.0                            | 70.1                                   | >17  |
|   | MHm2                             | 4157.0                            | 50.8                       | 1.2                          | n/a                                    | 460.6                    | 11.1                       | 1037.3                      | 25.0                          | 2608.3                    | 62.7                        | >19                                   | 3645.6                            | 87.7                                   | >19  |
| <b>Horetzky Total</b>                     |                                  | <b>6215.1</b>                     | <b>557.4</b>               | <b>9.0</b>                   |  | <b>602.6</b>             | <b>9.7</b>                 | <b>1286.5</b>               | <b>20.7</b>                   | <b>3768.6</b>             | <b>60.6</b>                 |                                       | <b>5055.1</b>                     | <b>81.3</b>                            |  |

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis) | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |
|---|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|
| <b>Hot Springs (Low)</b>                  | CWHws1                           | 6862.4                            | 3496.5                     | 51.0                         | n/a                                    | 155.3                    | 2.3                        | 1003.1                      | 14.6                          | 2207.5                    | 32.2                        | >9                                    | 3210.6                            | 46.8                                   | >17  |
|   | CWHws2                           | 1437.6                            | 29.6                       | 2.1                          | n/a                                    | 9.4                      | 0.7                        | 264.8                       | 18.4                          | 1133.8                    | 78.9                        | >9                                    | 1398.6                            | 97.3                                   | >17  |
|   | MHm2                             | 816.6                             |                            | 0.0                          | n/a                                    | 46.3                     | 5.7                        | 269.3                       | 33.0                          | 501.1                     | 61.4                        | >19                                   | 770.4                             | 94.3                                   | >19  |
|   | <b>Low Total</b>                 | 9116.6                            | 3526.1                     | 38.7                         |  | 210.9                    | 2.3                        | 1537.1                      | 16.9                          | 3842.4                    | 42.1                        |                                       | 5379.6                            | 59.0                                   |  |
| <b>Protected Total</b>                    | CWHws1                           | 933.8                             | 488.4                      | 52.3                         |  | 32.2                     | 3.4                        | 277.1                       | 29.7                          | 136.1                     | 14.6                        |                                       | 413.1                             | 44.2                                   |  |
|   |                                  | 933.8                             | 488.4                      | 52.3                         |  | 32.2                     | 3.4                        | 277.1                       | 29.7                          | 136.1                     | 14.6                        |                                       | 413.1                             | 44.2                                   |  |
| <b>Hot Springs Total</b>                  |                                  | <b>10050.4</b>                    | <b>4014.6</b>              | <b>39.9</b>                  |  | <b>243.1</b>             | <b>2.4</b>                 | <b>1814.2</b>               | <b>18.1</b>                   | <b>3978.5</b>             | <b>39.6</b>                 |                                       | <b>5792.7</b>                     | <b>57.6</b>                            |  |
| <b>Jesse Bish (Low)</b>                   | ATp                              | 24.7                              |                            | 0.0                          | <15                                    | 23.4                     | 94.9                       |                             | 0.0                           | 1.3                       | 5.1                         | n/a                                   | 1.3                               | 5.1                                    | >85  |
|   | CWHvm                            | 15525.6                           | 663.7                      | 4.3                          | n/a                                    | 276.5                    | 1.8                        | 1921.8                      | 12.4                          | 12663.6                   | 81.6                        | >13                                   | 14585.4                           | 93.9                                   | >18  |
|   | MHm1                             | 4027.4                            | 11.6                       | 0.3                          | n/a                                    | 786.4                    | 19.5                       | 701.1                       | 17.4                          | 2528.3                    | 62.8                        | >19                                   | 3229.4                            | 80.2                                   | >19  |
|   | <b>Low Total</b>                 | 19577.7                           | 675.3                      | 3.4                          |  | 1086.4                   | 5.5                        | 2622.9                      | 13.4                          | 15193.1                   | 77.6                        |                                       | 17816.1                           | 91.0                                   |  |
|   | ATp                              | 7.4                               |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 7.4                       | 100.0                       |                                       | 7.4                               | 100.0                                  |  |
|   | CWHvh2                           | 0.3                               |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 0.3                       | 100.0                       |                                       | 0.3                               | 100.0                                  |  |
|   | CWHvm                            | 995.3                             | 45.7                       | 4.6                          |  | 5.5                      | 0.6                        | 71.4                        | 7.2                           | 872.6                     | 87.7                        |                                       | 944.1                             | 94.9                                   |  |
|   | MHm1                             | 212.6                             |                            | 0.0                          |  | 18.5                     | 8.7                        | 9.3                         | 4.4                           | 184.8                     | 86.9                        |                                       | 194.1                             | 91.3                                   |  |
| <b>Protected Total</b>                    |                                  | 1215.4                            | 45.7                       | 3.8                          |  | 24.0                     | 2.0                        | 80.7                        | 6.6                           | 1065.1                    | 87.6                        |                                       | 1145.8                            | 94.3                                   |  |
| <b>Jesse Bish Total</b>                   |                                  | <b>20793.1</b>                    | <b>720.9</b>               | <b>3.5</b>                   |  | <b>1110.4</b>            | <b>5.3</b>                 | <b>2703.6</b>               | <b>13.0</b>                   | <b>16258.2</b>            | <b>78.2</b>                 |                                       | <b>18961.8</b>                    | <b>91.2</b>                            |  |
| <b>Kiteen (Ksi Gahl't'in) (Low)</b>       | ATp                              | 9.3                               |                            | 0.0                          | <15                                    | 0.3                      | 3.4                        | 0.6                         | 6.8                           | 8.3                       | 89.9                        | n/a                                   | 8.9                               | 96.6                                   | >85  |
|   | CWHws2                           | 15996.7                           | 1858.8                     | 11.6                         | n/a                                    | 1129.8                   | 7.1                        | 1985.1                      | 12.4                          | 11023.1                   | 68.9                        | >9                                    | 13008.1                           | 81.3                                   | >17  |
|   | ESSFwv                           | 6.2                               |                            | 0.0                          | n/a                                    |                          | 0.0                        |                             | 0.0                           | 6.2                       | 100.0                       | >19                                   | 6.2                               | 100.0                                  | >19  |
|   | ICHmc1                           | 253.6                             | 3.6                        | 1.4                          | n/a                                    | 9.4                      | 3.7                        | 217.6                       | 85.8                          | 23.0                      | 9.1                         | >9                                    | 240.6                             | 94.9                                   | >15  |
|   | ICHmc2                           | 3072.5                            | 1466.1                     | 47.7                         | n/a                                    | 160.3                    | 5.2                        | 794.8                       | 25.9                          | 651.4                     | 21.2                        | >9                                    | 1446.1                            | 47.1                                   | >15  |
|   | MHm2                             | 18193.3                           | 739.5                      | 4.1                          | n/a                                    | 515.3                    | 2.8                        | 872.7                       | 4.8                           | 16065.9                   | 88.3                        | >19                                   | 16938.6                           | 93.1                                   | >19  |
| <b>Kiteen (Ksi Gahl't'in) Total</b>       |                                  | <b>37531.6</b>                    | <b>4067.9</b>              | <b>10.8</b>                  |  | <b>1815.1</b>            | <b>4.8</b>                 | <b>3870.8</b>               | <b>10.3</b>                   | <b>27777.8</b>            | <b>74.0</b>                 |                                       | <b>31648.6</b>                    | <b>84.3</b>                            |  |



## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis) | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |  |
|---|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|--|
| <b>Kitimat (Low)</b>                      | ATp                              | 333.9                             |                            | 0.0                          | <15                                    | 69.4                     | 20.8                       | 112.5                       | 33.7                          | 152.0                     | 45.5                        | n/a                                   | 264.5                             | 79.2                                   | >85  |  |
|   | CWHvm                            | 753.8                             | 293.8                      | 39.0                         | n/a                                    | 42.4                     | 5.6                        | 143.2                       | 19.0                          | 274.4                     | 36.4                        | >13                                   | 417.6                             | 55.4                                   | >18  |  |
|   | CWHws1                           | 25540.7                           | 17151.5                    | 67.2                         | n/a                                    | 495.1                    | 1.9                        | 1368.1                      | 5.4                           | 6526.0                    | 25.6                        | >9                                    | 7894.1                            | 30.9                                   | >17  |  |
|   | CWHws2                           | 21966.4                           | 4211.7                     | 19.2                         | n/a                                    | 87.1                     | 0.4                        | 2059.3                      | 9.4                           | 15608.3                   | 71.1                        | >9                                    | 17667.6                           | 80.4                                   | >17  |  |
|   | MHmm1                            | 8248.1                            | 56.7                       | 0.7                          | n/a                                    | 489.0                    | 5.9                        | 1678.3                      | 20.3                          | 6024.1                    | 73.0                        | >19                                   | 7702.4                            | 93.4                                   | >19  |  |
|   | MHmm2                            | 5522.9                            | 238.6                      | 4.3                          | n/a                                    | 208.9                    | 3.8                        | 1246.4                      | 22.6                          | 3829.1                    | 69.3                        | >19                                   | 5075.4                            | 91.9                                   | >19  |  |
|   | <b>Low Total</b>                 |                                   | 62365.8                    | 21952.3                      | 35.2                                   |                          | 1391.9                     | 2.2                         | 6607.8                        | 10.6                      | 32413.8                     | 52.0                                  |                                   | 39021.6                                | 62.6   |  |
|   | CWHvm                            | 30.9                              | 3.1                        | 10.1                         |  |                          | 0.0                        |                             | 0.0                           | 27.8                      | 89.9                        |                                       | 27.8                              | 89.9                                   |  |  |
|   | CWHws1                           | 125.6                             | 96.5                       | 76.8                         |  | 13.1                     | 10.4                       | 12.8                        | 10.1                          | 3.3                       | 2.6                         |                                       | 16.0                              | 12.7                                   |  |  |
|   | <b>Protected Total</b>           |                                   | 156.6                      | 99.6                         | 63.6                                   |                          | 13.1                       | 8.4                         | 12.8                          | 8.1                       | 31.1                        | 19.8                                  |                                   | 43.8                                   | 28.0   |  |
| <b>Kitimat Total</b>                      |                                  | <b>62522.3</b>                    | <b>22051.9</b>             | <b>35.3</b>                  |  | <b>1405.0</b>            | <b>2.2</b>                 | <b>6620.6</b>               | <b>10.6</b>                   | <b>32444.9</b>            | <b>51.9</b>                 |                                       | <b>39065.4</b>                    | <b>62.5</b>                            |  |  |
| <b>Kleanza Treasure (Low)</b>             | ATp                              | 378.8                             |                            | 0.0                          | <15                                    |                          | 0.0                        | 143.1                       | 37.8                          | 235.6                     | 62.2                        | n/a                                   | 378.8                             | 100.0                                  | >85  |  |
|   | CWHws1                           | 15483.9                           | 6576.3                     | 42.5                         | n/a                                    | 541.9                    | 3.5                        | 3853.3                      | 24.9                          | 4512.4                    | 29.1                        | >9                                    | 8365.8                            | 54.0                                   | >17  |  |
|   | CWHws2                           | 28023.3                           | 6518.8                     | 23.3                         | n/a                                    | 143.4                    | 0.5                        | 2051.5                      | 7.3                           | 19309.6                   | 68.9                        | >9                                    | 21361.1                           | 76.2                                   | >17  |  |
|   | ICHmc2                           | 815.8                             | 267.6                      | 32.8                         | n/a                                    | 254.6                    | 31.2                       | 194.6                       | 23.9                          | 99.0                      | 12.1                        | >9                                    | 293.6                             | 36.0                                   | >15  |  |
|   | MHmm2                            | 18849.9                           | 2127.8                     | 11.3                         | n/a                                    | 78.9                     | 0.4                        | 2040.9                      | 10.8                          | 14602.4                   | 77.5                        | >19                                   | 16643.3                           | 88.3                                   | >19  |  |
|   | <b>Low Total</b>                 |                                   | 63551.6                    | 15490.4                      | 24.4                                   |                          | 1018.8                     | 1.6                         | 8283.4                        | 13.0                      | 38759.1                     | 61.0                                  |                                   | 47042.5                                | 74.0   |  |
|   | CWHws1                           | 234.7                             | 17.9                       | 7.6                          |  | 17.6                     | 7.5                        | 101.3                       | 43.1                          | 97.9                      | 41.7                        |                                       | 199.1                             | 84.8                                   |  |  |
|   | CWHws2                           | 66.0                              |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 66.0                      | 100.0                       |                                       | 66.0                              | 100.0                                  |  |  |
|   | MHmm2                            | 18.8                              |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 18.8                      | 100.0                       |                                       | 18.8                              | 100.0                                  |  |  |
|   | <b>Protected Total</b>           |                                   | 319.4                      | 17.9                         | 5.6                                    |                          | 17.6                       | 5.5                         | 101.3                         | 31.7                      | 182.6                       | 57.2                                  |                                   | 283.9                                  | 88.9   |  |
| <b>Kleanza Treasure Total</b>             |                                  | <b>63871.1</b>                    | <b>15508.3</b>             | <b>24.3</b>                  |  | <b>1036.4</b>            | <b>1.6</b>                 | <b>8384.7</b>               | <b>13.1</b>                   | <b>38941.7</b>            | <b>61.0</b>                 |                                       | <b>47326.4</b>                    | <b>74.1</b>                            |  |  |
| <b>Ksedin (Ksi Mat'in) (Low)</b>          | ATp                              | 80.1                              |                            | 0.0                          | <15                                    | 1.3                      | 1.6                        | 0.7                         | 0.9                           | 78.1                      | 97.5                        | n/a                                   | 78.8                              | 98.4                                   | >85  |  |
|   | CWHws1                           | 977.3                             | 452.9                      | 46.3                         | n/a                                    | 20.9                     | 2.1                        | 15.6                        | 1.6                           | 487.9                     | 49.9                        | >9                                    | 503.5                             | 51.5                                   | >17  |  |
|   | CWHws2                           | 3262.8                            | 392.1                      | 12.0                         | n/a                                    |                          | 0.0                        | 206.0                       | 6.3                           | 2664.8                    | 81.7                        | >9                                    | 2870.8                            | 88.0                                   | >17  |  |
|   | MHmm2                            | 3560.2                            | 5.2                        | 0.1                          | n/a                                    | 129.3                    | 3.6                        | 251.4                       | 7.1                           | 3174.3                    | 89.2                        | >19                                   | 3425.7                            | 96.2                                   | >19  |  |
|   | <b>Ksedin (Ksi Mat'in) Total</b> |                                   | <b>7880.4</b>              | <b>850.1</b>                 | <b>10.8</b>                            |                          | <b>151.5</b>               | <b>1.9</b>                  | <b>473.6</b>                  | <b>6.0</b>                | <b>6405.1</b>               | <b>81.3</b>                           |                                   | <b>6878.8</b>                          | <b>87.3</b>                                      |  |

## Appendix C: Seral Stage Assessment

| Landscape Unit<br>(biodiversity emphasis) | BEC zone<br>variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Early<br>(ha) <sup>3</sup> | Early<br>(%FLB) <sup>4</sup> | Early<br>Target<br>(%FLB) <sup>5</sup> | Mid<br>(ha) <sup>6</sup> | Mid<br>(%FLB) <sup>7</sup> | Mature<br>(ha) <sup>8</sup> | Mature<br>(%FLB) <sup>9</sup> | Old<br>(ha) <sup>10</sup> | Old<br>(%FLB) <sup>11</sup> | Old<br>Target<br>(%FLB) <sup>12</sup> | Mature+<br>Old (ha) <sup>13</sup> | Mature+<br>Old<br>(%FLB) <sup>14</sup> | Mature+<br>Old<br>Target<br>(%FLB) <sup>15</sup> |
|---|----------------------------------|-----------------------------------|----------------------------|------------------------------|--|--------------------------|----------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|---------------------------------------|-----------------------------------|--|--|
| Nelson Fiddler (Low)                      | ATp                              | 126.5                             |                            | 0.0                          | <15                                    | 11.9                     | 9.4                        | 12.3                        | 9.7                           | 102.3                     | 80.9                        | n/a                                   | 114.6                             | 90.6                                   | >85  |
|   | CWHws1                           | 19749.3                           | 9510.4                     | 48.2                         | n/a                                    | 3658.4                   | 18.5                       | 2253.7                      | 11.4                          | 4326.8                    | 21.9                        | >9                                    | 6580.5                            | 33.3                                   | >17  |
|   | CWHws2                           | 16428.8                           | 3751.7                     | 22.8                         | n/a                                    | 211.8                    | 1.3                        | 1792.4                      | 10.9                          | 10672.9                   | 65.0                        | >9                                    | 12465.4                           | 75.9                                   | >17  |
|   | ICHmc2                           | 437.4                             | 46.3                       | 10.6                         | n/a                                    | 192.5                    | 44.0                       | 11.8                        | 2.7                           | 186.9                     | 42.7                        | >9                                    | 198.6                             | 45.4                                   | >15  |
|   | MHmm2                            | 13806.2                           | 1126.2                     | 8.2                          | n/a                                    | 444.5                    | 3.2                        | 1236.3                      | 9.0                           | 10999.2                   | 79.7                        | >19                                   | 12235.5                           | 88.6                                   | >19  |
| <b>Low Total</b>                          |                                  | <b>50548.1</b>                    | <b>14434.5</b>             | <b>28.6</b>                  |  | <b>4519.1</b>            | <b>8.9</b>                 | <b>5306.4</b>               | <b>10.5</b>                   | <b>26288.1</b>            | <b>52.0</b>                 |                                       | <b>31594.6</b>                    | <b>62.5</b>                            |  |
| <b>Protected Total</b>                    | CWHws1                           | 127.7                             | 81.9                       | 64.2                         |  |                          | 0.0                        | 45.0                        | 35.2                          | 0.8                       | 0.6                         |                                       | 45.8                              | 35.8                                   |  |
|   | CWHws2                           | 9.4                               |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 9.4                       | 100.0                       |                                       | 9.4                               | 100.0                                  |  |
|   | MHmm2                            | 55.2                              |                            | 0.0                          |  |                          | 0.0                        |                             | 0.0                           | 55.2                      | 100.0                       |                                       | 55.2                              | 100.0                                  |  |
| <b>Nelson Fiddler Total</b>               |                                  | <b>50548.1</b>                    | <b>14434.5</b>             | <b>28.6</b>                  |  | <b>4519.1</b>            | <b>8.9</b>                 | <b>5306.4</b>               | <b>10.5</b>                   | <b>26288.1</b>            | <b>52.0</b>                 |                                       | <b>31594.6</b>                    | <b>62.5</b>                            |  |
| <b>Grand Total</b>                        |                                  | <b>653366.6</b>                   | <b>139167.4</b>            | <b>21.3</b>                  |  | <b>36102.4</b>           | <b>5.5</b>                 | <b>90621.1</b>              | <b>13.9</b>                   | <b>387475.8</b>           | <b>59.3</b>                 |                                       | <b>478096.9</b>                   | <b>73.2</b>                            |  |

1. Biogeoclimatic Ecosystem Classification (BEC) zone variant.
2. Total forested land base (FLB).
3. Area of forested land base in early seral stage.
4. Forested land base in early seral stage as a percent of total forested land base.
5. Early seral stage target as a percent of forested land base (from the *Biodiversity Guidebook* 1995).
6. Area of forested land base in mid seral stage.
7. Forested land base in mid seral stage as a percent of total forested land base.
8. Area of forested land base in mature seral stage.
9. Forested land base in mature seral stage as a percent of total forested land base.
10. Area of forested land base in old seral stage.
11. Forested land base in old seral stage as a percent of total forested land base.
12. Old seral stage target as a percent of forested land base (from the *Biodiversity Guidebook* 1995). These targets apply only to the portion of a landscape unit that is outside of undeveloped watersheds.
13. Area of forested land base in mature and old seral stages.
14. Forested land base in mature and old seral stages as a percent of total forested land base.
15. Mature and old seral stages target as a percent of forested land base (from the *Biodiversity Guidebook* 1995).

## Appendix D: OGMAs Area Analysis

| Landscape Unit<br>(biodiversity<br>emphasis) | BEC zone<br>Variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Old age<br>(years) <sup>3</sup> | Old Target <sup>4</sup> |              | Draft OGMAs <sup>5</sup> |              | Old Forest in other<br>established or<br>proposed<br>designations <sup>6</sup> |              | Sum of Draft<br>OGMAs and Old<br>Forest in other<br>designations <sup>7</sup> |              |
|--|----------------------------------|-----------------------------------|---------------------------------|-------------------------|--------------|--------------------------|--------------|--|--------------|---|--------------|
|  |                                  |                                   |                                 | %                       | Ha           | % of<br>target           | Ha           | % of<br>target   | Ha           | % of<br>target  | Ha           |
| <b>Beaver<br/>(intermediate)</b>             | CWHws1                           | 16,557                            | >250                            | 9                       | 1,490        | 82                       | 1,225        | 14   | 215          | 97  | 1,440        |
|  | CWHws2                           | 13,776                            | >250                            | 9                       | 1,240        | 0                        | 0            | 147  | 1,820        | 147   | 1,820        |
|  | MHm2                             | 11,986                            | >250                            | 19                      | 2,277        | 1                        | 22           | 143  | 3,267        | 144   | 3,289        |
| <b>LU total</b>                              |                                  | <b>42,319</b>                     |                                 |                         | <b>5,007</b> |                          | <b>1,247</b> |  | <b>5,302</b> |   | <b>6,549</b> |
| <b>Clore<br/>(intermediate)</b>              | CWHws1                           | 7,421                             | >250                            | 9                       | 668          | 75                       | 499          | 10   | 64           | 84  | 562          |
|  | CWHws2                           | 15,199                            | >250                            | 9                       | 1,368        | 26                       | 358          | 70   | 960          | 96  | 1,317        |
|  | ESSFmk                           | 707                               | >250                            | 9                       | 64           | 94                       | 60           | 0  | 0            | 94  | 60           |
|  | ESSFwv                           | 78                                | >250                            | 19                      | 15           | 0                        | 0            | 262  | 39           | 262   | 39           |
|  | MHm2                             | 14,193                            | >250                            | 19                      | 2,697        | 78                       | 2,092        | 19   | 505          | 96  | 2,597        |
| <b>LU total</b>                              |                                  | <b>37,599</b>                     |                                 |                         | <b>4,811</b> |                          | <b>3,008</b> |  | <b>1,567</b> |   | <b>4,575</b> |
| <b>Dala (low)</b>                            | CWHvm                            | 9,980                             | >250                            | 13                      | 1,293        | 93                       | 1,208        | 3  | 36           | 96  | 1,244        |
|  | CWHws2                           | 8,567                             | >250                            | 9                       | 771          | 68                       | 522          | 29   | 225          | 97  | 747          |
|  | MHm1                             | 11,239                            | >250                            | 19                      | 2,135        | 69                       | 1,484        | 27   | 580          | 97  | 2,064        |
| <b>LU total</b>                              |                                  | <b>29,786</b>                     |                                 |                         | <b>4,199</b> |                          | <b>3,225</b> |  | <b>829</b>   |   | <b>4,055</b> |
| <b>Dasque (low)</b>                          | CWHws1                           | 1,568                             | >250                            | 9                       | 141          | 92                       | 130          | 4  | 5            | 96  | 135          |
|  | CWHws2                           | 1,612                             | >250                            | 9                       | 145          | 6                        | 8            | 91   | 133          | 97  | 141          |
|  | MHm2                             | 684                               | >250                            | 19                      | 130          | 94                       | 122          | 2  | 2            | 95  | 124          |
| <b>LU total</b>                              |                                  | <b>3,865</b>                      |                                 |                         | <b>416</b>   |                          | <b>260</b>   |  | <b>140</b>   |   | <b>399</b>   |
| <b>Exchamsiks<br/>(low)</b>                  | CWHvm                            | 4,415                             | >250                            | 13                      | 574          | 20                       | 113          | 78   | 446          | 97  | 559          |
|  | MHm1                             | 420                               | >250                            | 19                      | 80           | 0                        | 0            | 87   | 69           | 87  | 69           |
| <b>LU total</b>                              |                                  | <b>4,835</b>                      |                                 |                         | <b>654</b>   |                          | <b>113</b>   |  | <b>515</b>   |   | <b>628</b>   |
| <b>Exstew<br/>(intermediate)</b>             | CWHws1                           | 3,685                             | >250                            | 9                       | 332          | 81                       | 270          | 15   | 49           | 96  | 319          |
|  | CWHws2                           | 3,854                             | >250                            | 9                       | 347          | 35                       | 120          | 63   | 219          | 98  | 339          |
|  | MHm2                             | 1,279                             | >250                            | 19                      | 243          | 63                       | 153          | 35   | 85           | 98  | 238          |
| <b>LU total</b>                              |                                  | <b>8,818</b>                      |                                 |                         | <b>922</b>   |                          | <b>543</b>   |  | <b>353</b>   |   | <b>896</b>   |

## Appendix D: OGMAs Area Analysis

| Landscape Unit<br>(biodiversity emphasis)    | BEC zone Variant <sup>1</sup> | Total FLB (ha) <sup>2</sup> | Old age (years) <sup>3</sup> | Old Target <sup>4</sup> |              | Draft OGMAs <sup>5</sup> |              | Old Forest in other established or proposed designations <sup>6</sup> |              | Sum of Draft OGMAs and Old Forest in other designations <sup>7</sup> |              |
|--|-------------------------------|-----------------------------|------------------------------|-------------------------|--------------|--------------------------|--------------|---|--------------|--|--------------|
|  |                               |                             |                              | %                       | Ha           | % of target              | Ha           | % of target   | Ha           | % of target  | Ha           |
| <b>Falls (low)</b>                           | CWHvm                         | 22,358                      | >250                         | 13                      | 2,906        | 73                       | 2,129        | 23  | 673          | 96   | 2,802        |
|  | CWHvm1                        | 205                         | >250                         | 13                      | 27           | 77                       | 21           | 0   | 0            | 77   | 21           |
|  | CWHvm2                        | 14                          | >250                         | 13                      | 2            | 0                        | 0            | 0   | 0            | 0  | 0            |
|  | MHmm1                         | 6,678                       | >250                         | 19                      | 1,269        | 70                       | 884          | 27  | 338          | 96   | 1,222        |
| <b>LU total</b>                              |                               | <b>29,255</b>               |                              |                         | <b>4,204</b> |                          | <b>3,033</b> |   | <b>1,011</b> |  | <b>4,045</b> |
| <b>Hawkesbury Island East (low)</b>          | CWHvh2                        | 4,179                       | >250                         | 13                      | 543          | 96                       | 521          | 0   | 0            | 96   | 521          |
|  | CWHvm                         | 1                           | >250                         | 13                      | 0            | 0                        | 0            | 0   | 0            | 0  | 0            |
|  | MHwh1                         | 253                         | >250                         | 19                      | 48           | 100                      | 48           | 0   | 0            | 100  | 48           |
| <b>LU total</b>                              |                               | <b>4,433</b>                |                              |                         | <b>591</b>   |                          | <b>569</b>   |   | <b>0</b>     |  | <b>569</b>   |
| <b>Hawkesbury Island West (intermediate)</b> | CWHvh2                        | 8,586                       | >250                         | 13                      | 1,116        | 91                       | 1,021        | 5   | 57           | 97   | 1,078        |
|  | MHwh1                         | 625                         | >250                         | 19                      | 119          | 99                       | 118          | 0   | 0            | 99   | 118          |
| <b>LU total</b>                              |                               | <b>9,211</b>                |                              |                         | <b>1,235</b> |                          | <b>1,139</b> |   | <b>57</b>    |  | <b>1,196</b> |
| <b>Hirsch (intermediate)</b>                 | CWHvm                         | 24,692                      | >250                         | 13                      | 3,210        | 93                       | 2,975        | 4   | 122          | 96   | 3,096        |
|  | CWHws1                        | 417                         | >250                         | 9                       | 38           | 77                       | 29           | 0   | 0            | 77   | 29           |
|  | CWHws2                        | 273                         | >250                         | 9                       | 25           | 75                       | 18           | 0   | 0            | 75   | 18           |
|  | MHmm1                         | 8,864                       | >250                         | 19                      | 1,684        | 83                       | 1,406        | 13  | 216          | 96   | 1,621        |
| <b>LU total</b>                              |                               | <b>34,247</b>               |                              |                         | <b>4,956</b> |                          | <b>4,428</b> |   | <b>337</b>   |  | <b>4,765</b> |
| <b>Horetzky (low)</b>                        | CWHvm                         | 11                          | >250                         | 13                      | 1            | 0                        | 0            | 0   | 0            | 0  | 0            |
|  | CWHws2                        | 1,972                       | >250                         | 9                       | 177          | 33                       | 59           | 61  | 108          | 94   | 167          |
|  | MHmm2                         | 4,157                       | >250                         | 19                      | 790          | 80                       | 630          | 16  | 129          | 96   | 759          |
| <b>LU total</b>                              |                               | <b>6,140</b>                |                              |                         | <b>969</b>   |                          | <b>689</b>   |   | <b>237</b>   |  | <b>926</b>   |
| <b>Hot Springs (low)</b>                     | CWHws1                        | 7,796                       | >250                         | 9                       | 702          | 59                       | 412          | 37  | 263          | 96   | 675          |
|  | CWHws2                        | 1,438                       | >250                         | 9                       | 129          | 90                       | 117          | 4   | 6            | 95   | 123          |
|  | MHmm2                         | 817                         | >250                         | 19                      | 155          | 96                       | 148          | 1   | 1            | 96   | 149          |
| <b>LU total</b>                              |                               | <b>10,050</b>               |                              |                         | <b>986</b>   |                          | <b>677</b>   |   | <b>270</b>   |  | <b>946</b>   |

## Appendix D: OGMAs Area Analysis

| Landscape Unit<br>(biodiversity emphasis)      | BEC zone Variant <sup>1</sup> | Total FLB (ha) <sup>2</sup> | Old age (years) <sup>3</sup> | Old Target <sup>4</sup> |              | Draft OGMAs <sup>5</sup> |              | Old Forest in other established or proposed designations <sup>6</sup> |     | Sum of Draft OGMAs and Old Forest in other designations <sup>7</sup> |       |
|--|-------------------------------|-----------------------------|------------------------------|-------------------------|--------------|--------------------------|--------------|---|-----|--|-------|
|  |                               |                             |                              | %                       | Ha           | % of target              | Ha           | % of target   | Ha  | % of target  | Ha    |
| <b>Ishkheenickh (Ksi Hginx) (intermediate)</b> | CWHvm                         | 113                         | >250                         | 13                      | 15           | 107                      | 16           | 0   | 0   | 107  | 16    |
|  | CWHws1                        | 866                         | >250                         | 9                       | 78           | 92                       | 72           | 7   | 5   | 99   | 77    |
|  | CWHws2                        | 3,887                       | >250                         | 9                       | 350          | 55                       | 194          | 40  | 140 | 95   | 334   |
|  | MHmm1                         | 2,539                       | >250                         | 19                      | 482          | 81                       | 390          | 15  | 72  | 96   | 463   |
| <b>LU total</b>                                |                               | <b>7,406</b>                |                              |                         | <b>925</b>   | <b>672</b>               | <b>218</b>   |   |     | <b>889</b>   |       |
| <b>Jesse Bish (low)</b>                        | CWHvh2                        | 0                           | >250                         | 13                      | 0            | 0                        | 0            | 923   | 0   | 923  | 0     |
|  | CWHvm                         | 10,304                      | >250                         | 13                      | 1,340        | 25                       | 334          | 72  | 967 | 97   | 1,301 |
|  | MHmm1                         | 2,406                       | >250                         | 19                      | 457          | 19                       | 88           | 84  | 382 | 103  | 470   |
| <b>LU total</b>                                |                               | <b>12,711</b>               |                              |                         | <b>1,797</b> | <b>422</b>               | <b>1,349</b> |   |     | <b>1,771</b>   |       |
| <b>Kalum (intermediate)</b>                    | CWHws1                        | 10,673                      | >250                         | 9                       | 961          | 93                       | 895          | 3   | 28  | 96   | 922   |
|  | CWHws2                        | 3,468                       | >250                         | 9                       | 312          | 24                       | 74           | 73  | 227 | 97   | 302   |
|  | MHmm2                         | 1,339                       | >250                         | 19                      | 254          | 1                        | 3            | 171   | 434 | 172  | 437   |
| <b>LU total</b>                                |                               | <b>15,481</b>               |                              |                         | <b>1,527</b> | <b>972</b>               | <b>689</b>   |   |     | <b>1,661</b>   |       |
| <b>Kasiks (intermediate)</b>                   | CWHvm                         | 1,092                       | >250                         | 13                      | 142          | 52                       | 75           | 41  | 58  | 93   | 132   |
|  | MHmm1                         | 168                         | >250                         | 19                      | 32           | 0                        | 0            | 85  | 27  | 85   | 27    |
| <b>LU total</b>                                |                               | <b>1,260</b>                |                              |                         | <b>174</b>   | <b>75</b>                | <b>85</b>    |   |     | <b>160</b>   |       |
| <b>Kemano (intermediate)</b>                   | CWHvm                         | 2,402                       | >250                         | 13                      | 312          | 45                       | 142          | 51  | 159 | 96   | 300   |
|  | CWHvm1                        | 754                         | >250                         | 13                      | 98           | 43                       | 43           | 53  | 52  | 96   | 94    |
|  | CWHvm2                        | 347                         | >250                         | 13                      | 45           | 0                        | 0            | 104   | 47  | 104  | 47    |
|  | CWHws2                        | 9,057                       | >250                         | 9                       | 815          | 1                        | 10           | 96  | 786 | 98   | 795   |
|  | ESSFmk                        | 187                         | >250                         | 9                       | 17           | 97                       | 16           | 0   | 0   | 97   | 16    |
|  | MHmm1                         | 464                         | >250                         | 19                      | 88           | 62                       | 55           | 32  | 28  | 94   | 83    |
|  | MHmm2                         | 10,261                      | >250                         | 19                      | 1,950        | 69                       | 1,345        | 28  | 542 | 97   | 1,887 |
| <b>LU total</b>                                |                               | <b>23,472</b>               |                              |                         | <b>3,325</b> | <b>1,610</b>             | <b>1,613</b> |   |     | <b>3,223</b>   |       |

## Appendix D: OGMAs Area Analysis

| Landscape Unit<br>(biodiversity<br>emphasis) | BEC zone<br>Variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Old age<br>(years) <sup>3</sup> | Old Target <sup>4</sup> |              | Draft OGMAs <sup>5</sup> |              | Old Forest in other<br>established or<br>proposed<br>designations <sup>6</sup> |              | Sum of Draft<br>OGMAs and Old<br>Forest in other<br>designations <sup>7</sup> |              |
|--|----------------------------------|-----------------------------------|---------------------------------|-------------------------|--------------|--------------------------|--------------|--|--------------|---|--------------|
|  |                                  |                                   |                                 | %                       | Ha           | % of<br>target           | Ha           | % of<br>target   | Ha           | % of<br>target  | Ha           |
| <b>Kiteen (Ksi<br/>Gahlt'in) (low)</b>       | CWHws2                           | 15,997                            | >250                            | 9                       | 1,440        | 41                       | 588          | 56   | 813          | 97  | 1,401        |
|  | ESSFwv                           | 6                                 | >250                            | 19                      | 1            | 0                        | 0            | 0  | 0            | 0   | 0            |
|  | ICHmc1                           | 254                               | >250                            | 9                       | 23           | 34                       | 8            | 0  | 0            | 34  | 8            |
|  | ICHmc2                           | 3,073                             | >250                            | 9                       | 277          | 88                       | 243          | 7  | 19           | 95  | 262          |
|  | MHmm2                            | 18,193                            | >250                            | 19                      | 3,457        | 70                       | 2,411        | 27   | 931          | 97  | 3,343        |
| <b>LU total</b>                              |                                  | <b>37,522</b>                     |                                 |                         | <b>5,197</b> |                          | <b>3,250</b> |  | <b>1,763</b> |   | <b>5,013</b> |
| <b>Kitimat (low)</b>                         | CWHvm                            | 785                               | >250                            | 13                      | 102          | 52                       | 54           | 43   | 44           | 96  | 98           |
|  | CWHws1                           | 25,666                            | >250                            | 9                       | 2,310        | 96                       | 2,210        | 0  | 6            | 96  | 2,216        |
|  | CWHws2                           | 21,966                            | >250                            | 9                       | 1,977        | 77                       | 1,515        | 20   | 395          | 97  | 1,910        |
|  | MHmm1                            | 8,248                             | >250                            | 19                      | 1,567        | 87                       | 1,360        | 11   | 166          | 97  | 1,526        |
|  | MHmm2                            | 5,523                             | >250                            | 19                      | 1,049        | 53                       | 557          | 44   | 460          | 97  | 1,017        |
| <b>LU total</b>                              |                                  | <b>62,188</b>                     |                                 |                         | <b>7,005</b> |                          | <b>5,696</b> |  | <b>1,070</b> |   | <b>6,766</b> |
| <b>Kleanza<br/>Treasure (low)</b>            | CWHws1                           | 15,719                            | >250                            | 9                       | 1,415        | 88                       | 1,240        | 8  | 114          | 96  | 1,353        |
|  | CWHws2                           | 28,089                            | >250                            | 9                       | 2,528        | 71                       | 1,804        | 25   | 624          | 96  | 2,428        |
|  | MHmm2                            | 18,869                            | >250                            | 19                      | 3,585        | 70                       | 2,512        | 27   | 961          | 97  | 3,473        |
|  | ICHmc2                           | 816                               | >250                            | 9                       | 73           | 101                      | 74           | 0  | 0            | 101   | 74           |
| <b>LU total</b>                              |                                  | <b>63,492</b>                     |                                 |                         | <b>7,601</b> |                          | <b>5,630</b> |  | <b>1,699</b> |   | <b>7,329</b> |
| <b>Ksedin (Ksi<br/>Mat'in) (low)</b>         | CWHws1                           | 977                               | >250                            | 9                       | 88           | 24                       | 21           | 74   | 65           | 98  | 86           |
|  | CWHws2                           | 3,263                             | >250                            | 9                       | 294          | 0                        | 0            | 109  | 321          | 109   | 321          |
|  | MHmm2                            | 3,560                             | >250                            | 19                      | 676          | 76                       | 515          | 20   | 136          | 96  | 651          |
| <b>LU total</b>                              |                                  | <b>7,800</b>                      |                                 |                         | <b>1,058</b> |                          | <b>536</b>   |  | <b>522</b>   |   | <b>1,058</b> |
| <b>Lakelse<br/>(intermediate)</b>            | CWHws1                           | 12,269                            | >250                            | 9                       | 1,104        | 49                       | 546          | 47   | 522          | 97  | 1,068        |
|  | CWHws2                           | 7,622                             | >250                            | 9                       | 686          | 33                       | 228          | 63   | 434          | 96  | 662          |
|  | MHmm2                            | 3,211                             | >250                            | 19                      | 610          | 54                       | 327          | 43   | 261          | 96  | 588          |
| <b>LU total</b>                              |                                  | <b>23,102</b>                     |                                 |                         | <b>2,400</b> |                          | <b>1,101</b> |  | <b>1,217</b> |   | <b>2,318</b> |

## Appendix D: OGMAs Area Analysis

| Landscape Unit<br>(biodiversity<br>emphasis)      | BEC zone<br>Variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Old age<br>(years) <sup>3</sup> | Old Target <sup>4</sup> |              | Draft OGMAs <sup>5</sup> |              | Old Forest in other<br>established or<br>proposed<br>designations <sup>6</sup> |              | Sum of Draft<br>OGMAs and Old<br>Forest in other<br>designations <sup>7</sup> |              |
|---|----------------------------------|-----------------------------------|---------------------------------|-------------------------|--------------|--------------------------|--------------|--|--------------|---|--------------|
|   |                                  |                                   |                                 | %                       | Ha           | % of<br>target           | Ha           | % of<br>target   | Ha           | % of<br>target  | Ha           |
| <b>Nelson Fiddler<br/>(low)</b>                   | CWHws1                           | 19,877                            | >250                            | 9                       | 1,789        | 84                       | 1,509        | 3  | 50           | 87  | 1,559        |
|   | CWHws2                           | 16,438                            | >250                            | 9                       | 1,479        | 48                       | 714          | 49   | 725          | 97  | 1,439        |
|   | ICHmc2                           | 437                               | >250                            | 9                       | 39           | 98                       | 39           | 0  | 0            | 98  | 39           |
|   | MHmm2                            | 13,861                            | >250                            | 19                      | 2,634        | 51                       | 1,348        | 46   | 1,219        | 97  | 2,566        |
| <b>LU total</b>                                   |                                  | <b>50,614</b>                     |                                 |                         | <b>5,941</b> |                          | <b>3,609</b> |  | <b>1,993</b> |   | <b>5,602</b> |
| <b>Skeena River<br/>Kalum (high)</b>              | CWHvm                            | 2,865                             | >250                            | 19                      | 544          | 77                       | 421          | 20   | 109          | 97  | 530          |
|   | CWHws1                           | 19,671                            | >250                            | 13                      | 2,557        | 95                       | 2,439        | 1  | 31           | 97  | 2,470        |
|   | CWHws2                           | 5,020                             | >250                            | 13                      | 653          | 75                       | 489          | 22   | 146          | 97  | 635          |
|   | ICHmc2                           | 3,463                             | >250                            | 13                      | 450          | 96                       | 433          | 0  | 0            | 96  | 433          |
|   | MHmm1                            | 25                                | >250                            | 28                      | 7            | 17                       | 1            | 0  | 0            | 17  | 1            |
|   | MHmm2                            | 1,692                             | >250                            | 28                      | 474          | 69                       | 328          | 27   | 128          | 96  | 456          |
| <b>LU total</b>                                   |                                  | <b>32,735</b>                     |                                 |                         | <b>4,685</b> |                          | <b>4,111</b> |  | <b>414</b>   |   | <b>4,524</b> |
| <b>Tseax (Ksi Sii<br/>Aks)<br/>(intermediate)</b> | CWHws1                           | 1,953                             | >250                            | 9                       | 176          | 69                       | 122          | 25   | 43           | 94  | 165          |
|   | CWHws2                           | 10,765                            | >250                            | 9                       | 969          | 0                        | 1            | 111  | 1,074        | 111   | 1,075        |
|   | ICHmc1                           | 1,244                             | >250                            | 9                       | 112          | 95                       | 106          | 0  | 0            | 95  | 106          |
|   | ICHmc2                           | 13,594                            | >250                            | 9                       | 1,223        | 37                       | 448          | 60   | 737          | 97  | 1,185        |
|   | MHmm2                            | 4,413                             | >250                            | 19                      | 839          | 12                       | 98           | 86   | 719          | 97  | 817          |
| <b>LU total</b>                                   |                                  | <b>31,969</b>                     |                                 |                         | <b>3,319</b> |                          | <b>774</b>   |  | <b>2,574</b> |   | <b>3,348</b> |

## Appendix D: OGMAs Area Analysis

| Landscape Unit<br>(biodiversity<br>emphasis) | BEC zone<br>Variant <sup>1</sup> | Total<br>FLB<br>(ha) <sup>2</sup> | Old age<br>(years) <sup>3</sup> | Old Target <sup>4</sup> |               | Draft OGMAs <sup>5</sup> |               | Old Forest in other<br>established or<br>proposed<br>designations <sup>6</sup> |               | Sum of Draft<br>OGMAs and Old<br>Forest in other<br>designations <sup>7</sup> |               |
|--|----------------------------------|-----------------------------------|---------------------------------|-------------------------|---------------|--------------------------|---------------|--|---------------|---|---------------|
|  |                                  |                                   |                                 | %                       | Ha            | % of<br>target           | Ha            | % of<br>target   | Ha            | % of<br>target  | Ha            |
| Wedene<br>(intermediate)                     | CWHvh2                           | 311                               | >250                            | 13                      | 40            | 55                       | 22            | 0  | 0             | 55  | 22            |
|  | CWHvm                            | 12,929                            | >250                            | 13                      | 1,681         | 89                       | 1,488         | 8  | 141           | 97  | 1,629         |
|  | CWHvm1                           | 5                                 | >250                            | 13                      | 1             | 0                        | 0             | 0  | 0             | 0   | 0             |
|  | CWHws1                           | 6,410                             | >250                            | 9                       | 577           | 95                       | 550           | 0  | 0             | 95  | 550           |
|  | CWHws2                           | 5,533                             | >250                            | 9                       | 498           | 98                       | 489           | 0  | 0             | 98  | 489           |
|  | MHmm1                            | 4,012                             | >250                            | 19                      | 762           | 0                        | 0             | 98   | 746           | 98  | 746           |
|  | MHmm2                            | 3,991                             | >250                            | 19                      | 758           | 38                       | 289           | 59   | 445           | 97  | 734           |
| <b>LU total</b>                              |                                  | <b>33,191</b>                     |                                 |                         | <b>4,317</b>  |                          | <b>2,838</b>  |  | <b>1,332</b>  |   | <b>4,170</b>  |
| <b>GRAND TOTAL</b>                           |                                  | <b>619,635</b>                    |                                 |                         | <b>77,806</b> |                          | <b>49,825</b> |  | <b>27,156</b> |   | <b>76,981</b> |

1. Biogeoclimatic Ecosystem Classification (BEC) zone variant.
2. Total forested land base (FLB).
3. Age at which a stand is considered old seral ("old growth") as defined in the *Biodiversity Guidebook* (1995).
4. Old seral stage target as a percent of forested land base (from the *Biodiversity Guidebook* 1995), and in hectares. This applies only to those portions of a landscape unit outside of undeveloped watersheds. In undeveloped watersheds, old growth targets will be accounted for non-spatially.
5. Draft Old Growth Management Areas (OGMAs) as a percent of Old Target, and in hectares. The OGMA that covers the Ascapus WHA (as identified by the Ministry of Environment) includes recruitment of stands <250 years old (295.7 Ha) and stands which are approved cut blocks (98.3 Ha; proposed cutting will not be affected). This is consistent with the Landscape Unit Planning Guide (the target amount of old growth will be in place by the end of the third rotation (240 years)).
6. Old growth in this column contributes to the Old Target, but will not become Old Growth Management Areas. These designations are: parks, Protected Areas, ecological reserves, Kalum LRMP Upper Kitsumkalum SRMZ and Lakelse River SRMZ (Subzone 1), proposed tailed frog Wildlife Habitat Areas, and proposed goat Ungulate Winter Range.
7. The amount of the old growth target not represented in this column will be accounted for non-spatially.



## Appendix E: Patch Size Distribution Assessment

I – All Management Units, NDT 1

| Landscape Unit (LU)              | Data      | Patch Size Class |            |             |         | Grand Total |
|----------------------------------|-----------|------------------|------------|-------------|---------|-------------|
|                                  |           | < 40 Ha          | 40 – 80 Ha | 80 – 250 Ha | 250+ Ha |             |
| <b>Beaver</b>                    | Area (ha) | 2816.2           | 1513.6     | 1698        | 5958.4  | 11986.1     |
|                                  | % of LU   | 23.50%           | 12.60%     | 14.20%      | 49.70%  | 100.00%     |
| <b>Clore</b>                     | Area (ha) | 1591.3           | 817        | 1286.3      | 10576.8 | 14271.3     |
|                                  | % of LU   | 11.20%           | 5.70%      | 9.00%       | 74.10%  | 100.00%     |
| <b>Dala</b>                      | Area (ha) | 7056.3           | 1851.6     | 1757.1      | 10553.8 | 21218.8     |
|                                  | % of LU   | 33.30%           | 8.70%      | 8.30%       | 49.70%  | 100.00%     |
| <b>Dasque</b>                    | Area (ha) | 567.1            | 85         | 7.4         | 24.8    | 684.4       |
|                                  | % of LU   | 82.90%           | 12.40%     | 1.10%       | 3.60%   | 100.00%     |
| <b>Exchamsiks</b>                | Area (ha) | 1910.5           | 956.8      | 1344.6      | 622.8   | 4834.8      |
|                                  | % of LU   | 39.50%           | 19.80%     | 27.80%      | 12.90%  | 100.00%     |
| <b>Exstew</b>                    | Area (ha) | 284.4            | 106.3      | 499.2       | 389.2   | 1279.1      |
|                                  | % of LU   | 22.20%           | 8.30%      | 39.00%      | 30.40%  | 100.00%     |
| <b>Falls</b>                     | Area (ha) | 7633.8           | 2442.1     | 2501.2      | 19952.2 | 32529.3     |
|                                  | % of LU   | 23.50%           | 7.50%      | 7.70%       | 61.30%  | 100.00%     |
| <b>Hawkesbury Island East</b>    | Area (ha) | 639.5            | 209.9      | 223.6       | 3359.7  | 4432.7      |
|                                  | % of LU   | 14.40%           | 4.70%      | 5.00%       | 75.80%  | 100.00%     |
| <b>Hawkesbury Island West</b>    | Area (ha) | 865.7            | 117.3      | 258         | 7970.4  | 9211.4      |
|                                  | % of LU   | 9.40%            | 1.30%      | 2.80%       | 86.50%  | 100.00%     |
| <b>Hirsch</b>                    | Area (ha) | 4330.2           | 2184.1     | 3292.7      | 26553.3 | 36360.2     |
|                                  | % of LU   | 11.90%           | 6.00%      | 9.10%       | 73.00%  | 100.00%     |
| <b>Horetzky</b>                  | Area (ha) | 1221             | 489.2      | 291.5       | 2166.4  | 4168.1      |
|                                  | % of LU   | 29.30%           | 11.70%     | 7.00%       | 52.00%  | 100.00%     |
| <b>Hot Springs</b>               | Area (ha) | 145              | 141        | 6.3         | 524.3   | 816.6       |
|                                  | % of LU   | 17.80%           | 17.30%     | 0.80%       | 64.20%  | 100.00%     |
| <b>Ishkheenickh (Ksi Higinx)</b> | Area (ha) | 847.8            | 242.4      | 300.9       | 1261.3  | 2652.4      |
|                                  | % of LU   | 32.00%           | 9.10%      | 11.30%      | 47.60%  | 100.00%     |

## Appendix E: Patch Size Distribution Assessment

| Landscape Unit (LU)           | Data      | Patch Size Class |            |             |          | Grand Total |
|-------------------------------|-----------|------------------|------------|-------------|----------|-------------|
|                               |           | < 40 Ha          | 40 – 80 Ha | 80 – 250 Ha | 250+ Ha  |             |
| <b>Jesse Bish</b>             | Area (ha) | 4020.8           | 1130.9     | 849.5       | 14759.9  | 20761.1     |
|                               | % of LU   | 19.40%           | 5.40%      | 4.10%       | 71.10%   | 100.00%     |
| <b>Kalum</b>                  | Area (ha) | 408.8            | 167.2      | 402.6       | 360.8    | 1339.4      |
|                               | % of LU   | 30.50%           | 12.50%     | 30.10%      | 26.90%   | 100.00%     |
| <b>Kasiks</b>                 | Area (ha) | 646.2            | 304.1      | 309.3       |          | 1259.6      |
|                               | % of LU   | 51.30%           | 24.10%     | 24.60%      | 0.00%    | 100.00%     |
| <b>Kemano</b>                 | Area (ha) | 10052.6          | 2835.4     | 4019.9      | 4494.8   | 21402.6     |
|                               | % of LU   | 47.00%           | 13.20%     | 18.80%      | 21.00%   | 100.00%     |
| <b>Kiteen (Ksi Gahl't'in)</b> | Area (ha) | 2239.3           | 1247.9     | 1615.3      | 13097.1  | 18199.5     |
|                               | % of LU   | 12.30%           | 6.90%      | 8.90%       | 72.00%   | 100.00%     |
| <b>Kitimat</b>                | Area (ha) | 3244.5           | 1400       | 1272.8      | 8638.4   | 14555.7     |
|                               | % of LU   | 22.30%           | 9.60%      | 8.70%       | 59.30%   | 100.00%     |
| <b>Kleanza Treasure</b>       | Area (ha) | 3382.6           | 1486.3     | 2675.1      | 11324.8  | 18868.7     |
|                               | % of LU   | 17.90%           | 7.90%      | 14.20%      | 60.00%   | 100.00%     |
| <b>Ksedin (Ksi Mat'in)</b>    | Area (ha) | 652.8            | 138.4      | 29.2        | 2739.8   | 3560.2      |
|                               | % of LU   | 18.30%           | 3.90%      | 0.80%       | 77.00%   | 100.00%     |
| <b>Lakelse</b>                | Area (ha) | 652.6            | 455.3      | 152.6       | 1950.5   | 3211        |
|                               | % of LU   | 20.30%           | 14.20%     | 4.80%       | 60.70%   | 100.00%     |
| <b>Nelson Fiddler</b>         | Area (ha) | 3631.3           | 1824.6     | 2793.9      | 5611.5   | 13861.4     |
|                               | % of LU   | 26.20%           | 13.20%     | 20.20%      | 40.50%   | 100.00%     |
| <b>Skeena River Kalum</b>     | Area (ha) | 1574.6           | 974.4      | 1323.1      | 709.8    | 4581.9      |
|                               | % of LU   | 34.40%           | 21.30%     | 28.90%      | 15.50%   | 100.00%     |
| <b>Tseax (Ksi Sii Aks)</b>    | Area (ha) | 734.6            | 316.2      | 273.4       | 3089.2   | 4413.4      |
|                               | % of LU   | 16.60%           | 7.20%      | 6.20%       | 70.00%   | 100.00%     |
| <b>Wedeeene</b>               | Area (ha) | 5063.3           | 1718       | 1929.1      | 12537.6  | 21248       |
|                               | % of LU   | 23.80%           | 8.10%      | 9.10%       | 59.00%   | 100.00%     |
| <b>Total Area (ha)</b>        |           | 85475.2          | 31757.6    | 40457.7     | 178299.3 | 335989.8    |
| <b>% of Total Area</b>        |           | 25.40%           | 9.50%      | 12.00%      | 53.10%   | 100.00%     |

## Appendix E: Patch Size Distribution Assessment

### II – All Management Units, NDT 2

| Landscape Unit (LU)              | Data      | Patch Size Class |            |             |         | Grand Total |
|----------------------------------|-----------|------------------|------------|-------------|---------|-------------|
|                                  |           | < 40 Ha          | 40 – 80 Ha | 80 – 250 Ha | 250+ Ha |             |
| <b>Beaver</b>                    | Area (ha) | 4168.4           | 4524.5     | 5003.9      | 16636.3 | 30333.1     |
|                                  | % of LU   | 13.70%           | 14.90%     | 16.50%      | 54.80%  | 100.00%     |
| <b>Clore</b>                     | Area (ha) | 2458             | 1825.4     | 2107.4      | 16936.6 | 23327.4     |
|                                  | % of LU   | 10.50%           | 7.80%      | 9.00%       | 72.60%  | 100.00%     |
| <b>Dala</b>                      | Area (ha) | 1627.5           | 1366.3     | 1203.5      | 4369.7  | 8566.9      |
|                                  | % of LU   | 19.00%           | 15.90%     | 14.00%      | 51.00%  | 100.00%     |
| <b>Dasque</b>                    | Area (ha) | 931.3            | 551.4      | 1237.8      | 459.7   | 3180.2      |
|                                  | % of LU   | 29.30%           | 17.30%     | 38.90%      | 14.50%  | 100.00%     |
| <b>Exstew</b>                    | Area (ha) | 1927.1           | 1326.8     | 2854.2      | 1431    | 7539.1      |
|                                  | % of LU   | 25.60%           | 17.60%     | 37.90%      | 19.00%  | 100.00%     |
| <b>Hirsch</b>                    | Area (ha) | 42.2             | 41.6       | 72.9        | 533.8   | 690.5       |
|                                  | % of LU   | 6.10%            | 6.00%      | 10.60%      | 77.30%  | 100.00%     |
| <b>Horetzky</b>                  | Area (ha) | 580.8            | 328.6      | 183.1       | 879.7   | 1972.2      |
|                                  | % of LU   | 29.50%           | 16.70%     | 9.30%       | 44.60%  | 100.00%     |
| <b>Hot Springs</b>               | Area (ha) | 1604.5           | 968.8      | 998.4       | 5662.1  | 9233.8      |
|                                  | % of LU   | 17.40%           | 10.50%     | 10.80%      | 61.30%  | 100.00%     |
| <b>Ishkheenickh (Ksi Hlginx)</b> | Area (ha) | 885.4            | 812.8      | 879.2       | 2176.1  | 4753.4      |
|                                  | % of LU   | 18.60%           | 17.10%     | 18.50%      | 45.80%  | 100.00%     |
| <b>Kalum</b>                     | Area (ha) | 3035             | 1879.1     | 2234.8      | 6992.3  | 14141.1     |
|                                  | % of LU   | 21.50%           | 13.30%     | 15.80%      | 49.40%  | 100.00%     |
| <b>Kemano</b>                    | Area (ha) | 3621.4           | 1093.5     | 2548.9      | 3502    | 10765.8     |
|                                  | % of LU   | 33.60%           | 10.20%     | 23.70%      | 32.50%  | 100.00%     |
| <b>Kiteen (Ksi Gahl't'in)</b>    | Area (ha) | 2030.8           | 1855.9     | 2293.6      | 13142.6 | 19322.8     |
|                                  | % of LU   | 10.50%           | 9.60%      | 11.90%      | 68.00%  | 100.00%     |
| <b>Kitimat</b>                   | Area (ha) | 5212.6           | 3025.1     | 6658.9      | 32736.1 | 47632.7     |
|                                  | % of LU   | 10.90%           | 6.40%      | 14.00%      | 68.70%  | 100.00%     |
| <b>Kleanza Treasure</b>          | Area (ha) | 6697.1           | 4359.2     | 6247.1      | 27320.3 | 44623.6     |
|                                  | % of LU   | 15.00%           | 9.80%      | 14.00%      | 61.20%  | 100.00%     |

## Appendix E: Patch Size Distribution Assessment

| Landscape Unit (LU)                           | Data      | Patch Size Class |            |             |         | Grand Total |
|---|-----------|------------------|------------|-------------|---------|-------------|
|   |           | < 40 Ha          | 40 – 80 Ha | 80 – 250 Ha | 250+ Ha |             |
| <b>Ksedin (Ksi Mat'in)</b>                    | Area (ha) | 452.4            | 600.5      | 340.5       | 2846.7  | 4240.1      |
|   | % of LU   | 10.70%           | 14.20%     | 8.00%       | 67.10%  | 100.00%     |
| <b>Lakelse</b>                                | Area (ha) | 3983.6           | 1957.7     | 3717.7      | 10231.9 | 19890.9     |
|   | % of LU   | 20.00%           | 9.80%      | 18.70%      | 51.40%  | 100.00%     |
| <b>Nass River (K'alii Aksim Lisims) Kalum</b> | Area (ha) | 434.3            | 170.9      | 705.1       | 429.8   | 1740.1      |
|   | % of LU   | 25.00%           | 9.80%      | 40.50%      | 24.70%  | 100.00%     |
| <b>Nelson Fiddler</b>                         | Area (ha) | 7672.1           | 4354       | 6238.6      | 18487.8 | 36752.6     |
|   | % of LU   | 20.90%           | 11.80%     | 17.00%      | 50.30%  | 100.00%     |
| <b>Skeena River Kalum</b>                     | Area (ha) | 8028.9           | 4360.8     | 6040.8      | 9722.9  | 28153.4     |
|   | % of LU   | 28.50%           | 15.50%     | 21.50%      | 34.50%  | 100.00%     |
| <b>Tseax (Ksi Sii Aks)</b>                    | Area (ha) | 3649.6           | 2508.3     | 4839.3      | 16558.6 | 27555.8     |
|   | % of LU   | 13.20%           | 9.10%      | 17.60%      | 60.10%  | 100.00%     |
| <b>Wedeeene</b>                               | Area (ha) | 2000.7           | 1275.9     | 2223.8      | 6442.3  | 11942.6     |
|   | % of LU   | 16.80%           | 10.70%     | 18.60%      | 53.90%  | 100.00%     |
| <b>Total Area (ha)</b>                        |           | 61043.6          | 39186.9    | 58629.4     | 197498  | 356357.9    |
| <b>% of Total Area</b>                        |           | 17.10%           | 11.00%     | 16.50%      | 55.40%  | 100.00%     |

## **Appendix F: Best Management Practices for rare and Endangered Ecosystems**

BMPs for Skeena Islands Rare and Endangered Ecosystems