



For use with the Mental Health & Substance Use Data Checklist based upon the MHA MRR Guidelines & Specifications.

What is the MHA MRR?

The MHA MRR (Mental Health & Addictions Minimum Reporting Requirements) is a set of specifications and guidelines defining the mental health and substance use data that the Ministry of Health expects from health authorities. The MHA MRR is neither a provincial “system” nor a health authority “system”. Each health authority uses many different systems to admit, refer, record and discharge clients in community care. Based upon the specifications and guidelines, a health authority will attempt to identify and map specific MHA MRR attributes in its data systems; extract those data and, if necessary, transform the data to meet the MHA MRR specifications. It should be noted that a health authority may be unable to identify and provide all the specified attributes in the MHA MRR.

Frequency of Reporting

Health authorities prepare and report data by fiscal year periods. For example, the number of visits within a reporting period (i.e., a fiscal year period¹). The fiscal years and fiscal year periods are the same as those used for financial reporting. The data are due two weeks after the end of a fiscal period. The due date for period 13 data may not adhere to this schedule. Approximately ten days after the due date, data are available to MoH staff for querying. As far as possible, the requested date range for data should match the dates for fiscal reporting periods. Discussion may be necessary to resolve questions about this point.

Completeness and Availability of Data

Implementation of the MHA MRR Guidelines & Specifications was not consistent. Between FY 2010/2011 and FY 2015/2016 there is an overlap of reporting methods amongst all health authorities. In this time period the MHA MRR was used along with the MH MRR (an earlier minimum reporting requirements specification) and the provincial CPIM mainframe. It may not be possible to harmonize data reported via the MHA MRR specifications with those from the MH MRR or CPIM. When health authorities transitioned to the MHA MRR, there tended to be a gradual decline in reported data up to the transition point and then a gradual increase in the MHA MRR reported data. In period 10 of FY 2017/2018, the Northern Health Authority ceased reporting data via the MHA MRR.

Sending MHA MRR Data to the Ministry of Health


Data, specified in the MHA MRR are grouped and submitted in six categories called record types. Diagnostic 5 and Diagnostic (below) count as one record type. Additionally, each record has administrative data and header data to identify the type of data, submitting health authority and, reporting fiscal year and period. Other data in the admin and header help to correctly process the submission.

¹ The BC provincial government bases its financial operations on a fiscal year (FY) which begins April 1st of one year and ends March 31st the following year. The fiscal year is divided into thirteen fiscal periods which are based upon pay periods. Fiscal periods 2 to 12 are each four weeks (28 days). From year to year, fiscal periods 1 and 13 vary in the number of days; one being a little less than 28 days and the other a little more than 28 days.


Brief Descriptions of the MHA MRR Data

CLIENT	DATA IN THE CLIENT RECORD PROVIDES DEMOGRAPHIC INFORMATION. A ROW REPRESENTS A SINGLE CLIENT.
Service Episode	A service episode has a date of first contact and a date of discharge from service. In this way, an episode covers a period of time and serves as an “envelope” within which other information are recorded. Data in the service episode records information pertaining to the date of first contact, date of first service event, living arrangement, service and the subsequent discharge. A client may be admitted to more than one service at the same time.
Service Event	If a particular programme of care or intervention, identified in the service episode data, requires event information then, the service event record will contain the date and time of the events (or visits).
Diagnostic 5 (Containing DSM-5 codes)	Certain continuum of MHSU services (episodes) require diagnostic data. The MHA MRR allows diagnostic data to be submitted using either DSM-IV TR or DSM-5 because not all health authorities have implemented DSM-5. At least one DSM-5 or DSM-IV TR is captured at enrolment and discharge. Updates may be submitted while the client is on care.
Diagnostic (Containing DSM-IV-TR codes)	
Health of the Nation Outcome Scale (HoNOS)	Certain continuum of MHSU services (episode) require a HoNOS record. The HoNOS is a clinician rated instrument comprising 12 simple scales measuring behaviour, impairment, symptoms and social functioning. Updates may be submitted while the client is on care. When required, the HoNOS must be completed at intervals not exceeding six months during the delivery of a Continuum of MHSU Service in which the client is enrolled.
Substance Use	Certain continuum of MHSU services (episodes) require substance use data. Substance use data are generally required at enrolment and discharge. More than one substance may be recorded for a given client and episode. Updates may be submitted while the client is on care. When required, the HoNOS must be completed at intervals not exceeding six months during the delivery of a Continuum of MHSU Service in which the client is enrolled.

An Illustration of Chronological Sequencing of Data for Two Hypothetical Clients



Dependencies of Record Types



Reporting Levels Based Upon the Continuum of MHSU Services

The client record is required for all clients, including all mandatory data elements and an HA Client Number that is unique to the client within the health authority.

The Service Episode record is required for all clients, with data elements being required according to the S2 continuum of MHSU Service Value being reported, as outlined in Appendix F.

The Service Event record is required for all clients receiving S2 Continuum of MHSU Services listed in Appendix F Section B and Section D.

Diagnostic/Diagnostic 5, HoNOS and Substance Use records must be reported according to the MRR Reporting Level assigned to the S2 Continuum of MHSU Service Value, but can also be reported when not required. See the table of Service types and the corresponding reporting levels below.

NOTE: When a client is diagnosed with an intellectual disability, both the Diagnostic/Diagnostic 5 and HoNOS records are required, regardless of the S2 Value being reported, and definitely when the Service Type is '21' Dual Diagnosis Team for People with Developmental Disability and Mental Illness. Intellectual disability is reported in the Axis 2 data elements of the Diagnostic Record or N3 to N7 of the Diagnostic 5 Record, and in elements N22 to N39 of the HoNOS Record.

MRR REPORTING LEVELS	REQUIRED RECORD TYPES			
	Client Service Episode	HoNOS	Substance Use	Diagnostic / Diagnostic 5
Level 1	Yes	No	No	No
Level 2	Yes	Yes	Yes	No
Level 3	Yes	Yes	Yes	Yes

Reporting Levels Based Upon the Continuum of MHSU Services

S2 CONTINUUM OF MHSU SERVICE		LEVEL
01	Intake/Screening/Walk-in Service and/or Brief Intervention	1
02	Shared Care or Collaborative Care	1
03	Acute Home Treatment	3
04	Acute Outpatient Services	3
05	Partial Hospitalization Programs – Day Hospital, Day Treatment	1
06	Mental Health and Substance Use Community Liaison Services	1
07	Case Management Services	3
08	Assertive Community Treatment (ACT)	3
09	Adult Short Term Assessment and Treatment Services (ASTAT)	3
10	Intensive Case Management – Community Outreach Services	3
11	Early Psychosis Intervention (EPI)	3
12	Perinatal and Reproductive Mental Health Services	2
13	Eating Disorders Programs	3
14	Concurrent Disorders Treatment Programs (Adult)	3
15	Concurrent Disorders Treatment Programs (Youth)	3
16	Neuropsychiatry Services	3
17	Psychosis (Refractory Psychosis) Services	3
18	Mood Disorders Services	3
19	Multicultural MHSU Services	1
20	Aboriginal Liaison MHSU Services	1
21	Dual Diagnosis Team for People with Developmental Disability and Mental Illness	3
22	Specialized Psycho-Geriatric Assessment and Treatment Services	3
23	Employment Support Services	1
24	Therapeutic Volunteer Program (TVP)	1
25	Education Support Services	1
26	Psychoeducation Support Groups	1
27	Leisure Support Services	1
28	Specialized Treatment Services for Deaf/Hard of Hearing Clients	1
29	Community Living Support Services	2
30	Family Support Services	1
31	Wellness Support Services	1

S2 CONTINUUM OF MHSU SERVICE		LEVEL
32	Clubhouse	1
33	Drop-in Centre	1
34	Community Crisis Stabilization Units	2
35	Community Crisis Response	1
36	Tobacco Cessation Program	1
37	Opioid Substitution Treatment (e.g. methadone & suboxone)	2
38	Medication Assisted Treatment for Substance Use Disorders (other than opioid substitution treatment)	2
39	Substance Use Community-Based Outpatient Services – Adult	2
40	Substance Use Community-Based Outpatient Services – Youth	2
41	Sobering Centres	1
42	Substance Use Outreach Program – Adult	1
43	Substance Use Outreach Program – Youth	1
44	Adult Detox (Withdrawal Management) – Community Based	2
45	Youth Detox (Withdrawal Management) – Community Based	2
46	Daytox Withdrawal Management – Adult	2
47	Daytox Withdrawal Management – Youth	2
48	Home Detox Withdrawal Management – Adult	2
49	Home Detox Withdrawal Management – Youth	2
50	Adult Substance Use Residential Treatment	2
51	Youth Substance Use Residential Treatment	2
52	Adult Substance Use Support Recovery	2
53	Youth Substance Use Support Recovery	2
54	Day Treatment Program (Includes Concurrent)	1
55	Substance Use Seniors' Services	2
56	Dedicated Homeless MHSU Services	1
57	Community Residential Care Facilities and Family Care Homes	1
58	Supported Housing	1
59	Acute Care Inpatient Treatment Beds – Adults (Excluding Geriatrics)	3
60	Acute Care Inpatient Treatment Beds – Youth/Adolescents	3
61	Acute Care Inpatient Treatment Beds – Geriatrics	3
62	Designated Observation Rooms	3
63	Hospital-based Beds for Withdrawal Management – Adult or Youth	2

S2 CONTINUUM OF MHSU SERVICE		LEVEL
64	Tertiary Inpatient (Acute) – Adult	3
65	Tertiary Inpatient (Acute) – Psycho Geriatric	3
66	Tertiary (Rehabilitative) – Adult	3
67	Tertiary (Rehabilitative) – Psycho Geriatric	3
68	Tertiary Specialized Residential Care – Adult	3
69	Tertiary Specialized Residential Care – Psycho Geriatric	3
70	Tertiary Substance Use / Concurrent Services	3
71	Provincial Specialized Tertiary Community Outreach Services	3
72	Forensic Psychiatric Hospital Beds	3
73	Forensic Community Clinics	3
74	Emergency Shelter	1
75	Tertiary Eating Disorders Services	3
76	Tertiary Neuropsychiatry Services	3
77	Tertiary Mood Disorders Services	3
78	Tertiary Inpatient (Acute) – Child/Youth	3
79	Tertiary Mood Disorders Step-down Services	3
80	Tertiary Refractory Psychosis Services	2
81	Tertiary Specialized Residential Care – Eating Disorders	3
82	PSR Assessment and Intervention	3
83	Group Treatment Services	1
84	Psychiatric Emergency Services (PES)	3
85	Clinical Decision Unit (CDU)	3
86	Child/Youth Mental Health Counselling Services	1
87	Child/Youth Mental Health Engagement and Treatment	1
88	Child/Youth Mental Health Services	3
89	Specialized Suicide Treatment Services	2

Data Not Provided by the Ministry Of Health

While the MHA MRR specifications identify several attributes relating to First Nations/Indigenous Canadians, those data will never be provided for research, planning or evaluation.

Data Missing or Not Available in Submissions From Health Authorities

For many reasons, data submitted by health authorities may be coded as: VALUE NOT PROVIDED; UNKNOWN/NOT ASKED; NOT APPLICABLE or VALUE MISSING. A health authority may submit a NULL which is permitted for some attributes. In that case, the value will be decoded as either VALUE NOT PROVIDED or VALUE MISSING. In the some cases the clinician is unable to ascertain the appropriate entry at the time the data are recorded or, the clinician may not ask the question of the client. In this case UNKNOWN/NOT ASKED may be submitted. This is a valid value. In other situations, the attribute may not be applicable in the clinical situation. In this case NOT APPLICABLE may be submitted. This is a valid value. When requesting data, please be aware of data with a high proportion of VALUE NOT PROVIDED; UNKNOWN/NOT ASKED; NOT APPLICABLE or VALUE MISSING.

What You Need to Provide to Specify Your MHSU Data Request

The general background of the project, and the justifications for using should have already been entered on the MOH Health Data Request (HDR) form. In addition for the MHA component specifically we will need to know:

1. Which of the above 7 files (refer to page 1) are being requested.
2. Which fields are needed for the required files – specified by filling in the appropriate checkboxes on the data checklist document.
3. What filter conditions are required? This may be more complex. The restrictions on the data to be provided will often include:
 - ◇ A ‘cohort’ of individuals, either provided directly by you, the requester, or derived from other Ministry of Health data sets. In this case the origin and details of this cohort should be described in the main HDR application and on the data checklist document.
 - ◇ A date range. This will be applied in different ways to the various record types (in addition to other criteria such as a cohort):
 - **Episodes** – those which fully or partially overlap the date range will be included
 - **Clients** – details for individuals referenced in the included episodes will be provided
 - **Events** – those occurring within the date range will be included
 - **Assessments** – those occurring within the date range will be included
 - **Substance Use** - those occurring within the date range will be included

Other more complex filter conditions are possible, but will require more detailed specifications as well as custom coding, possibly causing a delay. If such filters are necessary details should be supplied and discussed further with the Ministry of Health.

CLIENT INFORMATION (provides demographic information)		
FIELD NAME	DESCRIPTION	COMMENTS
C2 PHN (Personal Health Care Number)	Unique number assigned to the client by the Client Registry System of BC	PHN will not be released. A randomized study ID will be provided.
C3 City	Client's city/town of residence	
C4 Home Province, State or Other Country	Province or State of home address, or country other than Canada or USA	
C5 Postal Code	Postal Code of home address	Postal code is not available for regular data requests but various geographical breakdowns can be provided.
C6 Birth Date	Date of birth	Not available for regular data requests. An age or age group can be provided.
C7 Sex Code	Biological sex of the client	
C8 Marital Status	Legal marital status under the law or as registered by the state at time of first service	28% UNKNOWN/NOT ASKED
C9 Height	Height of client (centimetres)	Use with caution.

CLIENT INFORMATION (provides demographic information)		
FIELD NAME	DESCRIPTION	COMMENTS
C10 Weight	Weight of client (kilograms)	Use with caution.
C11 Household Composition	Living situation and social support of the client in housing at the time of the first service	39% VALUE NOT PROVIDED
C16 Highest Level of Education Completed	Level of education completed when first service is reported	48% UNKNOWN/NOT ASKED
C17 Current Educational Engagement	Level of education currently enrolled in	56% VALUE NOT PROVIDED
C18 Employment Status Declaration	Declared primary employment status	41% UNKNOWN/NOT ASKED
C19 Employment Hours	Current paid employment average hours per week, over the last 4 weeks prior to the encounter	43% UNKNOWN/NOT ASKED
C20 WCB, Sickness or Disability Flag	Client is receiving Worker's Compensation Benefits, is on disability or sick leave	54% VALUE NOT PROVIDED
C21 Duration of WCB, Sickness or Disability	How long the client is receiving WCB, is on disability or sick leave	70% UNKNOWN/NOT ASKED 25% VALUE NOT PROVIDED
C22 Criminal Justice Involvement	Involvement in the criminal justice system when the first service is reported or at the time of change	52% UNKNOWN/NOT ASKED
C23 Nature of Criminal Justice Involvement	Nature of criminal charges	DEPENDENT ON C22
C24 Legal Status First Field	Legal status of client	74% UNKNOWN/NOT ASKED
C25 Legal Status Second Field	Client has a second legal status	99% VALUE NOT PROVIDED
C26 Estimated Age	Estimated age of client at time of reporting	
C27 History of Suicide Attempts	Client has a history of suicide attempts or significant intentional self-harm behaviour	62% VALUE NOT PROVIDED
C28 History of Violence	Client has experienced a history of violence or abuse towards him/her	66% VALUE NOT PROVIDED
C29 Age of First Use of Alcohol	Age in years that client first used alcohol	33% UNKNOWN/NOT ASKED 41% VALUE NOT PROVIDED
C30 Age of First Use of Tobacco	Age in years that client first used tobacco	34% UNKNOWN/NOT ASKED 42% VALUE NOT PROVIDED
C31 Age of First Use of Marijuana	Age in years that client first used marijuana	34% UNKNOWN/NOT ASKED 42% VALUE NOT PROVIDED
C32 Age of First Use of Any Other Substance	Age in years that client first used any other substance (other than alcohol, tobacco and marijuana)	37% UNKNOWN/NOT ASKED 44% VALUE NOT PROVIDED

SERVICE EPISODE AND SERVICE EVENT INFORMATION		
FIELD NAME	DESCRIPTION	COMMENTS
S2 Continuum of MHSU Services	MHSU service funded by HA	
S3 Referral Source	Individual, organization or agency that referred the client to the health authority for mental health or substance use services	9% UNKNOWN/NOT ASKED
S4 Referral Date	Date request received for the Continuum of MHSU Service	
S5 Date of First Contact	Date of contact with client or collaterals (for example client's clinician, physician or caregiver) where clinically relevant information is exchanged	
S6 Date of First Service Event	Date of first clinical interaction with client for the Continuum of MHSU Service being reported	
S7 Date of First Service Event in Reporting Period	Date of first service event in the Reporting Period	3% MISSING
S8 Date of Last Service Event in Reporting Period	Date of last service event in the Reporting Period	3% MISSING
S9 Number of Service Events in Reporting Period	Number of discrete service events in the Reporting Period	3% MISSING
S10 Living Arrangement	Situation that best describes where the client currently lives most of the time in the reporting period	37% UNKNOWN/NOT ASKED
S11 Acute Inpatient – Secure Room	Client received services in a secure room at any time during hospital stay	
S12 Acute Inpatient - Transport	Identifies how client is transported to a designated facility under the Mental Health Act	
S13 MHSU Affected Relationship	Client's relationship to a significant other with a mental illness or substance use problem	83% VALUE NOT PROVIDED (Optional reporting)
S14 Service Agency Location Code	Represents the discrete location where the provider is located	
S15 Type of CBT Intervention	Client received Cognitive Behavioural Therapy (CBT) provided by a qualified professional according to the CBT framework	82% NOT APPLICABLE
S16 Type of DBT Intervention	Client received Dialectic Behavioural Therapy (DBT) provided by a qualified professional according to the DBT framework	96% NOT APPLICABLE
S17 Date Extended Leave Ends	Date when client's extended leave status under the Mental Health Act ends	96% VALUE MISSING
S18 Date of Discharge from Service	Date of last service event to client where client is not expected to return	
S19 Reason for End of Service	Reason for discontinuation of service	

SERVICE EPISODE AND SERVICE EVENT INFORMATION		
FIELD NAME	DESCRIPTION	COMMENTS
S20 Date of Hospital to Community Contact	Date client has connected to MHSU community service or physician service through/by the Hospital-to-Community Mental Health and/or Substance Use Bridging/Liaison Services	99.5% VALUE MISSING
S21 Reason for No Community Follow up Contact	Reason the client upon discharge from a hospital could not be contacted with community system for follow up care and treatment	99.6% VALUE MISSING
S22 Pregnancy	Client is pregnant or has been pregnant within the past 2 years at the time of reporting	21% UNKNOWN/NOT ASKED 23% VALUE NOT PROVIDED
S23 Parenting	Client is parenting or providing care to children (under 19) and/or has children (under 19) in care of others	43% UNKNOWN/NOT ASKED
S24 Suicide Attempt	Client has made a suicide attempt or engaged in significant intentional self-harm behaviour within 24 hours prior to a service event	51% UNKNOWN/NOT ASKED
S25 Violence	Client has experienced violence or abuse towards them within the last 12 months prior to or during the service episode	56% UNKNOWN/NOT ASKED
S26 Peer Support Service	Client is receiving Peer Support Services	70% VALUE NOT PROVIDED (Optional reporting)
S27 Fetal Alcohol Spectrum Disorder (FASD)	Known or Suspected FASD	27% VALUE NOT PROVIDED 59% UNKNOWN/NOT ASKED (Replaced N42, effective Oct 11, 2013. Optional reporting)
T2 Date and Time of Service Event	Unique record identifier for a Service Event	Created by the health authority's information management system

DSM-5 DIAGNOSTIC RECORD (DIAGNOSTIC 5)		
FIELD NAME	DESCRIPTION	COMMENTS
D1 DSM-5 Date of Diagnostic Assessment at Enrolment	Date that the diagnostic assessment at enrolment for the client was initiated (not the date of completion of the diagnostic assessment at enrolment)	2% MISSING (Record count <13,000. Only collected since April 1, 2016)
D2 DSM-5 Clinician's Impression at Enrolment	Diagnosis provided at enrolment is a clinician's impression	2% VALUE NOT PROVIDED
D3 DSM-5 Diagnosis at Enrolment 1 (Primary)	Primary diagnosis within the DSM-5 based on clinical symptoms	2% VALUE NOT PROVIDED
D4 DSM-5 Diagnosis at Enrolment 2 (Secondary)	Secondary diagnosis within the DSM-5 based on clinical symptoms	65% VALUE NOT PROVIDED
D5 DSM-5 Diagnosis at Enrolment 3 (Tertiary)	Tertiary diagnosis within the DSM-5 based on clinical symptoms	89% VALUE NOT PROVIDED
D6 DSM-5 Diagnosis at Enrolment 4 (Quaternary)	Quaternary diagnosis within the DSM-5 based on clinical symptoms	97% VALUE NOT PROVIDED

DSM-5 DIAGNOSTIC RECORD (DIAGNOSTIC 5)

FIELD NAME	DESCRIPTION	COMMENTS
D7 DSM-5 Diagnosis at Enrolment 5 (Quinary)	Quinary diagnosis within the DSM-5 based on clinical symptoms	99% VALUE NOT PROVIDED
D8 Date of Diagnostic Assessment at Discontinuation	Date that the diagnostic assessment at discontinuation for the client was initiated (not the date of completion of the diagnosis at discontinuation)	71% MISSING
D9 Clinician's Impression at Discontinuation	Diagnosis provided at discontinuation is a clinician's impression	71% VALUE NOT PROVIDED
D10 DSM-5 Diagnosis at Discontinuation 1 (Primary)	Primary diagnosis within the DSM-5 based on clinical symptoms	71% VALUE NOT PROVIDED
D11 DSM-5 Diagnosis at Discontinuation 2 (Secondary)	Secondary diagnosis within the DSM-5 based on clinical symptoms	91% VALUE NOT PROVIDED
D12 DSM-5 Diagnosis at Discontinuation 3 (Tertiary)	Tertiary diagnosis within the DSM-5 based on clinical symptoms	97% VALUE NOT PROVIDED
D13 DSM-5 Diagnosis at Discontinuation 4 (Quaternary)	Quaternary diagnosis within the DSM-5 based on clinical symptoms	99% VALUE NOT PROVIDED
D14 DSM-5 Diagnosis at Discontinuation 5 (Quinary)	Quinary diagnosis within the DSM-5 based on clinical symptoms	99.8% VALUE NOT PROVIDED

DSM-IV-TR DIAGNOSTIC RECORD (Diagnostic)

FIELD NAME	DESCRIPTION	COMMENTS
D1 Date of Diagnostic Assessment at Enrolment	Date that the diagnostic assessment at enrolment for the client was initiated (not the date of completion of the diagnostic assessment at enrolment)	
D2 Date of Diagnostic Assessment at Discontinuation	Date that the diagnostic assessment at discontinuation for the client was initiated (not the date of completion of the diagnosis at discontinuation)	57% MISSING
D3 Diagnosis Axis 5: GAF Score at Enrolment or Service	General descriptor of the overall functioning of the client at the time of enrolment into a program	Valid Values: 0 to 100 0 Inadequate information 100 Superior functioning in a wide range of areas 1% MISSING
D4 Diagnosis Axis 5: GAF Score at Discontinuation	General descriptor of the overall functioning of the client at the time the services are discontinued	64% MISSING
D5 Initial DSM-IV-TR Diagnosis Axis 1: Primary or First at Enrolment	Most likely diagnosis within the DSM-IV-TR based on clinical symptoms	

DSM-IV-TR DIAGNOSTIC RECORD (Diagnostic)

FIELD NAME	DESCRIPTION	COMMENTS
D6 DSM-IV-TR Diagnosis Axis 1: Primary or First at Discontinuation	Principal diagnosis: when a person receives more than one DSM code, the principal one is the condition that was chiefly responsible for occasioning the referral	57% VALUE NOT PROVIDED
D7 Initial DSM-IV-TR Diagnosis Axis 1: Second or Secondary at Enrolment	Most likely diagnosis within the DSM-IV-TR based on clinical symptoms pending confirmation from a physician	Optional field. Interpret data accordingly. 85% VALUE NOT PROVIDED
D8 DSM-IV-TR Diagnosis Axis 1: Second or Secondary at Discontinuation	Secondary diagnosis: when a person receives more than one DSM code, due to a concurrent disorder	Optional field. Interpret data accordingly. 92% VALUE NOT PROVIDED
D9 Initial DSM-IV-TR Diagnosis Axis 1: Other at Enrolment	Most likely diagnosis within the DSM-IV-TR based on clinical symptoms pending confirmation from a physician	Optional field. Interpret data accordingly. 96% VALUE NOT PROVIDED
D10 DSM-IV-TR Diagnosis Axis 1: Other at Discontinuation	When a person has a concurrent disorder, a third Clinical Diagnosis can be recorded	Optional field. Interpret data accordingly 98% VALUE NOT PROVIDED
D11 Initial DSM-IV-TR Diagnosis Axis 2: Primary or First at Enrolment	Personality Disorders/Mental Retardation Principal diagnosis: when a person receives more than one DSM code, the principal one is the condition that was chiefly responsible for occasioning the referral	
D12 DSM-IV-TR Diagnosis Axis 2: Primary or First at Discontinuation	Personality Disorders/Mental Retardation Principal diagnosis: when a person receives more than one DSM code, the principal one is the condition that was chiefly responsible for occasioning the referral	Diagnosis to be provided when a client's participation in a program ends, whatever the reason 58% VALUE NOT PROVIDED
D13 Initial DSM-IV-TR Diagnosis Axis 2: Second or Secondary at Enrolment	Personality Disorders/Mental Retardation The Ministry expects this information for clients where registered psychologists or physicians are involved in their care. The Ministry also expects diagnostic impressions based on DSM-IV-TR from appropriately trained healthcare staff from other disciplines	Optional field. Interpret data accordingly. 99% VALUE NOT PROVIDED
D14 DSM-IV-TR Diagnosis Axis 2: Second or Secondary at Discontinuation	Personality Disorders/Mental Retardation Diagnosis to be provided when a client's participation in a program ends, whatever the reason If a client is not formally enrolled or registered this is the diagnosis at the time that service provision to the client ended The Ministry expects this information for clients where registered psychologists or physicians are involved in their care. The Ministry also expects diagnostic impressions based on DSM-IV-TR from appropriately trained healthcare staff from other disciplines	Optional field. Interpret data accordingly. 99% VALUE NOT PROVIDED
D15 Clinician's Impression	Diagnosis provided is a clinician's impression	47% VALUE NOT PROVIDED

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N2 Date of HoNOS Assessment	Date the client received a HoNOS assessment	0.002% MISSING
N3 HoNOS Problems with Overactive, Aggressive, Disruptive, Agitated or Antisocial Behaviour (Behavioural Disturbance)	Include such behaviour due to any cause, for example drugs, alcohol, dementia, psychosis, depression, etc. Do not include bizarre behaviour, rated at scale 6 (N8 HoNOS Problems Associated with Hallucinations, Delusions or Abnormal Perceptions (False Beliefs))	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 5% UNKNOWN/NOT ASKED 1% VALUE NOT PROVIDED
N4 HoNOS Non Accidental Self Injury	Does not include accidental self-injury, due for example to dementia or severe learning disability; the cognitive problem is rated at scale 4 (N6 HoNOS Cognitive Problems) and the injury at scale 5 (N7 HoNOS Problems Related to Physical Illness or Disability) Does not include illness or injury as a direct consequence of drug/alcohol use rated at scale 3 (N5 HoNOS Problems Drinking or Drug Taking/Use (Problems with Alcohol, Substance/Solvent Use), for example cirrhosis of the liver or injury resulting from drunk driving are rated at scale 5 (N7 HoNOS Problems Related to Physical Illness or Disability))	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 6% UNKNOWN/NOT ASKED 1% VALUE NOT PROVIDED
N5 HoNOS Problem Drinking or Drug Taking/Use (Problems with Alcohol, Substance/Solvent Use)	Does not include aggressive/destructive behaviour due to alcohol or drug use, rated at scale 1 (N3 HoNOS Problems with Overactive, Aggressive, Disruptive, Agitated or Antisocial Behaviour (Behavioural Disturbance)). Does not include physical illness or disability due to alcohol or drug use, rated at scale 5 (N7 HoNOS Problems Related to Physical Illness or Disability)	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 5% UNKNOWN/NOT ASKED 1% VALUE NOT PROVIDED
N6 HoNOS Cognitive Problems	Include problems of memory, orientation and understanding associated with any disorder; learning disability, dementia, schizophrenia, etc. Does not include temporary problems, for example hangovers, resulting from drug/alcohol use, rated at scale 3 (N5 HoNOS Problem Drinking or Drug Taking/Use (Problems with Alcohol, Substance/Solvent Use))	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL 7% UNKNOWN/NOT ASKED 5% VALUE NOT PROVIDED

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N7 HoNOS Problems Related to Physical Illness or Disability	Include illness or disability from any cause that limits or prevents movement, or impairs sight or hearing, or otherwise interferes with personal functioning Include side-effects from medication; effects of drug/alcohol use; physical disabilities resulting from accidents of self-harm associated with cognitive problems, drink-driving, etc. Does not include mental or behavioural problems rated at scale 4 (N6 HoNOS Cognitive Problems)	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 6% UNKNOWN/NOT ASKED 1% VALUE NOT PROVIDED
N8 HoNOS Problems Associated with Hallucinations, Delusions or Abnormal Perceptions (False Beliefs)	Include hallucinations and delusions irrespective of diagnosis. Include odd and bizarre behaviour associated with hallucinations or delusions. Do not include aggressive, destructive or overactive behaviours attributed to hallucinations or delusions, rated at scale 1 (N3 HoNOS Problems with Overactive, Aggressive, Disruptive, Agitated or Antisocial Behaviour)	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 6% UNKNOWN/NOT ASKED 1% VALUE NOT PROVIDED
N9 HoNOS Problems with Depressive Mood (Symptoms)	Do not include over activity or agitation, rated at scale 1 (N3 HoNOS Problems with Overactive, Aggressive, Disruptive, Agitated or Antisocial Behaviour) Do not include suicidal ideation or attempts, rated at scale 2 (N4 HoNOS Non Accidental Self Injury) Does not include delusions or hallucinations, rated at scale 6 (N8 HoNOS Problems Associated with Hallucinations, Delusions or Abnormal Perceptions (False Beliefs))	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL 5% UNKNOWN/NOT ASKED 5% VALUE NOT PROVIDED
N10 HoNOS Problems with Relationships (Social, Supportive and Family Life)	Rating of the patient's most severe problem associated with active or passive withdrawal from social relationships, and/or non-supportive, destructive or self-damaging relationships	Valid Values: 01 Oral 02 Intranasal 03 Inhale or smoke 04 Inject 05 Transbuccal/sublingual 97 Other null NULL 8% UNKNOWN/NOT ASKED 1% VALUE NOT PROVIDED

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
<p>N11 HoNOS Problems with Activities of Daily Living</p>	<p>Rating of the overall functioning in activities of daily living (ADL), for example problems with basic activities of self-care such as eating, washing, dressing, toilet; also complex skills such as budgeting, organizing where to live, occupation and recreation, mobility and use of transport, shopping, self-development. etc. Includes any lack of motivation for using self-help opportunities, since this contributes to a lower overall level of functioning. Does not include lack of opportunities for exercising intact abilities and skills, rated at scale 11 (N12 HoNOS Overall Problems with Living Conditions) and 12 (N13 HoNOS Problems with Occupation/Work and (Leisure) Activities – Quality of Daytime Environment)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitely present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>7% UNKNOWN/NOT ASKED 5% VALUE NOT PROVIDED</p>
<p>N12 HoNOS Overall Problems with Living Conditions</p>	<p>Rating of the overall severity of problems with the quality of living conditions and daily domestic routine Are the basic necessities met (heat, light, hygiene)? If so, is there help to cope with disabilities and a choice of opportunities to use skills and develop new ones? Does not rate the level of functional disability itself, rated at Scale 10 (N11 HoNOS Problems with Activities of Daily Living)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitely present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>8% UNKNOWN/NOT ASKED 5% VALUE NOT PROVIDED</p>
<p>N13 HoNOS Problems with Occupation/Work and (Leisure) Activities – Quality of Daytime Environment</p>	<p>Rating of the overall level of problems with quality of day-time environment. Is there help to cope with disabilities, and opportunities for maintaining or improving occupational and recreational skills and activities? Considers factors such as stigma, lack of qualified staff, access to supportive facilities, for example staffing and equipment of day centres, workshops, social clubs, etc. Does not rate the level of functional disability itself, rated at scale 10 (N11 HoNOS Problems with Activities of Daily Living)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitely present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>8% UNKNOWN/NOT ASKED 5% VALUE NOT PROVIDED</p>
<p>N14 HoNOS Problems with Over Activity, Attention or Concentration</p>	<p>Include overactive behaviour associated with any cause such as hyperkinetic disorder, mania drug use Include problems with restlessness, fidgeting, attention or concentration due to any cause, including depression</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitely present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>22% UNKNOWN/NOT ASKED 53% VALUE NOT PROVIDED</p>

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
<p>N15 HoNOS Problems with Scholastic or Language Skills</p>	<p>Include problems with reading, spelling, arithmetic, speech or language associated with any disorder or problem, such as a specific developmental learning problem or physical disability such as a hearing problem Includes reduced scholastic performance associated with emotional or behavioural problems Do not include temporary problems resulting purely from inadequate education Children with generalised learning disability should not be included unless their functioning is below the expected level</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>23% UNKNOWN/NOT ASKED 53% VALUE NOT PROVIDED</p>
<p>N16 HoNOS Problems with Non-organic Somatic Symptoms</p>	<p>Include problems with gastrointestinal symptoms such as non-organic vomiting, cardiovascular symptoms, neurological symptoms, non-organic enuresis or encopresis, sleep problems or chronic fatigue Do not include movement disorders such as tics rated with “physical illness or disability problems” scale 5 (N7 HoNOS Problems Related to Physical Illness or Disability), or physical illnesses that complicate non organic somatic symptoms rated with “physical illness or disability problems” scale 5 (N7 HoNOS Problems Related to Physical Illness or Disability)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>23% UNKNOWN/NOT ASKED 53% VALUE NOT PROVIDED</p>
<p>N17 HoNOS Problems with Emotional and Related Symptoms</p>	<p>Rates only the most severe clinical problem not considered previously Includes depression, anxiety, worries, fears, phobias, obsessions or compulsions, arising from any clinical condition including eating disorders Do not include aggressive, destructive or overactive behaviours attributed to fears or phobias, rated with “problems with disruptive, antisocial or aggressive behaviour” scale 1 (N3 HoNOS Problems with Overactive, Aggressive, Disruptive, Agitated or Antisocial Behaviour) Do not include physical complications of psychological disorders, such as severe weight loss, rated with “physical illness or disability problems” scale 5 (N7 HoNOS Problems Related to Physical Illness or Disability)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>22% UNKNOWN/NOT ASKED 53% VALUE NOT PROVIDED</p>

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N18 HoNOS Problems with Peer Relationships	<p>Include problems with school mates and social network, active or passive withdrawal from social relationships, over intrusiveness or ability to form satisfying peer relationships</p> <p>Includes social rejections as a result of aggressive behaviour or bullying</p> <p>Do not include aggressive behaviour, bullying rated with "problems with disruptive antisocial or aggressive behaviour" scale 1 (N3 HoNOS Problems with Overactive, Aggressive, Disruptive, Agitated or Antisocial Behaviour) or problems with family or siblings rated with "problems with family life and relationships" scale 12 (N10 HoNOS Problems with Relationships)</p>	<p>Valid Values:</p> <p>00 No problem</p> <p>01 Minor problem requiring no action</p> <p>02 Mild problem but definitively present</p> <p>03 Moderately severe problem</p> <p>04 Severe to very severe problem</p> <p>98 Unknown/not asked</p> <p>99 Not applicable</p> <p>null NULL</p> <p>22% UNKNOWN/NOT ASKED</p> <p>53% VALUE NOT PROVIDED</p>
N19 HoNOS Problems with Self-Care and Independence	<p>Rates the overall level of functioning, for example problems with basic activities of self-care such as feeding, washing, dressing, toileting, also complex skills such as managing money, travelling independently, shopping etc., taking into account the norm for a child's chronological age</p> <p>Include poor levels of functioning arising from lack of motivation, mood or any other disorder</p> <p>Does not include lack of opportunities for exercising, intact abilities and skills, as might occur in an over restrictive family rated with "problems with family life and relationships" scale 12 (N10 HoNOS Problems with Relationships), or enuresis and encopresis rated with "problems with non organic somatic symptoms" scale 8 (N16 HoNOS Problems with Non-organic Somatic Symptoms)</p>	<p>Valid Values:</p> <p>00 No problem</p> <p>01 Minor problem requiring no action</p> <p>02 Mild problem but definitively present</p> <p>03 Moderately severe problem</p> <p>04 Severe to very severe problem</p> <p>98 Unknown/not asked</p> <p>99 Not applicable</p> <p>null NULL</p> <p>22% UNKNOWN/NOT ASKED</p> <p>53% VALUE NOT PROVIDED</p>
N20 HoNOS Poor School Attendance	<p>Includes truancy, school refusal, school withdrawal or suspension for any cause</p> <p>Includes attendance at type of school at the time of rating, for example hospital school, home tuition, etc. If school holiday, rates the last two weeks of the previous term</p>	<p>Valid Values:</p> <p>00 No problem</p> <p>01 Minor problem requiring no action</p> <p>02 Mild problem but definitively present</p> <p>03 Moderately severe problem</p> <p>04 Severe to very severe problem</p> <p>98 Unknown/not asked</p> <p>99 Not applicable</p> <p>null NULL</p> <p>23% UNKNOWN/NOT ASKED</p> <p>53% VALUE NOT PROVIDED</p>
N21 HoNOS Problems with Knowledge or Understanding about the Nature of the Child/ Adolescent's Difficulties	<p>Include lack of useful information or understanding available to the child/adolescent, parents or caregivers</p> <p>Include lack of explanation about the diagnosis or the cause of the problem or the prognosis</p>	<p>Valid Values:</p> <p>00 No problem</p> <p>01 Minor problem requiring no action</p> <p>02 Mild problem but definitively present</p> <p>03 Moderately severe problem</p> <p>04 Severe to very severe problem</p> <p>98 Unknown/not asked</p> <p>99 Not applicable</p> <p>null NULL</p> <p>23% UNKNOWN/NOT ASKED</p> <p>53% VALUE NOT PROVIDED</p>

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N22 HoNOS LD #1: Behavioural Problems Directed at Others	Include behaviour that is directed to other persons. Does not include behaviour that is directed towards self-scale 2 (N23 Behavioural Problems Directed Toward Self) or primarily at property or other behaviours scale 3 (N24 Other Mental and Behavioural Problems) Rates risk as it is currently	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N23 HoNOS LD #2: Behavioural Problems Directed Towards Self (self-Injury)	Include all forms of self-injurious behaviour. Do not include behaviour directed towards others scale 1 (N22 Behavioural Problems Directed at Others), or behaviour primarily directed at property, or other behaviours scale 3 (N24 Other Mental and Behavioural Problems)	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N24 HoNOS LD #3: Other Mental and Behavioural Problems	This is a global rating to include behavioural problems not described in scales 1 or 2 Does not include behaviour directed towards others scale 1 (N22 Behavioural Problems Directed at Others) or self-injurious behaviour scale 2 (N23 Behavioural Problems Directed Toward Self). Rate the most prominent behaviours present, including: A. behaviour destructive to property; B. problems with personal behaviours, for example, spitting, smearing, eating rubbish, self-induced vomiting, continuous eating or drinking, hoarding rubbish, inappropriate sexual behaviour; C. rocking, stereotyped and ritualistic behaviour; D. anxiety, phobias, obsessive or compulsive behaviour; E. others	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N25 HoNOS LD #4: Attention and Concentration	Includes problems that may arise from under activity, overactive behaviour, restlessness, fidgeting or inattention, hyper kinesis or arising from drugs	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
<p>N26 HoNOS LD #5: Memory and Orientation</p>	<p>Includes recent memory loss and worsening of orientation for time, place and person in addition to previous difficulties</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL</p> <p>77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>
<p>N27 HoNOS LD #6: Communications (problems with understanding)</p>	<p>Include all types of responses to verbal, gestural and signed communication, supported if necessary with environmental cues</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL</p> <p>77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>
<p>N28 HoNOS LD #7: Communications (problems with expression)</p>	<p>Include all attempts to make needs known and communicate with others (words, gestures, signs). Rate behaviour under scale 1 (N22 Behavioural Problems Directed at Others), 2 (N23 Behavioural Problems Directed Toward Self) and 3 (N24 Other Mental and Behavioural Problems)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL</p> <p>77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>
<p>N29 HoNOS LD #8: Problems Associated with Hallucinations and Delusions</p>	<p>Include hallucinations and delusions irrespective of diagnosis Includes all manifestations suggestive of hallucinations and delusions (responding to abnormal experiences, for example invisible voices when alone)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL</p> <p>77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N30 HoNOS LD #9: Problems Associated with Mood Changes	Include problems associated with low mood states, elated mood states, mixed moods and mood swings (alternating between unhappiness, weeping and withdrawal on one hand and excitability and irritability on the other)	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N31 HoNOS LD #10: Problems with Sleeping	Do not rate intensity of behaviour disturbance – this should be included in scale 3 (N24 HoNOS LD #3: Other Mental and Behavioural Problems). Includes daytime drowsiness, duration of sleep, frequency of waking and diurnal variation of sleep pattern	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N32 HoNOS LD #11: Problems with Eating and Drinking	Include both increase and decrease in weight Do not rate pica – which should be rated in scale 3 (N24 Other Mental and Behavioural Problems) This scale does not include problems experienced by people who cannot feed themselves, for example people with severe physical disability	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N33 HoNOS LD #12: Physical Problems	Physical problems include illness from any cause that adversely affects mobility, self-care, vision and hearing, for example dementia, thyroid dysfunction, tremor affecting dexterity Do not include relatively stable physical disability, for example cerebral palsy, hemiplegic. Behavioural disorders caused by physical problems should be rated under scale 1 (N22 Behavioural Problems Directed at Others), 2 (N23 Behavioural Problems Directed Toward Self) and 3 (N24 Other Mental and Behavioural Problems), for example constipation producing aggression	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N34 HoNOS LD #13: Seizures	Seizures include all types of fits (partial, focal, generalised, mixed, etc.) to rate the short-term effect on the individual's daily life. Rates the effects of the fits. Does not include behavioural problems caused by, or associated with, fits: use scale 1 (N22 Behavioural Problems Directed at Others), 2 (N23 Behavioural Problems Directed Toward Self) and 3 (N24 Other Mental and Behavioural Problems)	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N35 HoNOS LD #14: Activities of Daily Living at Home	Include such skills as cooking, cleaning and other household tasks Do not rate problems with daily living outside the home scale 15 (N36 Activities of Daily Living Outside the Home) Do not rate problems with self-care scale 16 (N37 Level of Self Care) Rate what is seen regardless of cause, for example, disability, motivation etc. Rate performance, not potential	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N36 HoNOS LD #15: Activities of Daily Living Outside the Home	Include skills such as budgeting, shopping, mobility and the use of transport, etc. Do not include problems with activities of daily living at home scale 14 (N35 Activities of Daily Living at Home). Do not rate problems with self-care scale 16 (N37 Level of Self Care). Rate the current level with the existing support	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED
N37 HoNOS LD #16: Level of Self Care	Rate the overall level of functioning in activities of self-care such as eating, washing, dressing and toileting. Rate the current level achieved with the existing support. Rate appearance not motivation	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL 77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
<p>N38 HoNOS LD #17: Problems with Relationships</p>	<p>Include effects of problems with relationships with family, friends and carers (in residential and day/leisure settings) Measure what is occurring regardless of cause, for example, somebody who is known to have good relationships may still display problems</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL</p> <p>77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>
<p>N39 HoNOS LD #18: Occupation and Activities</p>	<p>Rate the overall level of problems with quality of daytime environment. Take account of frequency and appropriateness of, and engagement with, daytime activities. Consider factors such as lack of qualified staff, equipment and appropriateness with regard to age and clinical condition. Do not rate problems with self-care scale 16 (N37 Level of Self Care)</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked null NULL</p> <p>77% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>
<p>N40 Mania</p>	<p>Based on observations at time of assessment</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>6% UNKNOWN/NOT ASKED 26% VALUE NOT PROVIDED</p>
<p>N41 Anxiety Including Obsessions/Compulsions</p>	<p>Based on observations at time of assessment</p>	<p>Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL</p> <p>6% UNKNOWN/NOT ASKED 22% VALUE NOT PROVIDED</p>

HEALTH OF THE NATION OUTCOME SCALE (HoNOS) INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
N44 Eating Disordered Behaviour	Where information leads practitioner to suspect eating disorder behaviour is present, or where client presents with issue	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL 12% UNKNOWN/NOT ASKED 26% VALUE NOT PROVIDED
N45 HoNOS Problems with Lack of Information About Services or Management of the Child's/Adolescent's Difficulties	Include lack of useful information available to the child/adolescent, parents or carers or referrers. Include lack of information about the most appropriate way of providing services to the child such as care arrangements for educational placements or respite care or statementing	Valid Values: 00 No problem 01 Minor problem requiring no action 02 Mild problem but definitively present 03 Moderately severe problem 04 Severe to very severe problem 98 Unknown/not asked 99 Not applicable null NULL 3% UNKNOWN/NOT ASKED 75% VALUE NOT PROVIDED
N46 HoNOS Tool	Identify the HoNOS tool used at assessment	Valid Values: 01 Children/Youth 02 Adult/Senior 03 Learning Disability 99 Not applicable null NULL 68% VALUE NOT PROVIDED

SUBSTANCE USE INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
U2 Date of Substance Use Assessment	Date the client was assessed for Substance Use	
U3 Substance Use	Substance use is part of the current clinical picture	<p>Valid Values:</p> <ul style="list-style-type: none"> 01 Alcohol 02 Tobacco 03 Marijuana 04 Hallucinogens 05 Ecstasy 06 Cocaine 07 Crack-cocaine 08 Heroin 09 Other Opiates (Dilaudid, Morphine, Codeine, Opium, etc.) 10 Methadone 11 Benzodiazepine 12 Methamphetamine/Crystal Meth/Other stimulants 13 Inhalants 14 Ketamine 15 Over-the-counter drugs (excluding codeine) 16 Other prescription drugs (excluding opiates) 97 Other substances 98 Unknown/not asked 99 Not applicable (does not use any substances including alcohol and tobacco) <p>3% UNKNOWN/NOT ASKED</p>
U4 Stage of Change (Client's Readiness for Change)	Readiness to engage in substance use treatment at time of assessment	<p>Valid Values:</p> <ul style="list-style-type: none"> 01 Pre-contemplation 02 Contemplation 03 Preparation 04 Action 05 Relapse 06 Maintenance 98 Unknown/not asked <p>25% UNKNOWN/NOT ASKED 34% VALUE NOT PROVIDED</p>
U5 Average Number of Cigarettes or Drinks in 30 Days Prior to Assessment	Average number of cigarettes per day or average number of standard drinks per drinking day over the past 30 days	<p>Valid Values:</p> <ul style="list-style-type: none"> 0 No use of alcohol or tobacco in past 30 days 01 to 90 Average number of cigarettes/ standard drinks per day of use in past 30 days 91 Average of more than 90 cigarettes/ standard drinks per day of use in past 30 days 98 Unknown/ not asked <p>18% UNKNOWN/NOT ASKED 58% VALUE NOT PROVIDED</p>

SUBSTANCE USE INFORMATION

FIELD NAME	DESCRIPTION	COMMENTS
U6 Number of Days Drinking or Using Substance in 30 Days Prior to Assessment	Number of days alcohol was consumed or substance was used in the past 30 days	Valid Values: 0 No use of alcohol or tobacco in past 30 days 01 to 30 Number of days substance was used in past 30 days 98 Unknown/not asked 16% UNKNOWN/NOT ASKED 36% VALUE NOT PROVIDED
U7 Primary Method of Substance Intake	Primary method the substance being reported is taken into the body	Valid Values: 01 Oral 02 Intranasal 03 Inhale or smoke 04 Inject 05 Transbuccal/sublingual 97 Other 98 Unknown/not asked 14% UNKNOWN/NOT ASKED 34% VALUE NOT PROVIDED
U8 Sharing Needles in 30 Days Prior to Assessment	Client is sharing needles with other users in 30 days prior to assessment	Valid Values: 00 No, not sharing needles 01 Yes, sharing needles 98 Unknown/not asked 99 Not applicable (does not use needles) 8% UNKNOWN/NOT ASKED 54% VALUE NOT PROVIDED
U9 Source of Substance	Source of substance identified	Valid Values: 01 Illicit 02 Prescription 03 Combination of Illicit and Prescription 98 Unknown/not asked 99 Not applicable 45% UNKNOWN/NOT ASKED 34% VALUE NOT PROVIDED
U10 Primary Substance Used	Client has identified substance as their primary substance used	Valid Values: 00 No 01 Yes 98 Unknown/not asked 10% UNKNOWN/NOT ASKED 40% VALUE NOT PROVIDED